Measurement of formation cross-section of ¹⁴⁰Pr in ¹⁴¹Pr(n,2n) reaction at 14.8 MeV

Vishal D. Bharud^{1*}, F.M.D. Attar², S.S. Dahiwale¹, V.N.Bhoraskar¹, S.D. Dhole¹

Department of Physics, Savitribai Phule Pune University, Pune Maharashtra 411007, INDIA

Poona college, K.B. Hidayatulah Road, Pune, Maharashtra- 411001, INDIA

* email: vdb@physics.unipune.ac.in/sanjay@physics.unipune.ac.in

Introduction

Thermal and fast neutron induced nuclear reactions are very important tool to obtaining information of the excited states and ground states of nuclei and nuclear reaction mechanisms. However, the low energy neutron can induce (n,γ) and (n,n') type reactions using 14 MeV neutron generator and a number of nuclear reactions have been studied[1]. Praseodymium is a rare earth element and has only one stable isotope that is 141 Pr with 100% abundance. The rare elements are always present as minority in structural material of nuclear reactor.

Praseodymium can be used as an alloying element with magnesium to create high strength metals that are used in aircraft engines. Praseodymium-cobalt alloys have applications in the satellite, missiles and radar technologies [2]. The praseodymium exits in the structural material of nuclear reactor and therefore gets irradiated by neutrons during the nuclear fission and fusion process. It is therefore of great interest to study fast neutron induced reactions for rare elements. Accurate data for the measured cross sections of the nuclear reaction cross sections can be validated by theoretical cross sections obtained by different nuclear models. It also gives the information about the nuclear structure.

In present study cross section for formation of ¹⁴⁰Pr through ¹⁴¹Pr(n,2n) nuclear reaction is studied using neutron produced in D-T reaction. The (n, 2n) reaction is important to obtain information on the relation between spins and parities of the initial and final states of the nuclei that take part in the nuclear reaction. The cross sections are measured with the activation technique relative to a monitor reaction.

The cross section were also theoretically estimated at 14.7±0.3 MeV and compared with the data available in the EXFOR (Exchange

Format) data base[3]. The theoretical calculations have been performed using the nuclear codes TALYS-1.8.

Experimental Method

The neutron irradiation work was carried out at the 14 MeV Neutron generators Laboratory, Department of Physics, Savitribai Phule Pune University, Pune India. The 14 MeV neutrons were produced by bombarding deuterium ions of energy 175 KeV on a 8 Curie tritium target. On the tritium target, the deuterium beam was of diameter ~4mm and current 100 µA. The samples of praseodymium were made from natural Pr₆O₁₁(99.99%) powder, and aluminum as monitoring element. The monitor ²⁷Al(n,p)²⁷Mg reaction was carried out using pure aluminum foil. Each sample praseodymium of known weight along with known weight of aluminum foil were packed in the a polyethylene bag. The sample size was close to 10 mm x 10 mm of rectangular shape. In each sample the weight of praseodymium and aluminum foil together was ~1.5 gm measured by a microbalance. Three such samples were prepared for the study of $^{141}Pr(n,2n)^{140}Pr$ reaction with $^{27}Al(n,p)^{27}Mg$ as the monitor reaction.

The decay data of the radioisotopes ¹⁴⁰Pr produced through the ¹⁴¹Pr(n,2n)¹⁴⁰Pr reaction and ²⁷Mg produced through the ²⁷Al(n,p)²⁷Mg reaction are given in Table 1. At a time one sample was mounted on the sample holder very close to the tritium target. Deuterons of 175 keV energy were bombarded on the tritium target and current was adjusted at 100µA. The sample was irradiated for 10 minutes.

A HPGe detector coupled to MCA was calibrated by using standard γ -ray sources namely as 22 Na, 54 Mn, 60 Co, 133 Ba, 137 Cs having energies 0.511 & 1.275 MeV, 0.835 MeV, 1.17 & 1.33 MeV, 0.356 MeV and 0.662 MeV

respectively. After neutron irradiation, the sample was brought to the counting room with the help of radiation shielding box. The induced γ -ray activity of radioisotopes produced in the sample was measured for a period ten minutes.

Table 1: The decay data of the radioisotopes produced in neutron induced reaction.

Nuclear Reaction	Abundan ce (%)	Half life	Eγ (MeV)	Ιγ (%)
¹⁴⁰ Pr (n,2n) ¹⁴⁰ Pr	100	3.39m	0.511	100
			1.596	0.3
²⁷ Al(n,p) ²⁷ Mg	100	9.46±	0.841	70
		0.04 m	1.013	30

The area under each photopeak was estimated using computer program. The cross section of the (n,2n) reactions was calculated from the measured peak counts using the following activation equation,

$$\sigma = \sigma_M \frac{A \varepsilon_M I_{\gamma M} \lambda}{A_M \varepsilon I_{\gamma} \lambda_M} \frac{N_M}{N} \frac{(1 - e^{-\lambda_M t_1})}{(1 - e^{-\lambda t_1})} \frac{e^{-\lambda_M t_2}}{e^{-\lambda t_2}} \frac{(1 - e^{-\lambda_M t_3})}{(1 - e^{-\lambda t_3})}$$

where, σ is the reaction cross section, A is the number of counts under the photo peak, I γ is photon disintegration probability, ϵ is the detector efficiency, σ_M is the cross section for monitor reaction, λ is decay constant, N is the number of atoms of the isotope of the element, t_1 is the irradiation time, t_2 is the cooling time, and t_3 is the period for which the γ activity is measured. The subscript M stands for the monitor element and reaction.

Theoretical Calculation Using Nuclear Code – TALYS

The excitation functions for the reactions were studied theoretically using the numerical nuclear model code TALYS-1.8[4]. The theoretical calculations were performed using the default parameter values and by changing the choice of the level density models. The level density parameters were calculated using the six different choices of the level density model available in TALYS-1.8.




Fig. 1 comparison of our measured cross section for 141 Pr $(n,2n)^{140}$ Pr with TALYS 1.8.

The results of the theoretical calculation and measured cross section are given in Table 2.

Conclusion

In the present paper, cross section of ¹⁴¹Pr(n,2n)¹⁴⁰Pr is reported at 14.8 MeV neutron energy. Using TALYS 1.8 code theoretical values of the cross section was obtained with default level densities. Activation cross sections for ¹⁴¹Pr(n,2n)¹⁴⁰Pr reaction induced by 14.8 MeV neutrons has been plotted with other global values of cross section and shown in the Fig.1. The constant temperature and Fermi-gas model (ldmodel 1) is to be preferred for ¹⁴¹Pr(n,2n)¹⁴⁰Pr reaction. The result was compared with previously experimental results reported in the literature and given in the Table 2.

Table 2: Measured cross sections of the 141 Pr $(n,2n)^{140}$ Pr nuclear reaction

Reaction/ Energy	Measured σ(mb)	EXFOR σ(mb)
¹⁴¹ Pr(n,2n) ¹⁴⁰ Pr/	1639±101	1879±113[5]
14.8 MeV		1378±206[6]

The experimental results presented here may be used to more accurately describe the reaction processes and verify statistical model parameters used in their theoretical representation.

Acknowledgement

One of the authors, Vishal Bharud, would like to thank the Dr. Babasaheb Ambedkar Research and training Institute, Government of Maharashtra for the award of JRF. Similarly, one of authors V.N. Bhoraskar is grateful to the authorizes of Savitribai Phule Pune University, Pune for the nomination as Distinguished Professor.

References

- [1] B. Lalremruata, "Excitation function of the ⁹³Nb(n,2n)⁹²Nb^m reaction from threshold to 24 MeV" Physical Review C **80**, 014608 (2009).
- [2] Zhu Zhonghan, "Rare-earth metals and their applications in aviation", Foreign Technology Division, China (1985).
- [3] EXFOR "Experimental Nuclear Reaction Data" https://www-nds.iaea.org/exfor/exfor.htm.
- [4] A. Koning, "TALYS-1.8, A nuclear reaction program", http://www.talys.eu/
- [5] Lu Junhua, "Crosssection measurements for 141Pr isotopes at neutron energies from 13.5 to 14.8 MeV", Radiation Physics and Chemistry, 1169-1177 (2010)
- [6] C.S. Khurana, "cross sections for (n,2n) reactions at 14.8 MeV", Journal of Nuclear Physics 560 (1961).