

## Bibliography

- Abbott, B. P. *et al.* (2016a). Observation of gravitational waves from a binary black hole merger, *Phys. Rev. Lett.* **116**, 6, p. 061102, doi:10.1103/PhysRevLett.116.061102, arXiv:1602.03837 [gr-qc].
- Abbott, B. P. *et al.* (2016b). Tests of general relativity with GW150914, *Phys. Rev. Lett.* **116**, 22, p. 221101, doi:10.1103/PhysRevLett.116.221101, arXiv:1602.03841 [gr-qc].
- Abbott, B. P. *et al.* (2016c). Tests of general relativity with GW150914, *Phys. Rev. Lett.* **116**, 22, p. 221101, doi:10.1103/PhysRevLett.116.221101, arXiv:1602.03841 [gr-qc], [Erratum: *Phys.Rev.Lett.* 121, 129902 (2018)].
- Abbott, B. P. *et al.* (2017). Gravitational Waves and Gamma-rays from a Binary Neutron Star Merger: GW170817 and GRB 170817A, *Astrophys. J. Lett.* **848**, 2, p. L13, doi: 10.3847/2041-8213/aa920c, arXiv:1710.05834 [astro-ph.HE].
- Abbott, B. P. *et al.* (2019). Tests of general relativity with the binary black hole signals from the LIGO-Virgo catalog GWTC-1, *Phys. Rev. D* **100**, 10, p. 104036, doi:10.1103/PhysRevD.100.104036, arXiv:1903.04467 [gr-qc].
- Acciari, V. A. *et al.* (2020). Bounds on Lorentz invariance violation from MAGIC observation of GRB 190114C, *Phys. Rev. Lett.* **125**, 2, p. 021301, doi:10.1103/PhysRevLett.125.021301, arXiv:2001.09728 [astro-ph.HE].
- Ackermann, M. *et al.* (2018). The search for spatial extension in high-latitude sources detected by the *Fermi* large area telescope, *Astrophys. J. Suppl.* **237**, 2, p. 32, doi: 10.3847/1538-4365/aacdf7, arXiv:1804.08035 [astro-ph.HE].
- Adamek, J., de Rham, C., and Durrer, R. (2012). Mode spectrum of the electromagnetic field in open universe models, *Mon. Not. Roy. Astron. Soc.* **423**, pp. 2705–2710, doi: 10.1111/j.1365-2966.2012.21082.x, arXiv:1110.2019 [gr-qc].
- Adami, H., Sheikh-Jabbari, M. M., Taghilo, V., Yavartanoo, H., and Zwickel, C. (2021). Chiral massive news: Null boundary symmetries in topologically massive gravity, *JHEP* **05**, p. 261, doi:10.1007/JHEP05(2021)261, arXiv:2104.03992 [hep-th].
- Adelberger, E. G., Heckel, B. R., Hoedl, S. A., Hoyle, C. D., Kapner, D. J., and Upadhye, A. (2007). Particle physics implications of a recent test of the gravitational inverse square law, *Phys. Rev. Lett.* **98**, p. 131104, doi:10.1103/PhysRevLett.98.131104, arXiv:hep-ph/0611223.
- Afshar, H. R., Bergshoeff, E. A., and Merbis, W. (2014). Extended massive gravity in three dimensions, *JHEP* **08**, p. 115, doi:10.1007/JHEP08(2014)115, arXiv:1405.6213 [hep-th].
- Afshordi, N. (2009). Cuscuton and low energy limit of Horava-Lifshitz gravity, *Phys. Rev. D.* **80**, p. 081502, doi:10.1103/PhysRevD.80.081502, arXiv:0907.5201 [hep-th].

- Afshordi, N., Chung, D. J. H., Doran, M., and Geshnizjani, G. (2007a). Cuscuton cosmology: Dark energy meets modified gravity, *Phys. Rev. D* **75**, p. 123509, doi:10.1103/PhysRevD.75.123509, arXiv:astro-ph/0702002.
- Afshordi, N., Chung, D. J. H., and Geshnizjani, G. (2007b). Cuscuton: A Causal Field Theory with an infinite speed of sound, *Phys. Rev. D* **75**, p. 083513, doi:10.1103/PhysRevD.75.083513, arXiv:hep-th/0609150.
- Aghanim, N. *et al.* (2020). Planck 2018 results. VI. Cosmological parameters, *Astron. Astrophys.* **641**, p. A6, doi:10.1051/0004-6361/201833910, arXiv:1807.06209 [astro-ph.CO], [Erratum: *Astron. Astrophys.* 652, C4 (2021)].
- Ai, W.-Y. (2020). A note on the novel 4D Einstein–Gauss–Bonnet gravity, *Commun. Theor. Phys.* **72**, 9, p. 095402, doi:10.1088/1572-9494/aba242, arXiv:2004.02858 [gr-qc].
- Aichelburg, P. C. and Sexl, R. U. (1971). On the gravitational field of a massless particle, *Gen. Rel. Grav.* **2**, pp. 303–312, doi:10.1007/BF00758149.
- Akhavan, A., Alishahiha, M., Naseh, A., Nemati, A., and Shirzad, A. (2016). New bigravity from new massive gravity, *JHEP* **05**, p. 006, doi:10.1007/JHEP05(2016)006, arXiv:1603.03270 [hep-th].
- Akiyama, K. *et al.* (2022a). First sagittarius A\* Event Horizon Telescope results. I. The shadow of the supermassive black hole in the center of the milky way, *Astrophys. J. Lett.* **930**, 2, p. L12, doi:10.3847/2041-8213/ac6674.
- Akiyama, K. *et al.* (2022b). First Sagittarius A\* Event Horizon Telescope Results. VI. Testing the black hole metric, *Astrophys. J. Lett.* **930**, 2, p. L17, doi:10.3847/2041-8213/ac6756.
- Akrami, Y., Hassan, S. F., Könnig, F., Schmidt-May, A., and Solomon, A. R. (2015a). Bimetric gravity is cosmologically viable, *Phys. Lett. B* **748**, pp. 37–44, doi:10.1016/j.physletb.2015.06.062, arXiv:1503.07521 [gr-qc].
- Akrami, Y., Koivisto, T. S., Mota, D. F., and Sandstad, M. (2013a). Bimetric gravity doubly coupled to matter: Theory and cosmological implications, *JCAP* **10**, p. 046, doi:10.1088/1475-7516/2013/10/046, arXiv:1306.0004 [hep-th].
- Akrami, Y., Koivisto, T. S., and Sandstad, M. (2013b). Accelerated expansion from ghost-free bigravity: A statistical analysis with improved generality, *JHEP* **03**, p. 099, doi:10.1007/JHEP03(2013)099, arXiv:1209.0457 [astro-ph.CO].
- Akrami, Y., Koivisto, T. S., and Sandstad, M. (2015b). Cosmological constraints on ghost-free bigravity: Background dynamics and late-time acceleration, in *13th Marcel Grossmann Meeting on Recent Developments in Theoretical and Experimental General Relativity, Astrophysics, and Relativistic Field Theories*, pp. 1252–1254, doi:10.1142/9789814623995\_0138, arXiv:1302.5268 [astro-ph.CO].
- Alberte, L., Ammon, M., Jiménez-Alba, A., Baggioli, M., and Pujolàs, O. (2018). Holographic phonons, *Phys. Rev. Lett.* **120**, 17, p. 171602, doi:10.1103/PhysRevLett.120.171602, arXiv:1711.03100 [hep-th].
- Alberte, L., Baggioli, M., Khmelnitsky, A., and Pujolàs, O. (2016). Solid holography and massive gravity, *JHEP* **02**, p. 114, doi:10.1007/JHEP02(2016)114, arXiv:1510.09089 [hep-th].
- Alberte, L., de Rham, C., Momeni, A., Rumbutis, J., and Tolley, A. J. (2020). EFT of interacting Spin-2 fields, *JHEP* **01**, p. 131, doi:10.1007/JHEP01(2020)131, arXiv:1910.05285 [hep-th].
- Alberte, L. and Khmelnitsky, A. (2013). Reduced massive gravity with two Stückelberg fields, *Phys. Rev. D* **88**, 6, p. 064053, doi:10.1103/PhysRevD.88.064053, arXiv:1303.4958 [hep-th].

- Alberte, L. and Khmelnitsky, A. (2015). Stability of massive gravity solutions for holographic conductivity, *Phys. Rev. D* **91**, 4, p. 046006, doi:10.1103/PhysRevD.91.046006, arXiv:1411.3027 [hep-th].
- Albrecht, A. and Magueijo, J. (1999). A Time varying speed of light as a solution to cosmological puzzles, *Phys. Rev. D* **59**, p. 043516, doi:10.1103/PhysRevD.59.043516, arXiv:astro-ph/9811018.
- Alebastrov, V. A. and Efimov, G. V. (1973). A proof of the unitarity of S-matrix in a nonlocal quantum field theory, *Commun. Math. Phys.* **31**, 1, pp. 1–24, doi:10.1007/BF01645588.
- Alexandrov, S. (2014). Canonical structure of Tetrad Bimetric Gravity, *Gen. Rel. Grav.* **46**, p. 1639, doi:10.1007/s10714-013-1639-1, arXiv:1308.6586 [hep-th].
- Alishahiha, M. and Fareghbal, R. (2011). D-Dimensional log gravity, *Phys. Rev. D* **83**, p. 084052, doi:10.1103/PhysRevD.83.084052, arXiv:1101.5891 [hep-th].
- Alishahiha, M., Qaemmaqami, M. M., Naseh, A., and Shirzad, A. (2016). Holographic renormalization of 3D minimal massive gravity, *JHEP* **01**, p. 106, doi:10.1007/JHEP01(2016)106, arXiv:1511.06194 [hep-th].
- Alishahiha, M., Silverstein, E., and Tong, D. (2004). DBI in the sky, *Phys. Rev. D* **70**, p. 123505, doi:10.1103/PhysRevD.70.123505, arXiv:hep-th/0404084.
- Alkaç, G., Basanisi, L., Bergshoeff, E. A., Ozkan, M., and Sezgin, E. (2015). Massive  $\mathcal{N} = 2$  supergravity in three dimensions, *JHEP* **02**, p. 125, doi:10.1007/JHEP02(2015)125, arXiv:1412.3118 [hep-th].
- Alkaç, G. and Tekin, B. (2018). Holographic c-theorem and Born-Infeld Gravity Theories, *Phys. Rev. D* **98**, 4, p. 046013, doi:10.1103/PhysRevD.98.046013, arXiv:1805.07963 [hep-th].
- Allys, E. (2017). New terms for scalar multi-Galileon models and application to SO(N) and SU(N) group representations, *Phys. Rev. D* **95**, 6, p. 064051, doi:10.1103/PhysRevD.95.064051, arXiv:1612.01972 [hep-th].
- Allys, E., Beltran Almeida, J. P., Peter, P., and Rodríguez, Y. (2016a). On the 4D generalized Proca action for an Abelian vector field, *JCAP* **09**, p. 026, doi:10.1088/1475-7516/2016/09/026, arXiv:1605.08355 [hep-th].
- Allys, E., Peter, P., and Rodríguez, Y. (2016b). Generalized Proca action for an Abelian vector field, *JCAP* **02**, p. 004, doi:10.1088/1475-7516/2016/02/004, arXiv:1511.03101 [hep-th].
- Allys, E., Peter, P., and Rodríguez, Y. (2016c). Generalized SU(2) Proca Theory, *Phys. Rev. D* **94**, 8, p. 084041, doi:10.1103/PhysRevD.94.084041, arXiv:1609.05870 [hep-th].
- Almeida, C. A. S., Cruz, W. T., Maluf, R. V., Petrov, A. Y., and Porfirio, P. J. (2022). Softly higher-derivative massive gravity, “Invited chapter for Handbook of Quantum Gravity (Eds. C. Bambi, L. Modesto, and I. L. Shapiro, Springer 2023)”. *Eur. Phys. J. C* **82**, 8, p. 715, doi:10.1140/epjc/s10052-022-10681-7, arXiv:2202.01154 [hep-th].
- Álvarez, E. and Velasco-Aja, E. (2023). A primer on unimodular gravity, arXiv:2301.07641 [gr-qc].
- Alves Batista, R. *et al.* (2021). EuCAPT white paper: Opportunities and challenges for theoretical astroparticle physics in the next decade, arXiv:2110.10074 [astro-ph.HE].
- Amaro-Seoane, P. *et al.* (2017). Laser interferometer space antenna, arXiv:1702.00786 [astro-ph.IM].
- Anastassopoulos, V. *et al.* (2015). Search for chameleons with CAST, *Phys. Lett. B* **749**, pp. 172–180, doi:10.1016/j.physletb.2015.07.049, arXiv:1503.04561 [astro-ph.SR].
- Andrade, T. and Withers, B. (2014). A simple holographic model of momentum relaxation, *JHEP* **05**, p. 101, doi:10.1007/JHEP05(2014)101, arXiv:1311.5157 [hep-th].

- Andrews, M., Goon, G., Hinterbichler, K., Stokes, J., and Trodden, M. (2013a). Massive gravity coupled to Galileons is Ghost-Free, *Phys. Rev. Lett.* **111**, 6, p. 061107, doi:10.1103/PhysRevLett.111.061107, arXiv:1303.1177 [hep-th].
- Andrews, M., Hinterbichler, K., Stokes, J., and Trodden, M. (2013b). Cosmological perturbations of massive gravity coupled to DBI Galileons, *Class. Quant. Grav.* **30**, p. 184006, doi:10.1088/0264-9381/30/18/184006, arXiv:1306.5743 [hep-th].
- Andringa, R., Bergshoeff, E. A., de Roo, M., Hohm, O., Sezgin, E., and Townsend, P. K. (2010). Massive 3D supergravity, *Class. Quant. Grav.* **27**, p. 025010, doi:10.1088/0264-9381/27/2/025010, arXiv:0907.4658 [hep-th].
- Angus, G. W., Famaey, B., and Zhao, H. (2006). Can MOND take a bullet? Analytical comparisons of three versions of MOND beyond spherical symmetry, *Mon. Not. Roy. Astron. Soc.* **371**, p. 138, doi:10.1111/j.1365-2966.2006.10668.x, arXiv:astro-ph/0606216.
- Anselmi, S., Kumar, S., López Nacir, D., and Starkman, G. D. (2017). Failures of homogeneous and isotropic cosmologies in extended quasidilaton massive gravity, *Phys. Rev. D* **96**, 8, p. 084001, doi:10.1103/PhysRevD.96.084001, arXiv:1706.01872 [astro-ph.CO].
- Antoniadis, I., Mazur, P. O., and Mottola, E. (1992). Conformal symmetry and central charges in four-dimensions, *Nucl. Phys. B* **388**, pp. 627–647, doi:10.1016/0550-3213(92)90557-R, arXiv:hep-th/9205015.
- Antoniadis, I. and Mottola, E. (1992). 4-D quantum gravity in the conformal sector, *Phys. Rev. D* **45**, pp. 2013–2025, doi:10.1103/PhysRevD.45.2013.
- Antoniou, G., Bakopoulos, A., and Kanti, P. (2018a). Black-Hole solutions with scalar hair in Einstein-Scalar-Gauss-Bonnet Theories, *Phys. Rev. D* **97**, 8, p. 084037, doi:10.1103/PhysRevD.97.084037, arXiv:1711.07431 [hep-th].
- Antoniou, G., Bakopoulos, A., and Kanti, P. (2018b). Evasion of No-Hair Theorems and Novel Black-Hole Solutions in Gauss-Bonnet Theories, *Phys. Rev. Lett.* **120**, 13, p. 131102, doi:10.1103/PhysRevLett.120.131102, arXiv:1711.03390 [hep-th].
- Aoki, K., Di Filippo, F., and Mukohyama, S. (2021). Non-uniqueness of massless transverse-traceless graviton, *JCAP* **05**, p. 071, doi:10.1088/1475-7516/2021/05/071, arXiv:2103.15044 [gr-qc].
- Aoki, K., Gorji, M. A., and Mukohyama, S. (2020). Cosmology and gravitational waves in consistent  $D \rightarrow 4$  Einstein-Gauss-Bonnet gravity, *JCAP* **09**, p. 014, doi:10.1088/1475-7516/2020/09/014, arXiv:2005.08428 [gr-qc], [Erratum: *JCAP* 05, E01 (2021)].
- Aoki, K., Gorji, M. A., Mukohyama, S., and Takahashi, K. (2022). Effective field theory of gravitating continuum: Solids, fluids, and aether unified, *JCAP* **08**, p. 072, doi:10.1088/1475-7516/2022/08/072, arXiv:2204.06672 [hep-th].
- Aoki, K. and Maeda, K.-i. (2014a). Cosmology in ghost-free bigravity theory with twin matter fluids: The origin of dark matter, *Phys. Rev. D* **89**, 6, p. 064051, doi:10.1103/PhysRevD.89.064051, arXiv:1312.7040 [gr-qc].
- Aoki, K. and Maeda, K.-i. (2014b). Dark matter in ghost-free bigravity theory: From a galaxy scale to the universe, *Phys. Rev. D* **90**, p. 124089, doi:10.1103/PhysRevD.90.124089, arXiv:1409.0202 [gr-qc].
- Aoki, K. and Maeda, K.-i. (2018). Condensate of massive graviton and dark matter, *Phys. Rev. D* **97**, 4, p. 044002, doi:10.1103/PhysRevD.97.044002, arXiv:1707.05003 [hep-th].
- Aoki, K., Maeda, K.-i., and Namba, R. (2015). Stability of the Early Universe in Bigravity Theory, *Phys. Rev. D* **92**, 4, p. 044054, doi:10.1103/PhysRevD.92.044054, arXiv:1506.04543 [hep-th].
- Aoki, K., Maeda, K.-i., Tanabe, M., and Namba, R. (2017). Cosmological and astrophysical Vainshtein mechanism in bigravity, in *14th Marcel Grossmann Meeting on Recent*

- Developments in Theoretical and Experimental General Relativity, Astrophysics, and Relativistic Field Theories*, Vol. 2, pp. 1493–1498, doi:10.1142/9789813226609\_0134.
- Aoki, K. and Minamitsuji, M. (2022). Resolving the pathologies of self-interacting Proca fields: A case study of Proca stars, *Phys. Rev. D* **106**, 8, p. 084022, doi:10.1103/PhysRevD.106.084022, arXiv:2206.14320 [gr-qc].
- Aoki, K. and Mukohyama, S. (2016). Massive gravitons as dark matter and gravitational waves, *Phys. Rev. D* **94**, 2, p. 024001, doi:10.1103/PhysRevD.94.024001, arXiv:1604.06704 [hep-th].
- Appelquist, T., Chodos, A., and Freund, P. G. O. (eds.) (1987). *MODERN KALUZA-KLEIN THEORIES*.
- Aragón, A., Bécar, R., González, P. A., and Vásquez, Y. (2020). Perturbative and non-perturbative quasinormal modes of 4D Einstein–Gauss–Bonnet black holes, *Eur. Phys. J. C* **80**, 8, p. 773, doi:10.1140/epjc/s10052-020-8298-7, arXiv:2004.05632 [gr-qc].
- Arkani-Hamed, N., Cheng, H.-C., Luty, M. A., and Mukohyama, S. (2004). Ghost condensation and a consistent infrared modification of gravity, *JHEP* **05**, p. 074, doi:10.1088/1126-6708/2004/05/074, arXiv:hep-th/0312099.
- Arkani-Hamed, N., Cohen, A. G., and Georgi, H. (2001). (De)constructing dimensions, *Phys. Rev. Lett.* **86**, pp. 4757–4761, doi:10.1103/PhysRevLett.86.4757, arXiv:hep-th/0104005.
- Arkani-Hamed, N., Dimopoulos, S., Dvali, G., and Gabadadze, G. (2002). Nonlocal modification of gravity and the cosmological constant problem, arXiv:hep-th/0209227.
- Arkani-Hamed, N., Dimopoulos, S., and Dvali, G. R. (1998). The Hierarchy problem and new dimensions at a millimeter, *Phys. Lett. B* **429**, pp. 263–272, doi:10.1016/S0370-2693(98)00466-3, arXiv:hep-ph/9803315.
- Arkani-Hamed, N., Dimopoulos, S., and Dvali, G. R. (1999). Phenomenology, astrophysics and cosmology of theories with submillimeter dimensions and TeV scale quantum gravity, *Phys. Rev. D* **59**, p. 086004, doi:10.1103/PhysRevD.59.086004, arXiv:hep-ph/9807344.
- Arkani-Hamed, N., Georgi, H., and Schwartz, M. D. (2003). Effective field theory for massive gravitons and gravity in theory space, *Annals of Physics* **305**, 2, pp. 96–118.
- Armaleo, J. M., López Nacir, D., and Urban, F. R. (2021). Searching for spin-2 ULDM with gravitational waves interferometers, *JCAP* **04**, p. 053, doi:10.1088/1475-7516/2021/04/053, arXiv:2012.13997 [astro-ph.CO].
- Armendariz-Picon, C., Damour, T., and Mukhanov, V. F. (1999). k-inflation, *Phys. Lett. B* **458**, pp. 209–218, doi:10.1016/S0370-2693(99)00603-6, arXiv:hep-th/9904075.
- Armendariz-Picon, C., Mukhanov, V. F., and Steinhardt, P. J. (2001). Essentials of k-essence, *Phys. Rev. D* **63**, p. 103510, doi:10.1103/PhysRevD.63.103510, arXiv:astro-ph/0006373.
- Arnowitt, R. L., Deser, S., and Misner, C. W. (1960). Canonical variables for general relativity, *Phys. Rev.* **117**, pp. 1595–1602, doi:10.1103/PhysRev.117.1595.
- Arnowitt, R. L., Deser, S., and Misner, C. W. (2008). The dynamics of general relativity, *Gen. Rel. Grav.* **40**, pp. 1997–2027, doi:10.1007/s10714-008-0661-1, arXiv:gr-qc/0405109 [gr-qc].
- Arrechea, J., Delhom, A., and Jiménez-Cano, A. (2021). Inconsistencies in four-dimensional Einstein–Gauss–Bonnet gravity, *Chin. Phys. C* **45**, 1, p. 013107, doi:10.1088/1674-1137/abc1d4, arXiv:2004.12998 [gr-qc].
- Avelino, P. P. (2014). Vacuum energy sequestering and cosmic dynamics, *Phys. Rev. D* **90**, 10, p. 103523, doi:10.1103/PhysRevD.90.103523, arXiv:1410.4555 [gr-qc].

- Avramidi, I. G. (1986). *Covariant methods for the calculation of the effective action in quantum field theory and investigation of higher derivative quantum gravity*, Other thesis, arXiv:hep-th/9510140.
- Avramidi, I. G. and Barvinsky, A. O. (1985). Asymptotic freedom in higher derivative quantum gravity, *Phys. Lett. B* **159**, pp. 269–274, doi:10.1016/0370-2693(85)90248-5.
- Ayon-Beato, E., Martinez, C., and Zanelli, J. (2006). Stealth scalar field overflying a (2+1) black hole, *Gen. Rel. Grav.* **38**, pp. 145–152, doi:10.1007/s10714-005-0213-x, arXiv:hep-th/0403228 [hep-th].
- Babichev, E., Brito, R., and Pani, P. (2016a). Linear stability of nonbidiagonal black holes in massive gravity, *Phys. Rev. D* **93**, 4, p. 044041, doi:10.1103/PhysRevD.93.044041, arXiv:1512.04058 [gr-qc].
- Babichev, E. and Charmousis, C. (2014). Dressing a black hole with a time-dependent Galileon, *JHEP* **08**, p. 106, doi:10.1007/JHEP08(2014)106, arXiv:1312.3204 [gr-qc].
- Babichev, E., Charmousis, C., and Lehžbel, A. (2017). Asymptotically flat black holes in Horndeski theory and beyond, *JCAP* **1704**, 04, p. 027, doi:10.1088/1475-7516/2017/04/027, arXiv:1702.01938 [gr-qc].
- Babichev, E. and Deffayet, C. (2013). An introduction to the Vainshtein mechanism, *Class. Quant. Grav.* **30**, p. 184001, doi:10.1088/0264-9381/30/18/184001, arXiv:1304.7240 [gr-qc].
- Babichev, E., Deffayet, C., and Esposito-Farese, G. (2011). Improving relativistic MOND with Galileon k-mouflage, *Phys. Rev. D* **84**, p. 061502, doi:10.1103/PhysRevD.84.061502, arXiv:1106.2538 [gr-qc].
- Babichev, E., Deffayet, C., and Ziour, R. (2009). k-Mouflage gravity, *Int. J. Mod. Phys. D* **18**, pp. 2147–2154, doi:10.1142/S0218271809016107, arXiv:0905.2943 [hep-th].
- Babichev, E. and Esposito-Farese, G. (2013). Time-dependent spherically symmetric covariant Galileons, *Phys. Rev. D* **87**, p. 044032, doi:10.1103/PhysRevD.87.044032, arXiv:1212.1394 [gr-qc].
- Babichev, E. and Esposito-Farese, G. (2017). Cosmological self-tuning and local solutions in generalized Horndeski theories, *Phys. Rev. D* **95**, 2, p. 024020, doi:10.1103/PhysRevD.95.024020, arXiv:1609.09798 [gr-qc].
- Babichev, E. and Fabbri, A. (2013). Instability of black holes in massive gravity, *Class. Quant. Grav.* **30**, p. 152001, doi:10.1088/0264-9381/30/15/152001, arXiv:1304.5992 [gr-qc].
- Babichev, E. and Fabbri, A. (2014a). A class of charged black hole solutions in massive (bi)gravity, *JHEP* **07**, p. 016, doi:10.1007/JHEP07(2014)016, arXiv:1405.0581 [gr-qc].
- Babichev, E. and Fabbri, A. (2014b). Rotating black holes in massive gravity, *Phys. Rev. D* **90**, p. 084019, doi:10.1103/PhysRevD.90.084019, arXiv:1406.6096 [gr-qc].
- Babichev, E. and Fabbri, A. (2014c). Stability analysis of black holes in massive gravity: A unified treatment, *Phys. Rev. D* **89**, 8, p. 081502, doi:10.1103/PhysRevD.89.081502, arXiv:1401.6871 [gr-qc].
- Babichev, E., Marzola, L., Raidal, M., Schmidt-May, A., Urban, F., Veermäe, H., and von Strauss, M. (2016b). Bigravitational origin of dark matter, *Phys. Rev. D* **94**, 8, p. 084055, doi:10.1103/PhysRevD.94.084055, arXiv:1604.08564 [hep-ph].
- Baccetti, V., Martin-Moruno, P., and Visser, M. (2013). Massive gravity from bimetric gravity, *Class. Quant. Grav.* **30**, p. 015004, doi:10.1088/0264-9381/30/1/015004, arXiv:1205.2158 [gr-qc].
- Bachas, C. (2019). Massive AdS supergravitons and holography, *JHEP* **06**, p. 073, doi:10.1007/JHEP06(2019)073, arXiv:1905.05039 [hep-th].

- Badurina, L. *et al.* (2020). AION: An atom interferometer observatory and network, *JCAP* **05**, p. 011, doi:10.1088/1475-7516/2020/05/011, arXiv:1911.11755 [astro-ph.CO].
- Bagchi, A. (2011). Topologically massive gravity and Galilean conformal algebra: A study of correlation functions, *JHEP* **02**, p. 091, doi:10.1007/JHEP02(2011)091, arXiv:1012.3316 [hep-th].
- Baker, T., Barausse, E., Chen, A., de Rham, C., Pieroni, M., and Tasinato, G. (2023). Testing gravitational wave propagation with multiband detections, *JCAP* **03**, p. 044, doi:10.1088/1475-7516/2023/03/044 arXiv:2209.14398 [gr-qc].
- Baker, T., Bellini, E., Ferreira, P. G., Lagos, M., Noller, J., and Sawicki, I. (2017). Strong constraints on cosmological gravity from GW170817 and GRB 170817A, *Phys. Rev. Lett.* **119**, 25, p. 251301, doi:10.1103/PhysRevLett.119.251301, arXiv:1710.06394 [astro-ph.CO].
- Baker, T. and Harrison, I. (2021). Constraining Scalar-Tensor modified gravity with gravitational waves and large scale structure surveys, *JCAP* **01**, p. 068, doi:10.1088/1475-7516/2021/01/068, arXiv:2007.13791 [astro-ph.CO].
- Baker, T. *et al.* (2021). Novel Probes Project: Tests of gravity on astrophysical scales, *Rev. Mod. Phys.* **93**, 1, p. 015003, doi:10.1103/RevModPhys.93.015003, arXiv:1908.03430 [astro-ph.CO].
- Baker, T. *et al.* (2022b). Measuring the propagation speed of gravitational waves with LISA, *JCAP* **08**, 08, p. 031, doi:10.1088/1475-7516/2022/08/031, arXiv:2203.00566 [gr-qc].
- Bakopoulos, A., Antoniou, G., and Kanti, P. (2019). Novel Black-Hole Solutions in Einstein-Scalar-Gauss-Bonnet Theories with a Cosmological Constant, *Phys. Rev. D* **99**, 6, p. 064003, doi:10.1103/PhysRevD.99.064003, arXiv:1812.06941 [hep-th].
- Bamba, K., Hossain, M. W., Myrzakulov, R., Nojiri, S., and Sami, M. (2014a). Cosmological investigations of (extended) nonlinear massive gravity schemes with non-minimal coupling, *Phys. Rev. D* **89**, 8, p. 083518, doi:10.1103/PhysRevD.89.083518, arXiv:1309.6413 [hep-th].
- Bamba, K., Makarenko, A. N., Myagky, A. N., Nojiri, S., and Odintsov, S. D. (2014b). Bounce cosmology from  $F(R)$  gravity and  $F(R)$  bigravity, *JCAP* **01**, p. 008, doi:10.1088/1475-7516/2014/01/008, arXiv:1309.3748 [hep-th].
- Bansal, S., Nagy, S., Padilla, A., and Zavala, I. (2021). Unimodular vs Nilpotent superfield approach to pure dS supergravity, *JHEP* **01**, p. 146, doi:10.1007/JHEP01(2021)146, arXiv:2010.13758 [hep-th].
- Barausse, E., Bezares, M., Crisostomi, M., and Lara, G. (2022). The well-posedness of the Cauchy problem for self-interacting vector fields, *JCAP* **11**, p. 050, doi:10.1088/1475-7516/2022/11/050, arXiv:2207.00443 [gr-qc].
- Barnaby, N., Biswas, T., and Cline, J. M. (2007). p-adic Inflation, *JHEP* **04**, p. 056, doi:10.1088/1126-6708/2007/04/056, arXiv:hep-th/0612230.
- Barnaby, N. and Cline, J. M. (2007). Large nongaussianity from nonlocal Inflation, *JCAP* **07**, p. 017, doi:10.1088/1475-7516/2007/07/017, arXiv:0704.3426 [hep-th].
- Barnaby, N., Namba, R., and Peloso, M. (2012). Observable non-gaussianity from gauge field production in slow roll inflation, and a challenging connection with magnetogenesis, *Phys. Rev. D* **85**, p. 123523, doi:10.1103/PhysRevD.85.123523, arXiv:1202.1469 [astro-ph.CO].
- Barreira, A., Sánchez, A. G., and Schmidt, F. (2016). Validating estimates of the growth rate of structure with modified gravity simulations, *Phys. Rev. D* **94**, 8, p. 084022, doi:10.1103/PhysRevD.94.084022, arXiv:1605.03965 [astro-ph.CO].

- Barrow, J. D. (1999). Cosmologies with varying light speed, *Phys. Rev. D* **59**, p. 043515, doi:10.1103/PhysRevD.59.043515.
- Barvinsky, A. O. (2003). Nonlocal action for long distance modifications of gravity theory, *Phys. Lett. B* **572**, pp. 109–116, doi:10.1016/j.physletb.2003.08.055, arXiv:hep-th/0304229.
- Barvinsky, A. O. (2012). Serendipitous discoveries in nonlocal gravity theory, *Phys. Rev. D* **85**, p. 104018, doi:10.1103/PhysRevD.85.104018, arXiv:1112.4340 [hep-th].
- Barvinsky, A. O. (2015). Aspects of nonlocality in quantum field theory, quantum gravity and cosmology, *Mod. Phys. Lett. A* **30**, 03n04, p. 1540003, doi:10.1142/S0217732315400039, arXiv:1408.6112 [hep-th].
- Barvinsky, A. O., Blas, D., Herrero-Valea, M., Sibiryakov, S. M., and Steinwachs, C. F. (2016). Renormalization of Hořava gravity, *Phys. Rev. D* **93**, 6, p. 064022, doi:10.1103/PhysRevD.93.064022, arXiv:1512.02250 [hep-th].
- Barvinsky, A. O., Blas, D., Herrero-Valea, M., Sibiryakov, S. M., and Steinwachs, C. F. (2018). Renormalization of gauge theories in the background-field approach, *JHEP* **07**, p. 035, doi:10.1007/JHEP07(2018)035, arXiv:1705.03480 [hep-th].
- Barvinsky, A. O. and Gryzov, Y. V. (1989). Generalized causality condition in quantum field theory with torsion, *Sov. Phys. J.* **32**, pp. 383–386, doi:10.1007/BF00895321.
- Barvinsky, A. O. and Gusev, Y. V. (2013). New representation of the nonlocal ghost-free gravity theory, *Phys. Part. Nucl.* **44**, pp. 213–219, doi:10.1134/S1063779613020068, arXiv:1209.3062 [hep-th].
- Barvinsky, A. O., Gusev, Y. V., Vilkovisky, G. A., and Zhytnikov, V. V. (1994). Asymptotic behaviors of the heat kernel in covariant perturbation theory, *J. Math. Phys.* **35**, pp. 3543–3559, doi:10.1063/1.530428, arXiv:gr-qc/9404063.
- Barvinsky, A. O., Gusev, Y. V., Zhytnikov, V. V., and Vilkovisky, G. A. (1995). Asymptotic behaviors of one loop vertices in the gravitational effective action, *Class. Quant. Grav.* **12**, pp. 2157–2172, doi:10.1088/0264-9381/12/9/005.
- Barvinsky, A. O., Herrero-Valea, M., and Sibiryakov, S. M. (2019). Towards the renormalization group flow of Horava gravity in  $(3 + 1)$  dimensions, *Phys. Rev. D* **100**, 2, p. 026012, doi:10.1103/PhysRevD.100.026012, arXiv:1905.03798 [hep-th].
- Barvinsky, A. O. and Vilkovisky, G. A. (1985). The generalized Schwinger-Dewitt technique in Gauge Theories and quantum gravity, *Phys. Rept.* **119**, pp. 1–74, doi:10.1016/0370-1573(85)90148-6.
- Barvinsky, A. O. and Vilkovisky, G. A. (1987). Beyond the Schwinger-Dewitt technique: Converting loops into trees and In-In currents, *Nucl. Phys. B* **282**, pp. 163–188, doi:10.1016/0550-3213(87)90681-X.
- Bekenstein, J. and Milgrom, M. (1984). Does the missing mass problem signal the breakdown of Newtonian gravity? *Astrophys. J.* **286**, pp. 7–14, doi:10.1086/162570.
- Bekenstein, J. D. (1988). Phase coupling gravitation: Symmetries and Gauge fields, *Phys. Lett. B* **202**, pp. 497–500, doi:10.1016/0370-2693(88)91851-5.
- Bekenstein, J. D. (2004). Relativistic gravitation theory for the MOND paradigm, *Phys. Rev. D* **70**, p. 083509, doi:10.1103/PhysRevD.70.083509, arXiv:astro-ph/0403694, [Erratum: Phys.Rev.D 71, 069901 (2005)].
- Belgacem, E., Dirian, Y., Foffa, S., and Maggiore, M. (2018). Nonlocal gravity. Conceptual aspects and cosmological predictions, *JCAP* **03**, p. 002, doi:10.1088/1475-7516/2018/03/002, arXiv:1712.07066 [hep-th].
- Beltrán Jiménez, J., de Rham, C., and Heisenberg, L. (2020). Generalized Proca and its constraint algebra, *Phys. Lett. B* **802**, p. 135244, doi:10.1016/j.physletb.2020.135244, arXiv:1906.04805 [hep-th].

- Beltrán Jiménez, J., Durrer, R., Heisenberg, L., and Thorsrud, M. (2013). Stability of Horndeski vector-tensor interactions, *JCAP* **10**, p. 064, doi:10.1088/1475-7516/2013/10/064, arXiv:1308.1867 [hep-th].
- Beltrán Jiménez, J. and Heisenberg, L. (2016). Derivative self-interactions for a massive vector field, *Phys. Lett. B* **757**, pp. 405–411, doi:10.1016/j.physletb.2016.04.017, arXiv:1602.03410 [hep-th].
- Beltrán Jiménez, J. and Heisenberg, L. (2017). Generalized multi-Proca fields, *Phys. Lett. B* **770**, pp. 16–26, doi:10.1016/j.physletb.2017.03.002, arXiv:1610.08960 [hep-th].
- Ben Achour, J., Crisostomi, M., Koyama, K., Langlois, D., Noui, K., and Tasinato, G. (2016a). Degenerate higher order scalar-tensor theories beyond Horndeski up to cubic order, *JHEP* **12**, p. 100, doi:10.1007/JHEP12(2016)100, arXiv:1608.08135 [hep-th].
- Ben Achour, J., Langlois, D., and Noui, K. (2016b). Degenerate higher order scalar-tensor theories beyond Horndeski and disformal transformations, *Phys. Rev. D* **93**, 12, p. 124005, doi:10.1103/PhysRevD.93.124005, arXiv:1602.08398 [gr-qc].
- Ben Achour, J. and Liu, H. (2019). Hairy Schwarzschild-(A)dS black hole solutions in degenerate higher order scalar-tensor theories beyond shift symmetry, *Phys. Rev. D* **99**, 6, p. 064042, doi:10.1103/PhysRevD.99.064042, arXiv:1811.05369 [gr-qc].
- Berezhiani, L., Chkareuli, G., de Rham, C., Gabadadze, G., and Tolley, A. J. (2012). On black holes in massive gravity, *Phys. Rev. D* **85**, p. 044024, doi:10.1103/PhysRevD.85.044024, arXiv:1111.3613 [hep-th].
- Berezhiani, L., Chkareuli, G., de Rham, C., Gabadadze, G., and Tolley, A. J. (2013a). Mixed Galileons and Spherically symmetric solutions, *Class. Quant. Grav.* **30**, p. 184003, doi:10.1088/0264-9381/30/18/184003, arXiv:1305.0271 [hep-th].
- Berezhiani, L., Chkareuli, G., and Gabadadze, G. (2013b). Restricted Galileons, *Phys. Rev. D* **88**, p. 124020, doi:10.1103/PhysRevD.88.124020, arXiv:1302.0549 [hep-th].
- Berezhiani, L. and Khoury, J. (2015). Theory of dark matter superfluidity, *Phys. Rev. D* **92**, p. 103510, doi:10.1103/PhysRevD.92.103510, arXiv:1507.01019 [astro-ph.CO].
- Berezhiani, L. and Khoury, J. (2016). Dark matter superfluidity and galactic dynamics, *Phys. Lett. B* **753**, pp. 639–643, doi:10.1016/j.physletb.2015.12.054, arXiv:1506.07877 [astro-ph.CO].
- Berezhiani, Z., Comelli, D., Nesti, F., and Pilo, L. (2008). Exact spherically symmetric solutions in massive gravity, *JHEP* **07**, p. 130, doi:10.1088/1126-6708/2008/07/130, arXiv:0803.1687 [hep-th].
- Berg, M., Buchberger, I., Enander, J., Mortsell, E., and Sjors, S. (2012). Growth histories in bimetric massive gravity, *JCAP* **12**, p. 021, doi:10.1088/1475-7516/2012/12/021, arXiv:1206.3496 [gr-qc].
- Bergshoeff, E. A., de Haan, S., Hohm, O., Merbis, W., and Townsend, P. K. (2013). Zwei-Dreibein gravity: A two-frame-field model of 3D massive gravity, *Phys. Rev. Lett.* **111**, 11, p. 111102, doi:10.1103/PhysRevLett.111.111102, arXiv:1307.2774 [hep-th], [Erratum: *Phys.Rev.Lett.* 111, 259902 (2013)].
- Bergshoeff, E. A., Hohm, O., Rosseel, J., Sezgin, E., and Townsend, P. K. (2011a). On critical massive (Super)Gravity in AdS<sub>3</sub>, *J. Phys. Conf. Ser.* **314**, p. 012009, doi:10.1088/1742-6596/314/1/012009, arXiv:1011.1153 [hep-th].
- Bergshoeff, E. A., Hohm, O., Rosseel, J., and Townsend, P. K. (2010). On maximal massive 3D supergravity, *Class. Quant. Grav.* **27**, p. 235012, doi:10.1088/0264-9381/27/23/235012, arXiv:1007.4075 [hep-th].
- Bergshoeff, E. A., Hohm, O., Rosseel, J., and Townsend, P. K. (2011b). Modes of log gravity, *Phys. Rev. D* **83**, p. 104038, doi:10.1103/PhysRevD.83.104038, arXiv:1102.4091 [hep-th].

- Bergshoeff, E. A., Hohm, O., and Townsend, P. K. (2009a). Massive gravity in three dimensions, *Phys. Rev. Lett.* **102**, p. 201301, doi:10.1103/PhysRevLett.102.201301, arXiv:0901.1766 [hep-th].
- Bergshoeff, E. A., Hohm, O., and Townsend, P. K. (2009b). More on massive 3D gravity, *Phys. Rev. D* **79**, p. 124042, doi:10.1103/PhysRevD.79.124042, arXiv:0905.1259 [hep-th].
- Bernard, L. and Blanchet, L. (2015). Phenomenology of dark matter via a bimetric extension of general relativity, *Phys. Rev. D* **91**, 10, p. 103536, doi:10.1103/PhysRevD.91.103536, arXiv:1410.7708 [astro-ph.CO].
- Bernard, L., Blanchet, L., and Heisenberg, L. (2015). Bimetric gravity and dark matter, in *50th Rencontres de Moriond on Gravitation: 100 years after GR*, pp. 43–52, arXiv:1507.02802 [gr-qc].
- Bezars, M., Crisostomi, M., Palenzuela, C., and Barausse, E. (2021). K-dynamics: Well-posed 1+1 evolutions in K-essence, *JCAP* **03**, p. 072, doi:10.1088/1475-7516/2021/03/072, arXiv:2008.07546 [gr-qc].
- Bezrukov, F., Magnin, A., Shaposhnikov, M., and Sibiryakov, S. (2011). Higgs inflation: Consistency and generalisations, *JHEP* **01**, p. 016, doi:10.1007/JHEP01(2011)016, arXiv:1008.5157 [hep-ph].
- Bezrukov, F. L. and Shaposhnikov, M. (2008). The standard model Higgs boson as the inflaton, *Phys. Lett. B* **659**, pp. 703–706, doi:10.1016/j.physletb.2007.11.072, arXiv:0710.3755 [hep-th].
- Bhattacharyya, J., Coates, A., Colombo, M., Gümrukçüoğlu, A. E., and Sotiriou, T. P. (2018). Revisiting the cuscuton as a Lorentz-violating gravity theory, *Phys. Rev. D* **97**, 6, p. 064020, doi:10.1103/PhysRevD.97.064020, arXiv:1612.01824 [hep-th].
- Binetruy, P., Deffayet, C., and Langlois, D. (2000). Nonconventional cosmology from a brane universe, *Nucl. Phys. B* **565**, pp. 269–287, doi:10.1016/S0550-3213(99)00696-3, arXiv:hep-th/9905012.
- Biswas, T., Conroy, A., Koshelev, A. S., and Mazumdar, A. (2014). Generalized ghost-free quadratic curvature gravity, *Class. Quant. Grav.* **31**, p. 015022, doi:10.1088/0264-9381/31/1/015022, arXiv:1308.2319 [hep-th], [Erratum: *Class.Quant.Grav.* **31**, 159501 (2014)].
- Biswas, T., Gerwick, E., Koivisto, T., and Mazumdar, A. (2012a). Towards singularity and ghost free theories of gravity, *Phys. Rev. Lett.* **108**, p. 031101, doi:10.1103/PhysRevLett.108.031101, arXiv:1110.5249 [gr-qc].
- Biswas, T., Koshelev, A. S., Mazumdar, A., and Vernov, S. Y. (2012b). Stable bounce and inflation in non-local higher derivative cosmology, *JCAP* **08**, p. 024, doi:10.1088/1475-7516/2012/08/024, arXiv:1206.6374 [astro-ph.CO].
- Blake, M. and Tong, D. (2013). Universal resistivity from holographic massive gravity, *Phys. Rev. D* **88**, 10, p. 106004, doi:10.1103/PhysRevD.88.106004, arXiv:1308.4970 [hep-th].
- Blake, M., Tong, D., and Vegh, D. (2014). Holographic lattices give the graviton an effective mass, *Phys. Rev. Lett.* **112**, 7, p. 071602, doi:10.1103/PhysRevLett.112.071602, arXiv:1310.3832 [hep-th].
- Blanchet, L. and Heisenberg, L. (2015a). Dark matter via massive (bi-)gravity, *Phys. Rev. D* **91**, p. 103518, doi:10.1103/PhysRevD.91.103518, arXiv:1504.00870 [gr-qc].
- Blanchet, L. and Heisenberg, L. (2015b). Dipolar dark matter with massive bigravity, *JCAP* **12**, p. 026, doi:10.1088/1475-7516/2015/12/026, arXiv:1505.05146 [hep-th].
- Blanchet, L. and Marsat, S. (2012). Relativistic MOND theory based on the Khronon scalar field, in *10th International Conference on Gravitation, Astrophysics and Cosmology*, arXiv:1205.0400 [gr-qc].

- Blas, D. (2017). Modified gravity and binary pulsars: the Lorentz violating case, in *14th Marcel Grossmann Meeting on Recent Developments in Theoretical and Experimental General Relativity, Astrophysics, and Relativistic Field Theories*, Vol. 2, pp. 1854–1859, doi:10.1142/9789813226609\_0194, arXiv:1601.04653 [gr-qc].
- Blas, D. and Jenkins, A. C. (2022). Bridging the  $\mu\text{Hz}$  gap in the gravitational-wave landscape with binary resonances, *Phys. Rev. Lett.* **128**, 10, p. 101103, doi:10.1103/PhysRevLett.128.101103, arXiv:2107.04601 [astro-ph.CO].
- Blas, D., Pujolàs, O., and Sibiryakov, S. (2009). On the extra mode and inconsistency of Horava gravity, *JHEP* **10**, p. 029, doi:10.1088/1126-6708/2009/10/029, arXiv:0906.3046 [hep-th].
- Blas, D., Pujolàs, O., and Sibiryakov, S. (2010). Consistent extension of Horava gravity, *Phys. Rev. Lett.* **104**, p. 181302, doi:10.1103/PhysRevLett.104.181302, arXiv:0909.3525 [hep-th].
- Bonifacio, J., Hinterbichler, K., and Johnson, L. A. (2019). Pseudolinear spin-2 interactions, *Phys. Rev. D* **99**, 2, p. 024037, doi:10.1103/PhysRevD.99.024037, arXiv:1806.00483 [hep-th].
- Bonifacio, J., Hinterbichler, K., and Johnson, L. A. (2020). Amplitudes and 4D Gauss-Bonnet theory, *Phys. Rev. D* **102**, 2, p. 024029, doi:10.1103/PhysRevD.102.024029, arXiv:2004.10716 [hep-th].
- Bonifacio, J., Hinterbichler, K., and Rosen, R. A. (2016). Positivity constraints for pseudolinear massive spin-2 and vector Galileons, *Phys. Rev.* **D94**, 10, p. 104001, doi:10.1103/PhysRevD.94.104001, arXiv:1607.06084 [hep-th].
- Bonvin, C., Caprini, C., and Durrer, R. (2011). Inflationary magnetic fields spoil the homogeneity and isotropy of the Universe, arXiv:1112.3897 [astro-ph.CO].
- Borchers, H. J. (1960). Über die mannigfaltigkeit der interpolierenden felder zu einer kausalen s-matrix, *Il Nuovo Cimento (1955–1965)* **15**, pp. 784–794.
- Bordin, L., Cunillera, F., Lehébel, A., and Padilla, A. (2020). A natural theory of dark energy, *Phys. Rev. D* **101**, p. 085012, doi:10.1103/PhysRevD.101.085012, arXiv:1912.04905 [hep-th].
- Borka, D., Jovanovic, P., Jovanovic, V. B., and Zakharov, A. F. (2012). Constraints on  $R^n$  gravity from precession of orbits of S2-like stars, *Phys. Rev. D* **85**, p. 124004, doi:10.1103/PhysRevD.85.124004, arXiv:1206.0851 [astro-ph.CO].
- Borka, D., Jovanović, P., Jovanović, V. B., and Zakharov, A. F. (2013). Constraining the range of Yukawa gravity interaction from S2 star orbits, *JCAP* **11**, p. 050, doi:10.1088/1475-7516/2013/11/050, arXiv:1311.1404 [astro-ph.GA].
- Bose, B., Koyama, K., Lewandowski, M., Vernizzi, F., and Winther, H. A. (2018). Towards precision constraints on gravity with the effective field theory of large-scale structure, *JCAP* **04**, p. 063, doi:10.1088/1475-7516/2018/04/063, arXiv:1802.01566 [astro-ph.CO].
- Boulanger, N., Deffayet, C., Garcia-Saenz, S., and Traina, L. (2019). Theory for multiple partially massless spin-2 fields, *Phys. Rev. D* **100**, 10, p. 101701, doi:10.1103/PhysRevD.100.101701, arXiv:1906.03868 [hep-th].
- Boulanger, N., Garcia-Saenz, S., and Traina, L. (2020). Interactions for partially-massless Spin-2 Fields, *Phys. Part. Nucl. Lett.* **17**, 5, pp. 687–691, doi:10.1134/S1547477120050064.
- Boulware, D. G. and Deser, S. (1972). Can gravitation have a finite range? *Phys. Rev.* **D6**, pp. 3368–3382, doi:10.1103/PhysRevD.6.3368.
- Bousso, R. and Randall, L. (2002). Holographic domains of anti-de Sitter space, *JHEP* **04**, p. 057, doi:10.1088/1126-6708/2002/04/057, arXiv:hep-th/0112080.

- Brans, C. and Dicke, R. H. (1961). Mach's principle and a relativistic theory of gravitation, *Phys. Rev.* **124**, pp. 925–935, doi:10.1103/PhysRev.124.925.
- Brax, P. and Burrage, C. (2011). Atomic precision tests and light scalar couplings, *Phys. Rev. D* **83**, p. 035020, doi:10.1103/PhysRevD.83.035020, arXiv:1010.5108 [hep-ph].
- Brax, P., Casas, S., Desmond, H., and Elder, B. (2021). Testing screened modified gravity, *Universe* **8**, 1, p. 11, doi:10.3390/universe8010011, arXiv:2201.10817 [gr-qc].
- Brax, P. and Davis, A.-C. (2016). Atomic interferometry test of dark energy, *Phys. Rev. D* **94**, 10, p. 104069, doi:10.1103/PhysRevD.94.104069, arXiv:1609.09242 [astro-ph.CO].
- Brax, P., van de Bruck, C., Davis, A.-C., Li, B., and Shaw, D. J. (2011). Nonlinear structure formation with the environmentally dependent dilaton, *Phys. Rev. D* **83**, p. 104026, doi:10.1103/PhysRevD.83.104026, arXiv:1102.3692 [astro-ph.CO].
- Brekke, L., Freund, P. G. O., Olson, M., and Witten, E. (1988). Nonarchimedean string dynamics, *Nucl. Phys. B* **302**, pp. 365–402, doi:10.1016/0550-3213(88)90207-6.
- Brihaye, Y., Hartmann, B., Kleihaus, B., and Kunz, J. (2022). Horndeski-Proca stars with vector hair, *Phys. Rev. D* **105**, 4, p. 044050, doi:10.1103/PhysRevD.105.044050, arXiv:2109.12345 [gr-qc].
- Briscese, F., Calcagni, G., and Modesto, L. (2019). Nonlinear stability in nonlocal gravity, *Phys. Rev. D* **99**, 8, p. 084041, doi:10.1103/PhysRevD.99.084041, arXiv:1901.03267 [gr-qc].
- Briscese, F., Marciandò, A., Modesto, L., and Saridakis, E. N. (2013). Inflation in (Super-)renormalizable gravity, *Phys. Rev. D* **87**, 8, p. 083507, doi:10.1103/PhysRevD.87.083507, arXiv:1212.3611 [hep-th].
- Briscese, F. and Modesto, L. (2019). Cutkosky rules and perturbative unitarity in Euclidean nonlocal quantum field theories, *Phys. Rev. D* **99**, 10, p. 104043, doi:10.1103/PhysRevD.99.104043, arXiv:1803.08827 [gr-qc].
- Briscese, F. and Modesto, L. (2021). Non-unitarity of Minkowskian non-local quantum field theories, *Eur. Phys. J. C* **81**, 8, p. 730, doi:10.1140/epjc/s10052-021-09525-7, arXiv:2103.00353 [hep-th].
- Briscese, F., Modesto, L., and Tsujikawa, S. (2014). Super-renormalizable or finite completion of the Starobinsky theory, *Phys. Rev. D* **89**, 2, p. 024029, doi:10.1103/PhysRevD.89.024029, arXiv:1308.1413 [hep-th].
- Brito, R., Cardoso, V., and Pani, P. (2013a). Black holes with massive graviton hair, *Phys. Rev. D* **88**, p. 064006, doi:10.1103/PhysRevD.88.064006, arXiv:1309.0818 [gr-qc].
- Brito, R., Cardoso, V., and Pani, P. (2013b). Massive spin-2 fields on black hole spacetimes: Instability of the Schwarzschild and Kerr solutions and bounds on the graviton mass, *Phys. Rev. D* **88**, 2, p. 023514, doi:10.1103/PhysRevD.88.023514, arXiv:1304.6725 [gr-qc].
- Brown, J. D. and Henneaux, M. (1986). Central charges in the canonical realization of asymptotic symmetries: An example from three-dimensional gravity, *Commun. Math. Phys.* **104**, pp. 207–226, doi:10.1007/BF01211590.
- Buchmuller, W. and Dragon, N. (1988). Einstein gravity from restricted coordinate invariance, *Phys. Lett. B* **207**, pp. 292–294, doi:10.1016/0370-2693(88)90577-1.
- Buchmuller, W. and Dragon, N. (1989). Gauge fixing and the cosmological constant, *Phys. Lett. B* **223**, pp. 313–317, doi:10.1016/0370-2693(89)91608-0.
- Buoninfante, L., Koshelev, A. S., Lambiase, G., and Mazumdar, A. (2018). Classical properties of non-local, ghost- and singularity-free gravity, *JCAP* **09**, p. 034, doi:10.1088/1475-7516/2018/09/034, arXiv:1802.00399 [gr-qc].
- Burgess, C. P. (2007). Introduction to effective field theory, *Ann. Rev. Nucl. Part. Sci.* **57**, pp. 329–362, doi:10.1146/annurev.nucl.56.080805.140508, arXiv:hep-th/0701053.

- Burgess, C. P. and London, D. (1993). Uses and abuses of effective Lagrangians, *Phys. Rev. D* **48**, pp. 4337–4351, doi:10.1103/PhysRevD.48.4337, arXiv:hep-ph/9203216.
- Burrage, C., Copeland, E. J., and Hinds, E. A. (2015). Probing dark energy with atom interferometry, *JCAP* **03**, p. 042, doi:10.1088/1475-7516/2015/03/042, arXiv:1408.1409 [astro-ph.CO].
- Burrage, C., de Rham, C., and Heisenberg, L. (2011). de Sitter Galileon, *JCAP* **1105**, p. 025, doi:10.1088/1475-7516/2011/05/025, arXiv:1104.0155 [hep-th].
- Cai, Y.-F., Duplessis, F., and Saridakis, E. N. (2014).  $F(R)$  nonlinear massive theories of gravity and their cosmological implications, *Phys. Rev. D* **90**, 6, p. 064051, doi: 10.1103/PhysRevD.90.064051, arXiv:1307.7150 [hep-th].
- Cai, Y.-F. and Saridakis, E. N. (2014). Cosmology of  $F(R)$  nonlinear massive gravity, *Phys. Rev. D* **90**, 6, p. 063528, doi:10.1103/PhysRevD.90.063528, arXiv:1401.4418 [astro-ph.CO].
- Calcagni, G. and Modesto, L. (2015). Nonlocal quantum gravity and M-theory, *Phys. Rev. D* **91**, 12, p. 124059, doi:10.1103/PhysRevD.91.124059, arXiv:1404.2137 [hep-th].
- Calcagni, G., Modesto, L., and Nardelli, G. (2019). Non-perturbative spectrum of non-local gravity, *Phys. Lett. B* **795**, pp. 391–397, doi:10.1016/j.physletb.2019.06.043, arXiv:1803.07848 [hep-th].
- Calcagni, G., Montobbio, M., and Nardelli, G. (2007). A Route to nonlocal cosmology, *Phys. Rev. D* **76**, p. 126001, doi:10.1103/PhysRevD.76.126001, arXiv:0705.3043 [hep-th].
- Camanho, X. O., Edelstein, J. D., Maldacena, J., and Zhiboedov, A. (2016). Causality constraints on corrections to the graviton three-point coupling, *JHEP* **02**, p. 020, doi:10.1007/JHEP02(2016)020, arXiv:1407.5597 [hep-th].
- Cao, Z. *et al.* (2022). Exploring Lorentz invariance violation from ultrahigh-energy  $\gamma$  rays observed by LHAASO, *Phys. Rev. Lett.* **128**, 5, p. 051102, doi:10.1103/PhysRevLett.128.051102, arXiv:2106.12350 [astro-ph.HE].
- Caprini, C., Durrer, R., and Fenu, E. (2009). Can the observed large scale magnetic fields be seeded by helical primordial fields? *JCAP* **11**, p. 001, doi:10.1088/1475-7516/2009/11/001, arXiv:0906.4976 [astro-ph.CO].
- Caravano, A., Lüben, M., and Weller, J. (2021). Combining cosmological and local bounds on bimetric theory, *JCAP* **09**, p. 035, doi:10.1088/1475-7516/2021/09/035, arXiv:2101.08791 [gr-qc].
- Carle, A., Chanon, N., and Perries, S. (2020). Prospects for Lorentz Invariance Violation searches with top pair production at the LHC and future hadron colliders, *Eur. Phys. J. C* **80**, 2, p. 128, doi:10.1140/epjc/s10052-020-7715-2, arXiv:1908.11256 [hep-ph].
- Carlip, S., Deser, S., Waldron, A., and Wise, D. K. (2009). Cosmological topologically massive gravitons and photons, *Class. Quant. Grav.* **26**, p. 075008, doi: 10.1088/0264-9381/26/7/075008, arXiv:0803.3998 [hep-th].
- Carroll, S. M., De Felice, A., Duvvuri, V., Easson, D. A., Trodden, M., and Turner, M. S. (2005). The cosmology of generalized modified gravity models, *Phys. Rev. D* **71**, p. 063513, doi:10.1103/PhysRevD.71.063513, arXiv:astro-ph/0410031.
- Carroll, S. M., Duvvuri, V., Trodden, M., and Turner, M. S. (2004). Is cosmic speed-up due to new gravitational physics? *Phys. Rev. D* **70**, p. 043528, doi:10.1103/PhysRevD.70.043528, arXiv:astro-ph/0306438.
- Carroll, S. M. and Kaplinghat, M. (2002). Testing the Friedmann equation: The expansion of the universe during big bang nucleosynthesis, *Phys. Rev. D* **65**, p. 063507, doi: 10.1103/PhysRevD.65.063507, arXiv:astro-ph/0108002.

- Carroll, S. M. and Remmen, G. N. (2017). A nonlocal approach to the cosmological constant problem, *Phys. Rev. D* **95**, 12, p. 123504, doi:10.1103/PhysRevD.95.123504, arXiv:1703.09715 [hep-th].
- Carson, Z. and Yagi, K. (2020a). Multi-band gravitational wave tests of general relativity, *Class. Quant. Grav.* **37**, 2, p. 02LT01, doi:10.1088/1361-6382/ab5c9a, arXiv:1905.13155 [gr-qc].
- Carson, Z. and Yagi, K. (2020b). Testing general relativity with gravitational waves, Submitted as a chapter in “Handbook of Gravitational Wave Astronomy” (Eds. C. Bambi, S. Katsanevas and K. Kokkotas; Springer Singapore, 2021), doi:10.1007/978-981-15-4702-7\_41-1, arXiv:2011.02938 [gr-qc].
- Cataneo, M. and Rapetti, D. (2018). Tests of gravity with galaxy clusters, *Int. J. Mod. Phys. D* **27**, 15, p. 1848006, doi:10.1142/S0218271818480061, arXiv:1902.10124 [astro-ph.CO].
- Cataneo, M., Rapetti, D., Schmidt, F., Mantz, A. B., Allen, S. W., Applegate, D. E., Kelly, P. L., von der Linden, A., and Morris, R. G. (2015). New constraints on  $f(R)$  gravity from clusters of galaxies, *Phys. Rev. D* **92**, 4, p. 044009, doi:10.1103/PhysRevD.92.044009, arXiv:1412.0133 [astro-ph.CO].
- Cavaglià, A., Negro, S., Szécsényi, I. M., and Tateo, R. (2016).  $T\bar{T}$ -deformed 2D quantum field theories, *JHEP* **10**, p. 112, doi:10.1007/JHEP10(2016)112, arXiv:1608.05534 [hep-th].
- Cayuso, R. and Lehner, L. (2020). Nonlinear, noniterative treatment of EFT-motivated gravity, *Phys. Rev. D* **102**, 8, p. 084008, doi:10.1103/PhysRevD.102.084008, arXiv:2005.13720 [gr-qc].
- Celoria, M., Comelli, D., and Pilo, L. (2017). Fluids, superfluids and supersolids: Dynamics and cosmology of self gravitating media, *JCAP* **09**, p. 036, doi:10.1088/1475-7516/2017/09/036, arXiv:1704.00322 [gr-qc].
- Chagoya, J., Niz, G., and Tasinato, G. (2016). Black holes and Abelian symmetry breaking, *Class. Quant. Grav.* **33**, 17, p. 175007, doi:10.1088/0264-9381/33/17/175007, arXiv:1602.08697 [hep-th].
- Chagoya, J., Niz, G., and Tasinato, G. (2017). Black holes and Neutron stars in vector Galileons, *Class. Quant. Grav.* **34**, 16, p. 165002, doi:10.1088/1361-6382/aa7c01, arXiv:1703.09555 [gr-qc].
- Chamblin, A., Emparan, R., Johnson, C. V., and Myers, R. C. (1999). Charged AdS black holes and catastrophic holography, *Phys. Rev. D* **60**, p. 064018, doi:10.1103/PhysRevD.60.064018, arXiv:hep-th/9902170.
- Chamseddine, A. H. and Volkov, M. S. (2011). Cosmological solutions with massive gravitons, *Phys. Lett. B* **704**, pp. 652–654, doi:10.1016/j.physletb.2011.09.085, arXiv:1107.5504 [hep-th].
- Chanowitz, M. S. and Gaillard, M. K. (1985). The TeV physics of strongly interacting W's and Z's, *Nucl. Phys. B* **261**, pp. 379–431, doi:10.1016/0550-3213(85)90580-2.
- Charmousis, C., Kolyvaris, T., Papantonopoulos, E., and Tsoukalas, M. (2014). Black holes in bi-scalar extensions of Horndeski theories, *JHEP* **07**, p. 085, doi:10.1007/JHEP07(2014)085, arXiv:1404.1024 [gr-qc].
- Charmousis, C., Niz, G., Padilla, A., and Saffin, P. M. (2009). Strong coupling in Horava gravity, *JHEP* **08**, p. 070, doi:10.1088/1126-6708/2009/08/070, arXiv:0905.2579 [hep-th].
- Chen, C. Y. R., de Rham, C., Margalit, A., and Tolley, A. J. (2022). A cautionary case of casual causality, *JHEP* **03**, p. 025, doi:10.1007/JHEP03(2022)025, arXiv:2112.05031 [hep-th].

- Chen, T.-j., Fasiello, M., Lim, E. A., and Tolley, A. J. (2013). Higher derivative theories with constraints: Exorcising Ostrogradski's Ghost, *JCAP* **02**, p. 042, doi:10.1088/1475-7516/2013/02/042, arXiv:1209.0583 [hep-th].
- Cheng, L., Hung, L.-Y., Liu, S.-N., and Zhou, H.-Z. (2016). First law of entanglement entropy in topologically massive gravity, *Phys. Rev. D* **94**, 6, p. 064063, doi:10.1103/PhysRevD.94.064063, arXiv:1511.03844 [hep-th].
- Cheung, C., Creminelli, P., Fitzpatrick, A. L., Kaplan, J., and Senatore, L. (2008). The effective field theory of inflation, *JHEP* **03**, p. 014, doi:10.1088/1126-6708/2008/03/014, arXiv:0709.0293 [hep-th].
- Cheung, C. and Remmen, G. N. (2017). Positivity of curvature-squared corrections in gravity, *Phys. Rev. Lett.* **118**, 5, p. 051601, doi:10.1103/PhysRevLett.118.051601, arXiv:1608.02942 [hep-th].
- Chisholm, J. S. R. (1961). Change of variables in quantum field theories, *Nucl. Phys.* **26**, 3, pp. 469–479, doi:10.1016/0029-5582(61)90106-7.
- Cisterna, A., Hassaine, M., Oliva, J., and Rinaldi, M. (2016). Static and rotating solutions for Vector-Galileon theories, *Phys. Rev. D* **94**, 10, p. 104039, doi:10.1103/PhysRevD.94.104039, arXiv:1609.03430 [gr-qc].
- Ciufolini, I. *et al.* (2016). A test of general relativity using the LARES and LAGEOS satellites and a GRACE Earth gravity model, *Eur. Phys. J. C* **76**, 3, p. 120, doi:10.1140/epjc/s10052-016-3961-8, arXiv:1603.09674 [gr-qc].
- Clayton, M. A. and Moffat, J. W. (1999). Dynamical mechanism for varying light velocity as a solution to cosmological problems, *Phys. Lett. B* **460**, pp. 263–270, doi:10.1016/S0370-2693(99)00774-1, arXiv:astro-ph/9812481.
- Clayton, M. A. and Moffat, J. W. (2000). Scalar tensor gravity theory for dynamical light velocity, *Phys. Lett. B* **477**, pp. 269–275, doi:10.1016/S0370-2693(00)00192-1, arXiv:gr-qc/9910112.
- Clifton, T., Carrilho, P., Fernandes, P. G. S., and Mulryne, D. J. (2020). Observational constraints on the regularized 4D Einstein-Gauss-Bonnet theory of gravity, *Phys. Rev. D* **102**, 8, p. 084005, doi:10.1103/PhysRevD.102.084005, arXiv:2006.15017 [gr-qc].
- Clifton, T., Ferreira, P. G., Padilla, A., and Skordis, C. (2012). Modified gravity and cosmology, *Phys. Rept.* **513**, pp. 1–189, doi:10.1016/j.physrep.2012.01.001, arXiv:1106.2476 [astro-ph.CO].
- Cline, J. M., Grojean, C., and Servant, G. (1999). Cosmological expansion in the presence of extra dimensions, *Phys. Rev. Lett.* **83**, p. 4245, doi:10.1103/PhysRevLett.83.4245, arXiv:hep-ph/9906523.
- Clough, K., Helfer, T., Witek, H., and Berti, E. (2022). Ghost instabilities in self-interacting vector fields: The problem with Proca fields, *Phys. Rev. Lett.* **129**, 15, p. 151102, doi:10.1103/PhysRevLett.129.151102, arXiv:2204.10868 [gr-qc].
- Coates, A. and Ramazanoğlu, F. M. (2022). Intrinsic pathology of self-interacting vector fields, *Phys. Rev. Lett.* **129**, 15, p. 151103, doi:10.1103/PhysRevLett.129.151103, arXiv:2205.07784 [gr-qc].
- Cognola, G., Myrzakulov, R., Sebastiani, L., and Zerbini, S. (2013). Einstein gravity with Gauss-Bonnet entropic corrections, *Phys. Rev. D* **88**, 2, p. 024006, doi:10.1103/PhysRevD.88.024006, arXiv:1304.1878 [gr-qc].
- Coleman, S. R. and Mandula, J. (1967). All possible symmetries of the S matrix, *Phys. Rev.* **159**, pp. 1251–1256, doi:10.1103/PhysRev.159.1251.
- Colladay, D. and Kostelecky, V. A. (1998). Lorentz violating extension of the standard model, *Phys. Rev. D* **58**, p. 116002, doi:10.1103/PhysRevD.58.116002, arXiv:hep-ph/9809521.

- Comelli, D., Crisostomi, M., Koyama, K., Pilo, L., and Tasinato, G. (2015). Cosmology of bigravity with doubly coupled matter, *JCAP* **04**, p. 026, doi:10.1088/1475-7516/2015/04/026, arXiv:1501.00864 [hep-th].
- Comelli, D., Crisostomi, M., Nesti, F., and Pilo, L. (2012a). Spherically symmetric solutions in Ghost-Free massive gravity, *Phys. Rev. D* **85**, p. 024044, doi:10.1103/PhysRevD.85.024044, arXiv:1110.4967 [hep-th].
- Comelli, D., Crisostomi, M., and Pilo, L. (2012b). Perturbations in massive gravity cosmology, *JHEP* **06**, p. 085, doi:10.1007/JHEP06(2012)085, arXiv:1202.1986 [hep-th].
- Comelli, D., Crisostomi, M., and Pilo, L. (2014). FRW Cosmological perturbations in massive bigravity, *Phys. Rev. D* **90**, p. 084003, doi:10.1103/PhysRevD.90.084003, arXiv:1403.5679 [hep-th].
- Contaldi, C. R., Wiseman, T., and Withers, B. (2008). TeVeS gets caught on caustics, *Phys. Rev. D* **78**, p. 044034, doi:10.1103/PhysRevD.78.044034, arXiv:0802.1215 [gr-qc].
- Copeland, E. J., Kopp, M., Padilla, A., Saffin, P. M., and Skordis, C. (2019). Dark energy after GW170817 revisited, *Phys. Rev. Lett.* **122**, 6, p. 061301, doi:10.1103/PhysRevLett.122.061301, arXiv:1810.08239 [gr-qc].
- Cornwall, J. M., Levin, D. N., and Tiktopoulos, G. (1974). Derivation of Gauge invariance from high-energy unitarity bounds on the S matrix, *Phys. Rev. D* **10**, p. 1145, doi:10.1103/PhysRevD.10.1145, [Erratum: *Phys.Rev.D* 11, 972 (1975)].
- Creminelli, P., Lewandowski, M., Tambalo, G., and Vernizzi, F. (2018). Gravitational wave decay into dark energy, *JCAP* **12**, p. 025, doi:10.1088/1475-7516/2018/12/025, arXiv:1809.03484 [astro-ph.CO].
- Creminelli, P., Luty, M. A., Nicolis, A., and Senatore, L. (2006). Starting the universe: Stable violation of the null energy condition and non-standard cosmologies, *JHEP* **12**, p. 080, doi:10.1088/1126-6708/2006/12/080, arXiv:hep-th/0606090.
- Creminelli, P., Nicolis, A., Papucci, M., and Trincherini, E. (2005). Ghosts in massive gravity, *JHEP* **09**, p. 003, doi:10.1088/1126-6708/2005/09/003, arXiv:hep-th/0505147 [hep-th].
- Creminelli, P., Tambalo, G., Vernizzi, F., and Yingcharoenrat, V. (2020). Dark-energy instabilities induced by gravitational waves, *JCAP* **05**, p. 002, doi:10.1088/1475-7516/2020/05/002, arXiv:1910.14035 [gr-qc].
- Creminelli, P. and Vernizzi, F. (2017). Dark energy after GW170817 and GRB170817A, *Phys. Rev. Lett.* **119**, 25, p. 251302, doi:10.1103/PhysRevLett.119.251302, arXiv:1710.05877 [astro-ph.CO].
- Cremmer, E., Julia, B., and Scherk, J. (1978). Supergravity in theory in 11 dimensions, *Physics Letters B* **76**, 4, pp. 409–412.
- Cunliff, C. (2011). Topologically massive gravity from the outside in, *Class. Quant. Grav.* **28**, p. 195024, doi:10.1088/0264-9381/28/19/195024, arXiv:1012.2180 [hep-th].
- Cusin, G., Khosravi, N., and Noller, J. (2017). On scale-free extensions of massive (bi-)gravity, *JHEP* **02**, p. 098, doi:10.1007/JHEP02(2017)098, arXiv:1608.06643 [hep-th].
- D'Amico, G., de Rham, C., Dubovsky, S., Gabadadze, G., Pirtskhalava, D., and Tolley, A. J. (2011). Massive cosmologies, *Phys. Rev. D* **84**, p. 124046, doi:10.1103/PhysRevD.84.124046, arXiv:1108.5231 [hep-th].
- D'Amico, G., Gabadadze, G., Hui, L., and Pirtskhalava, D. (2013a). On cosmological perturbations of quasidilaton, *Class. Quant. Grav.* **30**, p. 184005, doi:10.1088/0264-9381/30/18/184005, arXiv:1304.0723 [hep-th].
- D'Amico, G., Gabadadze, G., Hui, L., and Pirtskhalava, D. (2013b). Quasidilaton: Theory and cosmology, *Phys. Rev. D* **87**, p. 064037, doi:10.1103/PhysRevD.87.064037, arXiv:1206.4253 [hep-th].

- Damour, T., Gibbons, G. W., and Gundlach, C. (1990). Dark matter, time varying  $G$ , and a dilaton field, *Phys. Rev. Lett.* **64**, pp. 123–126, doi:10.1103/PhysRevLett.64.123.
- Damour, T. and Polyakov, A. M. (1994). The String dilaton and a least coupling principle, *Nucl. Phys. B* **423**, pp. 532–558, doi:10.1016/0550-3213(94)90143-0, arXiv:hep-th/9401069.
- Dar, F., De Rham, C., Deskins, J. T., Giblin, J. T., and Tolley, A. J. (2019). Scalar gravitational radiation from binaries: Vainshtein mechanism in time-dependent systems, *Class. Quant. Grav.* **36**, 2, p. 025008, doi:10.1088/1361-6382/aaf5e8, arXiv:1808.02165 [hep-th].
- Datta, S., Gupta, A., Kastha, S., Arun, K. G., and Sathyaprakash, B. S. (2021). Tests of general relativity using multiband observations of intermediate mass binary black hole mergers, *Phys. Rev. D* **103**, 2, p. 024036, doi:10.1103/PhysRevD.103.024036, arXiv:2006.12137 [gr-qc].
- Davis, A.-C., Lim, E. A., Sakstein, J., and Shaw, D. (2012). Modified gravity makes galaxies brighter, *Phys. Rev. D* **85**, p. 123006, doi:10.1103/PhysRevD.85.123006, arXiv:1102.5278 [astro-ph.CO].
- Davis, S. C. (2003). Generalized Israel junction conditions for a Gauss-Bonnet brane world, *Phys. Rev. D* **67**, p. 024030, doi:10.1103/PhysRevD.67.024030, arXiv:hep-th/0208205.
- Davison, R. A. (2013). Momentum relaxation in holographic massive gravity, *Phys. Rev. D* **88**, p. 086003, doi:10.1103/PhysRevD.88.086003, arXiv:1306.5792 [hep-th].
- De Felice, A., Doll, A., and Mukohyama, S. (2020a). A theory of type-II minimally modified gravity, *JCAP* **09**, p. 034, doi:10.1088/1475-7516/2020/09/034, arXiv:2004.12549 [gr-qc].
- De Felice, A., Emir Gümrükçüoğlu, A., and Mukohyama, S. (2013a). Generalized quasidilaton theory, *Phys. Rev. D* **88**, 12, p. 124006, doi:10.1103/PhysRevD.88.124006, arXiv:1309.3162 [hep-th].
- De Felice, A., Geng, C.-Q., Pookkillath, M. C., and Yin, L. (2020b). Reducing the  $H_0$  tension with generalized Proca theory, *JCAP* **08**, p. 038, doi:10.1088/1475-7516/2020/08/038, arXiv:2002.06782 [astro-ph.CO].
- De Felice, A., Gümrükçüoğlu, A. E., Lin, C., and Mukohyama, S. (2013b). Nonlinear stability of cosmological solutions in massive gravity, *JCAP* **05**, p. 035, doi:10.1088/1475-7516/2013/05/035, arXiv:1303.4154 [hep-th].
- De Felice, A., Gümrükçüoğlu, A. E., Lin, C., and Mukohyama, S. (2013c). On the cosmology of massive gravity, *Class. Quant. Grav.* **30**, p. 184004, doi:10.1088/0264-9381/30/18/184004, arXiv:1304.0484 [hep-th].
- De Felice, A., Gümrükçüoğlu, A. E., Mukohyama, S., Tanahashi, N., and Tanaka, T. (2014). Viable cosmology in bimetric theory, *JCAP* **06**, p. 037, doi:10.1088/1475-7516/2014/06/037, arXiv:1404.0008 [hep-th].
- De Felice, A., Gümrükçüoğlu, A. E., and Mukohyama, S. (2012). Massive gravity: nonlinear instability of the homogeneous and isotropic universe, *Phys. Rev. Lett.* **109**, p. 171101, doi:10.1103/PhysRevLett.109.171101, arXiv:1206.2080 [hep-th].
- De Felice, A., Heisenberg, L., Kase, R., Mukohyama, S., Tsujikawa, S., and Zhang, Y.-l. (2016a). Cosmology in generalized Proca theories, *JCAP* **06**, p. 048, doi:10.1088/1475-7516/2016/06/048, arXiv:1603.05806 [gr-qc].
- De Felice, A., Heisenberg, L., Kase, R., Mukohyama, S., Tsujikawa, S., and Zhang, Y.-l. (2016b). Effective gravitational couplings for cosmological perturbations in generalized Proca theories, *Phys. Rev. D* **94**, 4, p. 044024, doi:10.1103/PhysRevD.94.044024, arXiv:1605.05066 [gr-qc].
- De Felice, A., Heisenberg, L., Kase, R., Tsujikawa, S., Zhang, Y.-l., and Zhao, G.-B. (2016c). Screening fifth forces in generalized Proca theories, *Phys. Rev. D* **93**, 10, p. 104016, doi:10.1103/PhysRevD.93.104016, arXiv:1602.00371 [gr-qc].

- De Felice, A., Heisenberg, L., and Tsujikawa, S. (2017a). Observational constraints on generalized Proca theories, *Phys. Rev. D* **95**, 12, p. 123540, doi:10.1103/PhysRevD.95.123540, arXiv:1703.09573 [astro-ph.CO].
- De Felice, A., Kobayashi, T., and Tsujikawa, S. (2011). Effective gravitational couplings for cosmological perturbations in the most general scalar-tensor theories with second-order field equations, *Phys. Lett. B* **706**, pp. 123–133, doi:10.1016/j.physletb.2011.11.028, arXiv:1108.4242 [gr-qc].
- De Felice, A., Larrouturou, F., Mukohyama, S., and Oliosi, M. (2021a). Minimal Theory of Bigravity: Construction and cosmology, *JCAP* **04**, p. 015, doi:10.1088/1475-7516/2021/04/015, arXiv:2012.01073 [gr-qc].
- De Felice, A., Maeda, K.-i., Mukohyama, S., and Pookkillath, M. C. (2022a). Comparison of two theories of Type-IIa minimally modified gravity, *Phys. Rev. D* **106**, 2, p. 024028, doi:10.1103/PhysRevD.106.024028, arXiv:2204.08294 [gr-qc].
- De Felice, A. and Mukohyama, S. (2014). Towards consistent extension of quasidilaton massive gravity, *Phys. Lett. B* **728**, pp. 622–625, doi:10.1016/j.physletb.2013.12.041, arXiv:1306.5502 [hep-th].
- De Felice, A. and Mukohyama, S. (2016). Minimal theory of massive gravity, *Phys. Lett. B* **752**, pp. 302–305, doi:10.1016/j.physletb.2015.11.050, arXiv:1506.01594 [hep-th].
- De Felice, A., Mukohyama, S., and Oliosi, M. (2017b). Minimal theory of quasidilaton massive gravity, *Phys. Rev. D* **96**, 2, p. 024032, doi:10.1103/PhysRevD.96.024032, arXiv:1701.01581 [hep-th].
- De Felice, A., Mukohyama, S., and Pookkillath, M. C. (2021b). Minimal theory of massive gravity and constraints on the graviton mass, *JCAP* **12**, 12, p. 011, doi:10.1088/1475-7516/2021/12/011, arXiv:2110.01237 [astro-ph.CO].
- De Felice, A., Mukohyama, S., and Pookkillath, M. C. (2022b). Extended minimal theories of massive gravity, *Phys. Rev. D* **106**, 8, p. 084050, doi:10.1103/PhysRevD.106.084050, arXiv:2206.03338 [gr-qc].
- De Felice, A., Mukohyama, S., and Takahashi, K. (2022c). Avoidance of strong coupling in general relativity solutions with a Timelike scalar profile in a class of Ghost-Free Scalar-Tensor theories, *Phys. Rev. Lett.* **129**, 3, p. 031103, doi:10.1103/PhysRevLett.129.031103, arXiv:2204.02032 [gr-qc].
- De Marchi, F. and Cascioli, G. (2020). Testing general relativity in the solar system: Present and future perspectives, *Class. Quant. Grav.* **37**, 9, p. 095007, doi:10.1088/1361-6382/ab6ae0, arXiv:1911.05561 [gr-qc].
- de Rham, C. (2014). Massive Gravity, *Living Rev. Rel.* **17**, p. 7, doi:10.12942/lrr-2014-7, arXiv:1401.4173 [hep-th].
- de Rham, C. (2019). The gravitational rainbow beyond Einstein gravity, *Int. J. Mod. Phys. D* **28**, 05, p. 1942003, doi:10.1142/S0218271819420033.
- de Rham, C., Deskins, J. T., Tolley, A. J., and Zhou, S.-Y. (2017a). Graviton mass bounds, *Rev. Mod. Phys.* **89**, 2, p. 025004, doi:10.1103/RevModPhys.89.025004, arXiv:1606.08462 [astro-ph.CO].
- de Rham, C., Dvali, G., Hofmann, S., Khoury, J., Pujolàs, O., Redi, M., and Tolley, A. J. (2008a). Cascading gravity: Extending the Dvali-Gabadadze-Porrati model to higher dimension, *Phys. Rev. Lett.* **100**, p. 251603, doi:10.1103/PhysRevLett.100.251603, arXiv:0711.2072 [hep-th].
- de Rham, C., Engelbrecht, L., Heisenberg, L., and Lüscher, A. (2022a). Positivity bounds in vector theories, *JHEP* **12**, p. 086, doi:10.1007/JHEP12(2022)086, arXiv:2208.12631 [hep-th].

- de Rham, C., Fasiello, M., and Tolley, A. J. (2014a). Galileon duality, *Phys. Lett.* **B733**, pp. 46–51, doi:10.1016/j.physletb.2014.03.061, arXiv:1308.2702 [hep-th].
- de Rham, C., Fasiello, M., and Tolley, A. J. (2014b). Stable FLRW solutions in generalized massive gravity, *Int. J. Mod. Phys. D* **23**, 13, p. 1443006, doi:10.1142/S0218271814430068, arXiv:1410.0960 [hep-th].
- de Rham, C. and Gabadadze, G. (2010). Generalization of the Fierz-Pauli action, *Phys. Rev. D* **82**, p. 044020, doi:10.1103/PhysRevD.82.044020, arXiv:1007.0443 [hep-th].
- de Rham, C., Gabadadze, G., Heisenberg, L., and Pirtskhalava, D. (2011a). Cosmic acceleration and the Helicity-0 graviton, *Phys. Rev. D* **83**, p. 103516, doi:10.1103/PhysRevD.83.103516, arXiv:1010.1780 [hep-th].
- de Rham, C., Gabadadze, G., Heisenberg, L., and Pirtskhalava, D. (2013a). Nonrenormalization and naturalness in a class of scalar-tensor theories, *Phys. Rev.* **D87**, 8, p. 085017, doi:10.1103/PhysRevD.87.085017, arXiv:1212.4128 [hep-th].
- de Rham, C., Gabadadze, G., and Tolley, A. J. (2011b). Helicity decomposition of Ghost-free massive gravity, *JHEP* **11**, p. 093, doi:10.1007/JHEP11(2011)093, arXiv:1108.4521 [hep-th].
- de Rham, C., Gabadadze, G., and Tolley, A. J. (2011c). Resummation of massive gravity, *Phys. Rev. Lett.* **106**, p. 231101, doi:10.1103/PhysRevLett.106.231101, arXiv:1011.1232 [hep-th].
- de Rham, C., Gabadadze, G., and Tolley, A. J. (2012). Ghost free massive gravity in the Stückelberg language, *Phys. Lett.* **B711**, pp. 190–195, doi:10.1016/j.physletb.2012.03.081, arXiv:1107.3820 [hep-th].
- de Rham, C., Garcia-Saenz, S., Heisenberg, L., and Pozsgay, V. (2022b). Cosmology of extended Proca-Nuevo, *JCAP* **03**, p. 053, doi:10.1088/1475-7516/2022/03/053, arXiv:2110.14327 [hep-th].
- de Rham, C., Garcia-Saenz, S., Heisenberg, L., Pozsgay, V., and Wang, X. (2023). To Half-Be or Not To Be? *JHEP* **06**, p. 088, doi:10.1007/JHEP06(2023)088, arXiv:2303.05354 [hep-th].
- de Rham, C., Heisenberg, L., and Ribeiro, R. H. (2013b). Quantum corrections in massive Gravity, *Phys. Rev.* **D88**, p. 084058, doi:10.1103/PhysRevD.88.084058, arXiv:1307.7169 [hep-th].
- de Rham, C., Heisenberg, L., and Ribeiro, R. H. (2014c). Ghosts and matter couplings in massive gravity, bigravity and multigravity, *Phys. Rev. D* **90**, p. 124042, doi:10.1103/PhysRevD.90.124042, arXiv:1409.3834 [hep-th].
- de Rham, C., Heisenberg, L., and Ribeiro, R. H. (2015a). On couplings to matter in massive (bi-)gravity, *Class. Quant. Grav.* **32**, p. 035022, doi:10.1088/0264-9381/32/3/035022, arXiv:1408.1678 [hep-th].
- de Rham, C., Hinterbichler, K., and Johnson, L. A. (2018a). On the (A)dS decoupling limits of massive gravity, *JHEP* **09**, p. 154, doi:10.1007/JHEP09(2018)154, arXiv:1807.08754 [hep-th].
- de Rham, C., Hinterbichler, K., and Johnson, L. A. (2018b). On the (A)dS decoupling limits of massive gravity, *JHEP* **09**, p. 154, doi:10.1007/JHEP09(2018)154, arXiv:1807.08754 [hep-th].
- de Rham, C., Hinterbichler, K., Rosen, R. A., and Tolley, A. J. (2013c). Evidence for and obstructions to nonlinear partially massless gravity, *Phys. Rev. D* **88**, 2, p. 024003, doi:10.1103/PhysRevD.88.024003, arXiv:1302.0025 [hep-th].
- de Rham, C., Hofmann, S., Khoury, J., and Tolley, A. J. (2008b). Cascading gravity and degravitation, *JCAP* **02**, p. 011, doi:10.1088/1475-7516/2008/02/011, arXiv:0712.2821 [hep-th].

- de Rham, C., Jaitly, S., and Tolley, A. J. (2022c). Constraints on Regge behaviour from IR physics, arXiv:2212.04975 [hep-th].
- de Rham, C., Keltner, L., and Tolley, A. J. (2014d). Generalized galileon duality, *Phys. Rev. D* **90**, 2, p. 024050, doi:10.1103/PhysRevD.90.024050, arXiv:1403.3690 [hep-th].
- de Rham, C., Khoury, J., and Tolley, A. J. (2009). Flat 3-Brane with tension in cascading gravity, *Phys. Rev. Lett.* **103**, p. 161601, doi:10.1103/PhysRevLett.103.161601, arXiv:0907.0473 [hep-th].
- de Rham, C., Kozuszek, J., Tolley, A. J., and Wiseman, T. (2023b). A dynamical formulation of ghost-free massive gravity, arXiv:2302.04876 [hep-th].
- de Rham, C., Kundu, S., Reece, M., Tolley, A. J., and Zhou, S.-Y. (2022d). Snowmass white paper: UV constraints on IR physics, in *2022 Snowmass Summer Study*, arXiv:2203.06805 [hep-th].
- de Rham, C. and Matas, A. (2016). Ostrogradsky in theories with multiple fields, *JCAP* **1606**, 06, p. 041, doi:10.1088/1475-7516/2016/06/041, arXiv:1604.08638 [hep-th].
- de Rham, C., Matas, A., and Tolley, A. J. (2014e). Deconstructing dimensions and massive gravity, *Class. Quant. Grav.* **31**, p. 025004, doi:10.1088/0264-9381/31/2/025004, arXiv:1308.4136 [hep-th].
- de Rham, C., Matas, A., and Tolley, A. J. (2014f). New kinetic interactions for massive gravity? *Class. Quant. Grav.* **31**, p. 165004, doi:10.1088/0264-9381/31/16/165004, arXiv:1311.6485 [hep-th].
- de Rham, C., Matas, A., and Tolley, A. J. (2015b). New kinetic terms for massive gravity and multi-gravity: A No-Go in Vielbein form, *Class. Quant. Grav.* **32**, 21, p. 215027, doi:10.1088/0264-9381/32/21/215027, arXiv:1505.00831 [hep-th].
- de Rham, C. and Melville, S. (2017). Unitary null energy condition violation in P(X) cosmologies, *Phys. Rev. D* **95**, 12, p. 123523, doi:10.1103/PhysRevD.95.123523, arXiv:1703.00025 [hep-th].
- de Rham, C. and Melville, S. (2018). Gravitational rainbows: LIGO and dark energy at its cutoff, *Phys. Rev. Lett.* **121**, 22, p. 221101, doi:10.1103/PhysRevLett.121.221101, arXiv:1806.09417 [hep-th].
- de Rham, C., Melville, S., and Noller, J. (2021). Positivity bounds on dark energy: When matter matters, *JCAP* **08**, p. 018, doi:10.1088/1475-7516/2021/08/018, arXiv:2103.06855 [astro-ph.CO].
- de Rham, C., Melville, S., Tolley, A. J., and Zhou, S.-Y. (2017b). Positivity bounds for scalar field theories, *Phys. Rev. D* **96**, 8, p. 081702, doi:10.1103/PhysRevD.96.081702, arXiv:1702.06134 [hep-th].
- de Rham, C., Melville, S., Tolley, A. J., and Zhou, S.-Y. (2019). Positivity bounds for massive Spin-1 and Spin-2 fields, *JHEP* **03**, p. 182, doi:10.1007/JHEP03(2019)182, arXiv:1804.10624 [hep-th].
- de Rham, C. and Motohashi, H. (2017). Caustics for spherical waves, *Phys. Rev. D* **95**, 6, p. 064008, doi:10.1103/PhysRevD.95.064008, arXiv:1611.05038 [hep-th].
- de Rham, C. and Pozsgay, V. (2020). New class of Proca interactions, *Phys. Rev. D* **102**, 8, p. 083508, doi:10.1103/PhysRevD.102.083508, arXiv:2003.13773 [hep-th].
- de Rham, C. and Renaux-Petel, S. (2013). Massive gravity on de sitter and unique candidate for partially massless gravity, *JCAP* **01**, p. 035, doi:10.1088/1475-7516/2013/01/035, arXiv:1206.3482 [hep-th].
- de Rham, C. and Ribeiro, R. H. (2014). Riding on irrelevant operators, *JCAP* **1411**, 11, p. 016, doi:10.1088/1475-7516/2014/11/016, arXiv:1405.5213 [hep-th].
- de Rham, C. and Tolley, A. J. (2006). Mimicking Lambda with a spin-two ghost condensate, *JCAP* **07**, p. 004, doi:10.1088/1475-7516/2006/07/004, arXiv:hep-th/0605122.

- de Rham, C. and Tolley, A. J. (2010). DBI and the Galileon reunited, *JCAP* **1005**, p. 015, doi:10.1088/1475-7516/2010/05/015, arXiv:1003.5917 [hep-th].
- de Rham, C. and Tolley, A. J. (2015). Vielbein to the rescue? Breaking the symmetric vielbein condition in massive gravity and multigravity, *Phys. Rev. D* **92**, 2, p. 024024, doi:10.1103/PhysRevD.92.024024, arXiv:1505.01450 [hep-th].
- de Rham, C. and Tolley, A. J. (2020a). Causality in curved spacetimes: The speed of light and gravity, *Phys. Rev. D* **102**, 8, p. 084048, doi:10.1103/PhysRevD.102.084048, arXiv:2007.01847 [hep-th].
- de Rham, C. and Tolley, A. J. (2020b). Speed of gravity, *Phys. Rev. D* **101**, 6, p. 063518, doi:10.1103/PhysRevD.101.063518, arXiv:1909.00881 [hep-th].
- de Rham, C., Tolley, A. J., and Wesley, D. H. (2013d). Vainshtein mechanism in binary pulsars, *Phys. Rev. D* **87**, 4, p. 044025, doi:10.1103/PhysRevD.87.044025, arXiv:1208.0580 [gr-qc].
- de Rham, C., Tolley, A. J., and Zhou, S.-Y. (2016). The  $\Lambda_2$  limit of massive gravity, *JHEP* **04**, p. 188, doi:10.1007/JHEP04(2016)188, arXiv:1602.03721 [hep-th].
- de Rham, C. and Zhang, J. (2019). Perturbations of stealth black holes in degenerate higher-order scalar-tensor theories, *Phys. Rev. D* **100**, 12, p. 124023, doi:10.1103/PhysRevD.100.124023, arXiv:1907.00699 [hep-th].
- de Urries, F. J. and Julve, J. (1998). Ostrogradski formalism for higher derivative scalar field theories, *J. Phys. A* **31**, pp. 6949–6964, doi:10.1088/0305-4470/31/33/006, arXiv:hep-th/9802115.
- Deffayet, C. (2001). Cosmology on a brane in Minkowski bulk, *Phys. Lett.* **B502**, pp. 199–208, doi:10.1016/S0370-2693(01)00160-5, arXiv:hep-th/0010186 [hep-th].
- Deffayet, C., Deser, S., and Esposito-Farese, G. (2009a). Generalized Galileons: All scalar models whose curved background extensions maintain second-order field equations and stress-tensors, *Phys. Rev. D* **80**, p. 064015, doi:10.1103/PhysRevD.80.064015, arXiv:0906.1967 [gr-qc].
- Deffayet, C., Dvali, G. R., and Gabadadze, G. (2002). Accelerated universe from gravity leaking to extra dimensions, *Phys. Rev. D* **65**, p. 044023, doi:10.1103/PhysRevD.65.044023, arXiv:astro-ph/0105068 [astro-ph].
- Deffayet, C., Esposito-Farese, G., and Vikman, A. (2009b). Covariant Galileon, *Phys. Rev. D* **79**, p. 084003, doi:10.1103/PhysRevD.79.084003, arXiv:0901.1314 [hep-th].
- Deffayet, C., Esposito-Farese, G., and Woodard, R. P. (2011a). Nonlocal metric formulations of MOND with sufficient lensing, *Phys. Rev. D* **84**, p. 124054, doi:10.1103/PhysRevD.84.124054, arXiv:1106.4984 [gr-qc].
- Deffayet, C., Gao, X., Steer, D. A., and Zahariade, G. (2011b). From k-essence to generalised Galileons, *Phys. Rev. D* **84**, p. 064039, doi:10.1103/PhysRevD.84.064039, arXiv:1103.3260 [hep-th].
- Deffayet, C., Garcia-Saenz, S., Mukohyama, S., and Sivanesan, V. (2017). Classifying Galileon  $p$ -form theories, *Phys. Rev. D* **96**, 4, p. 045014, doi:10.1103/PhysRevD.96.045014, arXiv:1704.02980 [hep-th].
- Deffayet, C., Gümrukçüoğlu, A. E., Mukohyama, S., and Wang, Y. (2014). A no-go theorem for generalized vector Galileons on flat spacetime, *JHEP* **04**, p. 082, doi:10.1007/JHEP04(2014)082, arXiv:1312.6690 [hep-th].
- Deffayet, C. and Jacobson, T. (2012). On horizon structure of bimetric spacetimes, *Class. Quant. Grav.* **29**, p. 065009, doi:10.1088/0264-9381/29/6/065009, arXiv:1107.4978 [gr-qc].
- Deffayet, C. and Mourad, J. (2005). Deconstruction of gravity, *Int. J. Theor. Phys.* **44**, 10, pp. 1743–1752.

- Deffayet, C. and Rombouts, J.-W. (2005). Ghosts, strong coupling and accidental symmetries in massive gravity, *Phys. Rev. D* **72**, p. 044003, doi:10.1103/PhysRevD.72.044003, arXiv:gr-qc/0505134 [gr-qc].
- Deffayet, C. and Woodard, R. P. (2009). Reconstructing the distortion function for nonlocal cosmology, *JCAP* **08**, p. 023, doi:10.1088/1475-7516/2009/08/023, arXiv:0904.0961 [gr-qc].
- Delacrétaz, L. V., Endlich, S., Monin, A., Penco, R., and Riva, F. (2014). (Re-)Inventing the relativistic wheel: Gravity, cosets, and spinning objects, *JHEP* **11**, p. 008, doi:10.1007/JHEP11(2014)008, arXiv:1405.7384 [hep-th].
- Delacrétaz, L. V., Nicolis, A., Penco, R., and Rosen, R. A. (2015). Wess-Zumino terms for relativistic fluids, superfluids, solids, and supersolids, *Phys. Rev. Lett.* **114**, 9, p. 091601, doi:10.1103/PhysRevLett.114.091601, arXiv:1403.6509 [hep-th].
- Demozzi, V., Mukhanov, V., and Rubinstein, H. (2009). Magnetic fields from inflation? *JCAP* **08**, p. 025, doi:10.1088/1475-7516/2009/08/025, arXiv:0907.1030 [astro-ph.CO].
- Derevianko, A. and Pospelov, M. (2014). Hunting for topological dark matter with atomic clocks, *Nature Phys.* **10**, p. 933, doi:10.1038/nphys3137, arXiv:1311.1244 [physics.atom-ph].
- Deser, S. (1970). Selfinteraction and gauge invariance, *Gen. Rel. Grav.* **1**, pp. 9–18, doi:10.1007/BF00759198, arXiv:gr-qc/0411023.
- Deser, S., Jackiw, R., and Templeton, S. (1982a). Three-dimensional massive Gauge theories, *Phys. Rev. Lett.* **48**, pp. 975–978, doi:10.1103/PhysRevLett.48.975.
- Deser, S., Jackiw, R., and Templeton, S. (1982b). Topologically massive Gauge theories, *Annals Phys.* **140**, pp. 372–411, doi:10.1016/0003-4916(82)90164-6, [Erratum: *Annals Phys.* 185, 406 (1988)].
- Deser, S., Joung, E., and Waldron, A. (2012). Gravitational- and self- coupling of partially massless Spin 2, *Phys. Rev. D* **86**, p. 104004, doi:10.1103/PhysRevD.86.104004, arXiv:1301.4181 [hep-th].
- Deser, S. and Kay, J. H. (1983). Topologically massive supergravity, *Phys. Lett. B* **120**, pp. 97–100, doi:10.1016/0370-2693(83)90631-7.
- Deser, S., Liu, H., Lu, H., Pope, C. N., Sisman, T. C., and Tekin, B. (2011). Critical points of D-dimensional extended gravities, *Phys. Rev. D* **83**, p. 061502, doi:10.1103/PhysRevD.83.061502, arXiv:1101.4009 [hep-th].
- Deser, S., Sandora, M., and Waldron, A. (2013). Nonlinear partially massless from massive gravity? *Phys. Rev. D* **87**, 10, p. 101501, doi:10.1103/PhysRevD.87.101501, arXiv:1301.5621 [hep-th].
- Deser, S. and Schwimmer, A. (1993). Geometric classification of conformal anomalies in arbitrary dimensions, *Phys. Lett. B* **309**, pp. 279–284, doi:10.1016/0370-2693(93)90934-A, arXiv:hep-th/9302047.
- Deser, S. and Waldron, A. (2001a). Null propagation of partially massless higher spins in (A)dS and cosmological constant speculations, *Phys. Lett. B* **513**, pp. 137–141, doi:10.1016/S0370-2693(01)00756-0, arXiv:hep-th/0105181.
- Deser, S. and Waldron, A. (2001b). Partial masslessness of higher spins in (A)dS, *Nucl. Phys. B* **607**, pp. 577–604, doi:10.1016/S0550-3213(01)00212-7, arXiv:hep-th/0103198.
- Deser, S. and Waldron, A. (2001c). Stability of massive cosmological gravitons, *Phys. Lett. B* **508**, pp. 347–353, doi:10.1016/S0370-2693(01)00523-8, arXiv:hep-th/0103255.
- Deser, S. and Waldron, A. (2013). PM = EM: Partially massless duality invariance, *Phys. Rev. D* **87**, p. 087702, doi:10.1103/PhysRevD.87.087702, arXiv:1301.2238 [hep-th].

- Deser, S. and Woodard, R. P. (2007). Nonlocal cosmology, *Phys. Rev. Lett.* **99**, p. 111301, doi:10.1103/PhysRevLett.99.111301, arXiv:0706.2151 [astro-ph].
- Deser, S. and Woodard, R. P. (2013). Observational viability and stability of nonlocal cosmology, *JCAP* **11**, p. 036, doi:10.1088/1475-7516/2013/11/036, arXiv:1307.6639 [astro-ph.CO].
- Deser, S. and Woodard, R. P. (2019). Nonlocal cosmology II — Cosmic acceleration without fine tuning or dark energy, *JCAP* **06**, p. 034, doi:10.1088/1475-7516/2019/06/034, arXiv:1902.08075 [gr-qc].
- Dimastrogiovanni, E., Fasiello, M., and Gümrükçüoğlu, A. E. (2021). Spinning guest fields during inflation: Leftover signatures, *JCAP* **11**, 11, p. 047, doi:10.1088/1475-7516/2021/11/047, arXiv:2108.06722 [astro-ph.CO].
- Do, T. Q. and Kao, W. F. (2013). Anisotropically expanding universe in massive gravity, *Phys. Rev. D* **88**, 6, p. 063006, doi:10.1103/PhysRevD.88.063006.
- Domènech, G., Mukohyama, S., Namba, R., and Papadopoulos, V. (2018). Vector disformal transformation of generalized Proca theory, *Phys. Rev. D* **98**, 6, p. 064037, doi:10.1103/PhysRevD.98.064037, arXiv:1807.06048 [gr-qc].
- Dong, R. and Stojkovic, D. (2021). Gravitational wave echoes from black holes in massive gravity, *Phys. Rev. D* **103**, 2, p. 024058, doi:10.1103/PhysRevD.103.024058, arXiv:2011.04032 [gr-qc].
- Donoghue, J. F. (1994). General relativity as an effective field theory: The leading quantum corrections, *Phys. Rev. D* **50**, pp. 3874–3888, doi:10.1103/PhysRevD.50.3874, arXiv:gr-qc/9405057.
- Donoghue, J. F. and El-Menoufi, B. K. (2014). Nonlocal quantum effects in cosmology: Quantum memory, nonlocal FLRW equations, and singularity avoidance, *Phys. Rev. D* **89**, 10, p. 104062, doi:10.1103/PhysRevD.89.104062, arXiv:1402.3252 [gr-qc].
- Drummond, I. T. (1999). Variable light cone theory of gravity, arXiv:gr-qc/9908058.
- Drummond, I. T. (2001). Bimetric gravity and [dark matter], *Phys. Rev. D* **63**, p. 043503, doi:10.1103/PhysRevD.63.043503, arXiv:astro-ph/0008234.
- Dubovsky, S., Flauger, R., and Gorbenko, V. (2012). Solving the simplest theory of quantum gravity, *JHEP* **09**, p. 133, doi:10.1007/JHEP09(2012)133, arXiv:1205.6805 [hep-th].
- Dubovsky, S., Flauger, R., Starobinsky, A., and Tkachev, I. (2010). Signatures of a graviton mass in the cosmic microwave background, *Phys. Rev. D* **81**, p. 023523, doi:10.1103/PhysRevD.81.023523, arXiv:0907.1658 [astro-ph.CO].
- Dubovsky, S., Gorbenko, V., and Mirbabayi, M. (2013). Natural tuning: Towards a proof of concept, *JHEP* **09**, p. 045, doi:10.1007/JHEP09(2013)045, arXiv:1305.6939 [hep-th].
- Dubovsky, S., Gregoire, T., Nicolis, A., and Rattazzi, R. (2006). Null energy condition and superluminal propagation, *JHEP* **03**, p. 025, doi:10.1088/1126-6708/2006/03/025, arXiv:hep-th/0512260.
- Duff, M. J. (1994). Twenty years of the Weyl anomaly, *Class. Quant. Grav.* **11**, pp. 1387–1404, doi:10.1088/0264-9381/11/6/004, arXiv:hep-th/9308075.
- Duff, M. J. (1999). M theory (The theory formerly known as strings), in *The World in Eleven Dimensions: Supergravity, Supermembranes and M-theory* (CRC Press), pp. 416–434.
- Duff, M. J., Inami, T., Pope, C. N., Sezgin, E., and Stelle, K. S. (1988). Semiclassical quantization of the supermembrane, *Nucl. Phys. B* **297**, pp. 515–538, doi:10.1016/0550-3213(88)90316-1.

- Duff, M. J., Nilsson, B. E., and Pope, C. N. (1986). Kaluza-klein supergravity, *Physics Reports* **130**, 1–2, pp. 1–142.
- Dvali, G. (2010a). Black holes and large N species solution to the hierarchy problem, *Fortsch. Phys.* **58**, pp. 528–536, doi:10.1002/prop.201000009, arXiv:0706.2050 [hep-th].
- Dvali, G. (2010b). Nature of microscopic black holes and gravity in theories with particle species, *Int. J. Mod. Phys. A* **25**, pp. 602–615, doi:10.1142/S0217751X10048895, arXiv:0806.3801 [hep-th].
- Dvali, G., Gabadadze, G., and Shifman, M. (2002). Diluting cosmological constant via large distance modification of gravity, in *18th IAP Colloquium on the Nature of Dark Energy: Observational and Theoretical Results on the Accelerating Universe*, pp. 566–581, doi:10.1142/9789812776310\_0034, arXiv:hep-th/0208096.
- Dvali, G., Gabadadze, G., and Shifman, M. (2003a). Diluting cosmological constant in infinite volume extra dimensions, *Phys. Rev. D* **67**, p. 044020, doi:10.1103/PhysRevD.67.044020, arXiv:hep-th/0202174.
- Dvali, G., Giudice, G. F., Gomez, C., and Kehagias, A. (2011). UV-completion by classicalization, *JHEP* **1108**, p. 108, doi:10.1007/JHEP08(2011)108, arXiv:1010.1415 [hep-ph].
- Dvali, G., Gruzinov, A., and Zaldarriaga, M. (2003b). The accelerated universe and the moon, *Phys. Rev. D* **68**, p. 024012, doi:10.1103/PhysRevD.68.024012, arXiv:hep-ph/0212069.
- Dvali, G., Hofmann, S., and Khoury, J. (2007). Degravitation of the cosmological constant and graviton width, *Phys. Rev. D* **76**, p. 084006, doi:10.1103/PhysRevD.76.084006, arXiv:hep-th/0703027.
- Dvali, G. and Redi, M. (2008). Black hole bound on the number of species and quantum gravity at LHC, *Phys. Rev. D* **77**, p. 045027, doi:10.1103/PhysRevD.77.045027, arXiv:0710.4344 [hep-th].
- Dvali, G. R. and Gabadadze, G. (2001). Gravity on a brane in infinite volume extra space, *Phys. Rev. D* **63**, p. 065007, doi:10.1103/PhysRevD.63.065007, arXiv:hep-th/0008054.
- Dvali, G. R., Gabadadze, G., and Porrati, M. (2000a). 4-D gravity on a brane in 5-D Minkowski space, *Phys. Lett. B* **485**, pp. 208–214, doi:10.1016/S0370-2693(00)00669-9, arXiv:hep-th/0005016.
- Dvali, G. R., Gabadadze, G., and Porrati, M. (2000b). Metastable gravitons and infinite volume extra dimensions, *Phys. Lett. B* **484**, pp. 112–118, doi:10.1016/S0370-2693(00)00631-6, arXiv:hep-th/0002190.
- Eckart, A. and Genzel, R. (1996). Observations of stellar proper motions near the Galactic Centre, *Nature* **383**, pp. 415–417, doi:10.1038/383415a0.
- Efimov, G. V. (1967). Non-local quantum theory of the scalar field, *Commun. Math. Phys.* **5**, 1, pp. 42–56, doi:10.1007/BF01646357.
- Efimov, G. V. (1970a). Essentially nonlinear interaction Lagrangians and nonlocalized quantum field theory, *Theor. Math. Phys.* **2**, 1, pp. 26–40, doi:10.1007/BF01028853.
- Efimov, G. V. (1970b). Nonlocal quantum field theory, nonlinear interaction Lagrangians, and convergence of the perturbation theory series, *Theor. Math. Phys.* **2**, 3, pp. 217–223, doi:10.1007/BF01038039.
- Eichhorn, A. (2015). The renormalization group flow of unimodular f(R) gravity, *JHEP* **04**, p. 096, doi:10.1007/JHEP04(2015)096, arXiv:1501.05848 [gr-qc].
- El-Menoufi, B. K., Nagy, S., Niedermann, F., and Padilla, A. (2019). Quantum corrections to vacuum energy sequestering (with monodromy), *Class. Quant. Grav.* **36**, 21, p. 215014, doi:10.1088/1361-6382/ab46f6, arXiv:1903.07612 [hep-th].

- El-Neaj, Y. A. *et al.* (2020). AEDGE: Atomic experiment for dark matter and gravity exploration in space, *EPJ Quant. Technol.* **7**, p. 6, doi:10.1140/epjqt/s40507-020-0080-0, arXiv:1908.00802 [gr-qc].
- Elder, B., Khoury, J., Haslinger, P., Jaffe, M., Müller, H., and Hamilton, P. (2016). Chameleon dark energy and atom interferometry, *Phys. Rev. D* **94**, 4, p. 044051, doi:10.1103/PhysRevD.94.044051, arXiv:1603.06587 [astro-ph.CO].
- Eliezer, D. A. and Woodard, R. P. (1989). The problem of nonlocality in string theory, *Nucl. Phys. B* **325**, p. 389, doi:10.1016/0550-3213(89)90461-6.
- Ellis, G. F. R. (2014). The trace-free Einstein equations and inflation, *Gen. Rel. Grav.* **46**, p. 1619, doi:10.1007/s10714-013-1619-5, arXiv:1306.3021 [gr-qc].
- Ellis, G. F. R., van Elst, H., Murugan, J., and Uzan, J.-P. (2011). On the trace-free Einstein equations as a viable alternative to general relativity, *Class. Quant. Grav.* **28**, p. 225007, doi:10.1088/0264-9381/28/22/225007, arXiv:1008.1196 [gr-qc].
- Ellis, J., Konoplich, R., Mavromatos, N. E., Nguyen, L., Sakharov, A. S., and Sarkisyan-Grinbaum, E. K. (2019). Robust constraint on Lorentz violation using Fermi-LAT Gamma-Ray burst data, *Phys. Rev. D* **99**, 8, p. 083009, doi:10.1103/PhysRevD.99.083009, arXiv:1807.00189 [astro-ph.HE].
- Emami, R., Mukohyama, S., Namba, R., and Zhang, Y.-l. (2017). Stable solutions of inflation driven by vector fields, *JCAP* **1703**, p. 058, doi:10.1088/1475-7516/2017/03/058, arXiv:1612.09581 [hep-th].
- Enander, J. and Mortsell, E. (2015). On stars, galaxies and black holes in massive bigravity, *JCAP* **11**, p. 023, doi:10.1088/1475-7516/2015/11/023, arXiv:1507.00912 [astro-ph.CO].
- Enander, J., Solomon, A. R., Akrami, Y., and Mortsell, E. (2015). Cosmic expansion histories in massive bigravity with symmetric matter coupling, *JCAP* **01**, p. 006, doi:10.1088/1475-7516/2015/01/006, arXiv:1409.2860 [astro-ph.CO].
- Endlich, S., Nicolis, A., Rattazzi, R., and Wang, J. (2011). The quantum mechanics of perfect fluids, *JHEP* **04**, p. 102, doi:10.1007/JHEP04(2011)102, arXiv:1011.6396 [hep-th].
- Endlich, S., Nicolis, A., and Wang, J. (2013). Solid Inflation, *JCAP* **10**, p. 011, doi:10.1088/1475-7516/2013/10/011, arXiv:1210.0569 [hep-th].
- Engelbrecht, L., Jones, C. R. T., and Paranjape, S. (2022). Supersymmetric massive gravity, *JHEP* **10**, p. 130, doi:10.1007/JHEP10(2022)130, arXiv:2205.12982 [hep-th].
- Eslam Panah, B., Jafarzade, K., and Hendi, S. H. (2020). Charged 4D Einstein-Gauss-Bonnet-AdS black holes: Shadow, energy emission, deflection angle and heat engine, *Nucl. Phys. B* **961**, p. 115269, doi:10.1016/j.nuclphysb.2020.115269, arXiv:2004.04058 [hep-th].
- Evens, D., Moffat, J. W., Kleppe, G., and Woodard, R. P. (1991). Nonlocal regularizations of gauge theories, *Phys. Rev. D* **43**, 2, pp. 499–519, doi:10.1103/PhysRevD.43.499.
- Everitt, C. W. F. *et al.* (2011). Gravity Probe B: Final results of a space experiment to test general relativity, *Phys. Rev. Lett.* **106**, p. 221101, doi:10.1103/PhysRevLett.106.221101, arXiv:1105.3456 [gr-qc].
- Ezquiaga, J. M. and Zumalacárregui, M. (2017). Dark energy after GW170817: Dead ends and the road ahead, *Phys. Rev. Lett.* **119**, 25, p. 251304, doi:10.1103/PhysRevLett.119.251304, arXiv:1710.05901 [astro-ph.CO].
- Famaey, B. and McGaugh, S. (2012). Modified newtonian dynamics (MOND): Observational phenomenology and relativistic extensions, *Living Rev. Rel.* **15**, p. 10, doi:10.12942/lrr-2012-10, arXiv:1112.3960 [astro-ph.CO].

- Fasiello, M. and Ribeiro, R. H. (2015). Mild bounds on bigravity from primordial gravitational waves, *JCAP* **07**, p. 027, doi:10.1088/1475-7516/2015/07/027, arXiv:1505.00404 [astro-ph.CO].
- Fasiello, M. and Tolley, A. J. (2012). Cosmological perturbations in massive gravity and the Higuchi bound, *JCAP* **11**, p. 035, doi:10.1088/1475-7516/2012/11/035, arXiv:1206.3852 [hep-th].
- Fasiello, M. and Tolley, A. J. (2013). Cosmological stability bound in massive gravity and Bigravity, *JCAP* **1312**, p. 002, doi:10.1088/1475-7516/2013/12/002, arXiv:1308.1647 [hep-th].
- Feng, J.-X., Gu, B.-M., and Shu, F.-W. (2021). Theoretical and observational constraints on regularized 4D Einstein-Gauss-Bonnet gravity, *Phys. Rev. D* **103**, p. 064002, doi:10.1103/PhysRevD.103.064002, arXiv:2006.16751 [gr-qc].
- Fernandes, P. G. S., Carrilho, P., Clifton, T., and Mulryne, D. J. (2020). Derivation of regularized field equations for the Einstein-Gauss-Bonnet theory in four dimensions, *Phys. Rev. D* **102**, 2, p. 024025, doi:10.1103/PhysRevD.102.024025, arXiv:2004.08362 [gr-qc].
- Fernandes, P. G. S., Carrilho, P., Clifton, T., and Mulryne, D. J. (2022). The 4D Einstein-Gauss-Bonnet theory of gravity: A review, *Class. Quant. Grav.* **39**, 6, p. 063001, doi:10.1088/1361-6382/ac500a, arXiv:2202.13908 [gr-qc].
- Ferraro, S., Schmidt, F., and Hu, W. (2011). Cluster abundance in f(R) gravity models, *Phys. Rev. D* **83**, p. 063503, doi:10.1103/PhysRevD.83.063503, arXiv:1011.0992 [astro-ph.CO].
- Ferreira, P. G. (2019). Cosmological tests of gravity, *Ann. Rev. Astron. Astrophys.* **57**, pp. 335–374, doi:10.1146/annurev-astro-091918-104423, arXiv:1902.10503 [astro-ph.CO].
- Figueras, P. and Wiseman, T. (2011). Gravity and large black holes in Randall-Sundrum II braneworlds, *Phys. Rev. Lett.* **107**, p. 081101, doi:10.1103/PhysRevLett.107.081101, arXiv:1105.2558 [hep-th].
- Fiol, B. and Garriga, J. (2010). Semiclassical unimodular gravity, *JCAP* **08**, p. 015, doi:10.1088/1475-7516/2010/08/015, arXiv:0809.1371 [hep-th].
- Fiorini, B., Koyama, K., and Izard, A. (2022). Studying large-scale structure probes of modified gravity with COLA, *JCAP* **12**, p. 028, doi:10.1088/1475-7516/2022/12/028, arXiv:2208.01345 [astro-ph.CO].
- Folkerts, S., Germani, C., and Wintergerst, N. (2014). *Massive spin-2 theories*, pp. 87–97, arXiv:1310.0453 [hep-th].
- Folkerts, S., Pritzel, A., and Wintergerst, N. (2011). On ghosts in theories of self-interacting massive spin-2 particles, arXiv:1107.3157 [hep-th].
- Franchini, N., Bezares, M., Barausse, E., and Lehner, L. (2022). Fixing the dynamical evolution in scalar-Gauss-Bonnet gravity, *Phys. Rev. D* **106**, 6, p. 064061, doi:10.1103/PhysRevD.106.064061, arXiv:2206.00014 [gr-qc].
- Freedman, D. Z. and Van Proeyen, A. (2012). *Supergravity* (Cambridge Univ. Press, Cambridge, UK), ISBN 978-1-139-36806-3, 978-0-521-19401-3.
- Freedman, W. L. (2021). Measurements of the hubble constant: Tensions in perspective, *Astrophys. J.* **919**, 1, p. 16, doi:10.3847/1538-4357/ac0e95, arXiv:2106.15656 [astro-ph.CO].
- Freedman, W. L. *et al.* (2019). The Carnegie-Chicago Hubble program. VIII. An Independent Determination of the Hubble Constant Based on the Tip of the Red Giant Branch, doi:10.3847/1538-4357/ab2f73, arXiv:1907.05922 [astro-ph.CO].

- Frolov, V. P. and Zelnikov, A. (2016). Head-on collision of ultrarelativistic particles in ghost-free theories of gravity, *Phys. Rev. D* **93**, 6, p. 064048, doi:10.1103/PhysRevD.93.064048, arXiv:1509.03336 [hep-th].
- Gabadadze, G. (2017). Scale-up of  $\Lambda_3$ : Massive gravity with a higher strong interaction scale, *Phys. Rev. D* **96**, 8, p. 084018, doi:10.1103/PhysRevD.96.084018, arXiv:1707.01739 [hep-th].
- Gabadadze, G., Hinterbichler, K., Khoury, J., Pirtskhalava, D., and Trodden, M. (2012). A covariant master theory for novel Galilean invariant models and massive gravity, *Phys. Rev. D* **86**, p. 124004, doi:10.1103/PhysRevD.86.124004, arXiv:1208.5773 [hep-th].
- Gabadadze, G., Older, D., and Pirtskhalava, D. (2019). Resolving the van Dam-Veltman-Zakharov and strong coupling problems in massive gravity and bigravity, *Phys. Rev. D* **100**, 12, p. 124017, doi:10.1103/PhysRevD.100.124017, arXiv:1907.13491 [hep-th].
- Gabadadze, G., Older, D., and Pirtskhalava, D. (2021). Continuity, localization, and cosmology in warped geometry, *Phys. Rev. D* **104**, 10, p. 104031, doi:10.1103/PhysRevD.104.104031, arXiv:2107.08160 [hep-th].
- Gabadadze, G. and Pirtskhalava, D. (2018). Boundary terms for massive general relativity, *Phys. Rev. D* **97**, 12, p. 124045, doi:10.1103/PhysRevD.97.124045, arXiv:1803.11238 [hep-th].
- Gallego Cadavid, A., Nieto, C. M., and Rodríguez, Y. (2022). Decoupling-limit consistency of the generalized SU(2) Proca theory, *Phys. Rev. D* **105**, 10, p. 104051, doi:10.1103/PhysRevD.105.104051, arXiv:2204.04328 [hep-th].
- Gallego Cadavid, A., Rodríguez, Y., and Gómez, L. G. (2020). Generalized SU(2) Proca theory reconstructed and beyond, *Phys. Rev. D* **102**, 10, p. 104066, doi:10.1103/PhysRevD.102.104066, arXiv:2009.03241 [hep-th].
- Gannouji, R., Hossain, M. W., Jaman, N., and Sami, M. (2019). Bigravity and Horndeski gravity connected by a disformal coupling, *Phys. Rev. D* **99**, 4, p. 043504, doi:10.1103/PhysRevD.99.043504, arXiv:1808.04137 [gr-qc].
- Garcia-Saenz, S., Held, A., and Zhang, J. (2021). Destabilization of black holes and stars by generalized Proca fields, *Phys. Rev. Lett.* **127**, 13, p. 131104, doi:10.1103/PhysRevLett.127.131104, arXiv:2104.08049 [gr-qc].
- Garnica, J. C., Gomez, L. G., Navarro, A. A., and Rodríguez, Y. (2022). Constant-roll inflation in the generalized SU(2) Proca theory, *Annalen Phys.* **534**, 2, p. 2100453, doi:10.1002/andp.202100453, arXiv:2109.10154 [gr-qc].
- Gasperini, M., Piazza, F., and Veneziano, G. (2002). Quintessence as a runaway dilaton, *Phys. Rev. D* **65**, p. 023508, doi:10.1103/PhysRevD.65.023508, arXiv:gr-qc/0108016.
- Geiller, M., Goeller, C., and Merino, N. (2021). Most general theory of 3d gravity: Covariant phase space, dual diffeomorphisms, and more, *JHEP* **02**, p. 120, doi:10.1007/JHEP02(2021)120, arXiv:2011.09873 [hep-th].
- Geiller, M. and Noui, K. (2019a). A remarkably simple theory of 3d massive gravity, *JHEP* **04**, p. 091, doi:10.1007/JHEP04(2019)091, arXiv:1812.01018 [hep-th].
- Geiller, M. and Noui, K. (2019b). Metric formulation of the simple theory of 3d massive gravity, *Phys. Rev. D* **100**, 6, p. 064066, doi:10.1103/PhysRevD.100.064066, arXiv:1905.04390 [gr-qc].
- Gerhardinger, M., Giblin, J. T., Jr., Tolley, A. J., and Trodden, M. (2022). Well-posed UV completion for simulating scalar Galileons, *Phys. Rev. D* **106**, 4, p. 043522, doi:10.1103/PhysRevD.106.043522, arXiv:2205.05697 [hep-th].
- Gervalle, R. and Volkov, M. S. (2020). Asymptotically flat hairy black holes in massive bigravity, *Phys. Rev. D* **102**, 12, p. 124040, doi:10.1103/PhysRevD.102.124040, arXiv:2008.13573 [hep-th].

- Ghez, A. M., Salim, S., Hornstein, S. D., Tanner, A., Morris, M., Becklin, E. E., and Duchene, G. (2005a). Stellar orbits around the galactic center black hole, *Astrophys. J.* **620**, pp. 744–757, doi:10.1086/427175, arXiv:astro-ph/0306130.
- Ghez, A. M. *et al.* (2005b). The first laser guide star adaptive optics observations of the galactic center: sgr a\*’s infrared color and the extended red emission in its vicinity, *Astrophys. J.* **635**, pp. 1087–1094, doi:10.1086/497576, arXiv:astro-ph/0508664.
- Giannakis, I., Liu, J. T., and Ren, H.-c. (2003). Linearized gravity in the Karch-Randall brane world, *Nucl. Phys. B* **654**, pp. 197–224, doi:10.1016/S0550-3213(03)00047-6, arXiv:hep-th/0211196.
- Giannotti, M. and Mottola, E. (2009). The trace anomaly and massless scalar degrees of freedom in gravity, *Phys. Rev. D* **79**, p. 045014, doi:10.1103/PhysRevD.79.045014, arXiv:0812.0351 [hep-th].
- Gillessen, S., Eisenhauer, F., Fritz, T. K., Bartko, H., Dodds-Eden, K., Pfuhl, O., Ott, T., and Genzel, R. (2009). The orbit of the star S2 around SgrA\* from VLT and Keck data, *Astrophys. J. Lett.* **707**, pp. L114–L117, doi:10.1088/0004-637X/707/2/L114, arXiv:0910.3069 [astro-ph.GA].
- Glavan, D. and Lin, C. (2020). Einstein-Gauss-Bonnet gravity in four-dimensional space-time, *Phys. Rev. Lett.* **124**, 8, p. 081301, doi:10.1103/PhysRevLett.124.081301, arXiv:1905.03601 [gr-qc].
- Gleyzes, J., Langlois, D., Piazza, F., and Vernizzi, F. (2013). Essential building blocks of dark energy, *JCAP* **08**, p. 025, doi:10.1088/1475-7516/2013/08/025, arXiv:1304.4840 [hep-th].
- Gleyzes, J., Langlois, D., Piazza, F., and Vernizzi, F. (2015). Healthy theories beyond Horndeski, *Phys. Rev. Lett.* **114**, 21, p. 211101, doi:10.1103/PhysRevLett.114.211101, arXiv:1404.6495 [hep-th].
- Gnocchi, G., Maselli, A., Abdelsalhin, T., Giacobbo, N., and Mapelli, M. (2019). Bounding alternative theories of gravity with multiband GW observations, *Phys. Rev. D* **100**, 6, p. 064024, doi:10.1103/PhysRevD.100.064024, arXiv:1905.13460 [gr-qc].
- Goldberger, W. D. (2007). Les Houches lectures on effective field theories and gravitational radiation, in *Les Houches Summer School - Session 86: Particle Physics and Cosmology: The Fabric of Spacetime*, arXiv:hep-ph/0701129.
- Goldhaber, A. S. and Nieto, M. M. (1974). Mass of the graviton, *Phys. Rev. D* **9**, pp. 1119–1121, doi:10.1103/PhysRevD.9.1119.
- Goldstone, J., Salam, A., and Weinberg, S. (1962). Broken symmetries, *Phys. Rev.* **127**, pp. 965–970, doi:10.1103/PhysRev.127.965.
- Golovnev, A. (2012). On the Hamiltonian analysis of non-linear massive gravity, *Phys. Lett. B* **707**, pp. 404–408, doi:10.1016/j.physletb.2011.12.064, arXiv:1112.2134 [gr-qc].
- Golovnev, A. (2015). On non-perturbative analysis of massive and bimetric gravity, *AIP Conf. Proc.* **1606**, 1, pp. 299–303, doi:10.1063/1.4891145, arXiv:1401.6343 [gr-qc].
- Golovnev, A., Mukhanov, V., and Vanchurin, V. (2008). Vector inflation, *JCAP* **06**, p. 009, doi:10.1088/1475-7516/2008/06/009, arXiv:0802.2068 [astro-ph].
- Golovnev, A. and Trukhin, A. (2017). Ghosts in extended quasidilaton theories, *Phys. Rev. D* **96**, 10, p. 104032, doi:10.1103/PhysRevD.96.104032, arXiv:1706.07215 [gr-qc].
- González Alborno, N. L., Schmidt-May, A., and von Strauss, M. (2018). Dark matter scenarios with multiple spin-2 fields, *JCAP* **01**, p. 014, doi:10.1088/1475-7516/2018/01/014, arXiv:1709.05128 [hep-th].
- Goon, G., Gümrukçüoğlu, A. E., Hinterbichler, K., Mukohyama, S., and Trodden, M. (2014). Galileons coupled to massive gravity: General analysis and cosmological solutions, *JCAP* **08**, p. 008, doi:10.1088/1475-7516/2014/08/008, arXiv:1402.5424 [hep-th].

- Goon, G., Hinterbichler, K., Joyce, A., and Trodden, M. (2012). Galileons as Wess-Zumino terms, *JHEP* **06**, p. 004, doi:10.1007/JHEP06(2012)004, arXiv:1203.3191 [hep-th].
- Goon, G., Hinterbichler, K., Joyce, A., and Trodden, M. (2016). Aspects of Galileon non-renormalization, *JHEP* **11**, p. 100, doi:10.1007/JHEP11(2016)100, arXiv:1606.02295 [hep-th].
- Goon, G., Hinterbichler, K., and Trodden, M. (2011a). A new class of effective field theories from embedded Branes, *Phys. Rev. Lett.* **106**, p. 231102, doi:10.1103/PhysRevLett.106.231102, arXiv:1103.6029 [hep-th].
- Goon, G., Hinterbichler, K., and Trodden, M. (2011b). Symmetries for Galileons and DBI scalars on curved space, *JCAP* **1107**, p. 017, doi:10.1088/1475-7516/2011/07/017, arXiv:1103.5745 [hep-th].
- Gratia, P., Hu, W., and Wyman, M. (2012). Self-accelerating massive gravity: Exact solutions for any isotropic matter distribution, *Phys. Rev. D* **86**, p. 061504, doi:10.1103/PhysRevD.86.061504, arXiv:1205.4241 [hep-th].
- Gratia, P., Hu, W., and Wyman, M. (2013). Self-accelerating massive gravity: How Zweibeins walk through determinant singularities, *Class. Quant. Grav.* **30**, p. 184007, doi:10.1088/0264-9381/30/18/184007, arXiv:1305.2916 [hep-th].
- Green, M. B., Schwarz, J. H., and Witten, E. (1988a). *Superstring Theory. Vol. 1: Introduction*, Cambridge Monographs on Mathematical Physics, ISBN 978-0-521-35752-4.
- Green, M. B., Schwarz, J. H., and Witten, E. (1988b). *Superstring Theory. Vol. 2: Loop Amplitudes, Anomalies and Phenomenology*, ISBN 978-0-521-35753-1.
- Gregoire, T., Schwartz, M. D., and Shadmi, Y. (2004). Massive supergravity and deconstruction, *J. High Energy Phys.* **2004**, 07, p. 029.
- Grumiller, D., Riedler, W., Rosseel, J., and Zojer, T. (2013). Holographic applications of logarithmic conformal field theories, *J. Phys. A* **46**, p. 494002, doi:10.1088/1751-8113/46/49/494002, arXiv:1302.0280 [hep-th].
- Gruzinov, A. (2005). On the graviton mass, *New Astron.* **10**, pp. 311–314, doi:10.1016/j.newast.2004.12.001, arXiv:astro-ph/0112246.
- Gubitosi, G., Piazza, F., and Vernizzi, F. (2013). The effective field theory of dark energy, *JCAP* **02**, p. 032, doi:10.1088/1475-7516/2013/02/032, arXiv:1210.0201 [hep-th].
- Gullu, I., Sisman, T. C., and Tekin, B. (2010). Born-Infeld extension of new massive gravity, *Class. Quant. Grav.* **27**, p. 162001, doi:10.1088/0264-9381/27/16/162001, arXiv:1003.3935 [hep-th].
- Güllü, I., Sisman, T. C., and Tekin, B. (2015). Born-infeld gravity with a massless graviton in four dimensions, *Phys. Rev. D* **91**, 4, p. 044007, doi:10.1103/PhysRevD.91.044007, arXiv:1410.8033 [hep-th].
- Gümrükçüoğlu, A. E. and Koyama, K. (2019). Generalizing the matter coupling in massive gravity: A search for new interactions, *Phys. Rev. D* **99**, 8, p. 084004, doi:10.1103/PhysRevD.99.084004, arXiv:1902.01391 [hep-th].
- Gümrükçüoğlu, A. E., Hinterbichler, K., Lin, C., Mukohyama, S., and Trodden, M. (2013). Cosmological perturbations in extended massive gravity, *Phys. Rev. D* **88**, 2, p. 024023, doi:10.1103/PhysRevD.88.024023, arXiv:1304.0449 [hep-th].
- Gümrükçüoğlu, A. E., Heisenberg, L., Mukohyama, S., and Tanahashi, N. (2015). Cosmology in bimetric theory with an effective composite coupling to matter, *JCAP* **04**, p. 008, doi:10.1088/1475-7516/2015/04/008, arXiv:1501.02790 [hep-th].
- Gümrükçüoğlu, A. E., Kimura, R., Kenna-Allison, M., and Koyama, K. (2021). Vainshtein mechanism in generalised massive gravity, *JCAP* **09**, p. 023, doi:10.1088/1475-7516/2021/09/023, arXiv:2107.01423 [hep-th].

- Gümrukçüoğlu, A. E., Kimura, R., and Koyama, K. (2020). Massive gravity with nonminimal coupling, *Phys. Rev. D* **101**, 12, p. 124021, doi:10.1103/PhysRevD.101.124021, arXiv:2003.11831 [gr-qc].
- Gümrukçüoğlu, A. E., Koyama, K., and Mukohyama, S. (2017). Stable cosmology in ghost-free quasidilaton theory, *Phys. Rev. D* **96**, 4, p. 044041, doi:10.1103/PhysRevD.96.044041, arXiv:1707.02004 [hep-th].
- Gümrukçüoğlu, A. E., Kuroyanagi, S., Lin, C., Mukohyama, S., and Tanahashi, N. (2012a). Gravitational wave signal from massive gravity, *Class. Quant. Grav.* **29**, p. 235026, doi:10.1088/0264-9381/29/23/235026, arXiv:1208.5975 [hep-th].
- Gümrukçüoğlu, A. E., Lin, C., and Mukohyama, S. (2011). Open FRW universes and self-acceleration from nonlinear massive gravity, *JCAP* **11**, p. 030, doi:10.1088/1475-7516/2011/11/030, arXiv:1109.3845 [hep-th].
- Gümrukçüoğlu, A. E., Lin, C., and Mukohyama, S. (2012b). Anisotropic Friedmann-Robertson-Walker universe from nonlinear massive gravity, *Phys. Lett. B* **717**, pp. 295–298, doi:10.1016/j.physletb.2012.09.049, arXiv:1206.2723 [hep-th].
- Gümrukçüoğlu, A. E., Lin, C., and Mukohyama, S. (2012c). Cosmological perturbations of self-accelerating universe in nonlinear massive gravity, *JCAP* **03**, p. 006, doi:10.1088/1475-7516/2012/03/006, arXiv:1111.4107 [hep-th].
- Guo, M. and Li, P.-C. (2020). Innermost stable circular orbit and shadow of the 4D Einstein–Gauss–Bonnet black hole, *Eur. Phys. J. C* **80**, 6, p. 588, doi:10.1140/epjc/s10052-020-8164-7, arXiv:2003.02523 [gr-qc].
- Gupta, A., Datta, S., Kastha, S., Borhanian, S., Arun, K. G., and Sathyaprakash, B. S. (2020). Multiparameter tests of general relativity using multiband gravitational-wave observations, *Phys. Rev. Lett.* **125**, 20, p. 201101, doi:10.1103/PhysRevLett.125.201101, arXiv:2005.09607 [gr-qc].
- Gurses, M. (1979). A new class of  $f - g$  fields relevant to quark confinement, *Phys. Rev. D* **20**, pp. 1019–1021, doi:10.1103/PhysRevD.20.1019.
- Gurses, M. (1981). Solutions of the  $f - g$  field equations, *J. Phys. A* **14**, pp. 1957–1971, doi:10.1088/0305-4470/14/8/020.
- Gürses, M., Şişman, T. c., and Tekin, B. (2020). Is there a novel Einstein–Gauss–Bonnet theory in four dimensions? *Eur. Phys. J. C* **80**, 7, p. 647, doi:10.1140/epjc/s10052-020-8200-7, arXiv:2004.03390 [gr-qc].
- Gómez, L. G. and Rodríguez, Y. (2019). Stability conditions in the generalized SU(2) Proca theory, *Phys. Rev. D* **100**, 8, p. 084048, doi:10.1103/PhysRevD.100.084048, arXiv:1907.07961 [gr-qc].
- Hagala, R., Felice, A. D., Mota, D. F., and Mukohyama, S. (2021). Non-linear dynamics of the minimal theory of massive gravity, *Astron. Astrophys.* **653**, p. A148, doi:10.1051/0004-6361/202040018, arXiv:2011.14697 [astro-ph.CO].
- Haghani, Z. (2020). Growth of matter density perturbations in 4D Einstein–Gauss–Bonnet gravity, *Phys. Dark Univ.* **30**, p. 100720, doi:10.1016/j.dark.2020.100720, arXiv:2005.01636 [gr-qc].
- Hamaus, N., Pisani, A., Sutter, P. M., Lavaux, G., Escoffier, S., Wandelt, B. D., and Weller, J. (2016). Constraints on cosmology and gravity from the dynamics of voids, *Phys. Rev. Lett.* **117**, 9, p. 091302, doi:10.1103/PhysRevLett.117.091302, arXiv:1602.01784 [astro-ph.CO].
- Hamilton, P., Jaffe, M., Haslinger, P., Simmons, Q., Müller, H., and Khoury, J. (2015). Atom-interferometry constraints on dark energy, *Science* **349**, pp. 849–851, doi:10.1126/science.aaa8883, arXiv:1502.03888 [physics.atom-ph].

- Harry, I. and Noller, J. (2022). Probing the speed of gravity with LVK, LISA, and joint observations, *Gen. Rel. Grav.* **54**, 10, p. 133, doi:10.1007/s10714-022-03016-0, arXiv:2207.10096 [gr-qc].
- Hassan, S. F. and Rosen, R. A. (2012a). Bimetric gravity from ghost-free massive gravity, *JHEP* **02**, p. 126, doi:10.1007/JHEP02(2012)126, arXiv:1109.3515 [hep-th].
- Hassan, S. F. and Rosen, R. A. (2012b). Confirmation of the Secondary Constraint and Absence of Ghost in Massive Gravity and Bimetric Gravity, *JHEP* **04**, p. 123, doi:10.1007/JHEP04(2012)123, arXiv:1111.2070 [hep-th].
- Hassan, S. F. and Rosen, R. A. (2012c). Resolving the Ghost Problem in non-Linear Massive Gravity, *Phys. Rev. Lett.* **108**, p. 041101, doi:10.1103/PhysRevLett.108.041101, arXiv:1106.3344 [hep-th].
- Hassan, S. F., Rosen, R. A., and Schmidt-May, A. (2012). Ghost-free massive gravity with a general reference metric, *JHEP* **02**, p. 026, doi:10.1007/JHEP02(2012)026, arXiv:1109.3230 [hep-th].
- Hassani, F. and Lombriser, L. (2020).  $N$ -body simulations for parametrized modified gravity, *Mon. Not. Roy. Astron. Soc.* **497**, 2, pp. 1885–1894, doi:10.1093/mnras/staa2083, arXiv:2003.05927 [astro-ph.CO].
- Heisenberg, L. (2014). Generalization of the Proca action, *JCAP* **05**, p. 015, doi:10.1088/1475-7516/2014/05/015, arXiv:1402.7026 [hep-th].
- Heisenberg, L. (2019). A systematic approach to generalisations of general relativity and their cosmological implications, *Phys. Rept.* **796**, pp. 1–113, doi:10.1016/j.physrep.2018.11.006, arXiv:1807.01725 [gr-qc].
- Heisenberg, L., Kase, R., Minamitsuji, M., and Tsujikawa, S. (2017a). Black holes in vector-tensor theories, *JCAP* **08**, p. 024, doi:10.1088/1475-7516/2017/08/024, arXiv:1706.05115 [gr-qc].
- Heisenberg, L., Kase, R., Minamitsuji, M., and Tsujikawa, S. (2017b). Hairy black-hole solutions in generalized Proca theories, *Phys. Rev. D* **96**, 8, p. 084049, doi:10.1103/PhysRevD.96.084049, arXiv:1705.09662 [gr-qc].
- Heisenberg, L., Kase, R., and Tsujikawa, S. (2016a). Absence of solid angle deficit singularities in beyond-generalized Proca theories, *Phys. Rev. D* **94**, 12, p. 123513, doi:10.1103/PhysRevD.94.123513, arXiv:1608.08390 [gr-qc].
- Heisenberg, L., Kase, R., and Tsujikawa, S. (2016b). Anisotropic cosmological solutions in massive vector theories, *JCAP* **11**, p. 008, doi:10.1088/1475-7516/2016/11/008, arXiv:1607.03175 [gr-qc].
- Heisenberg, L. and Refregier, A. (2016). Cosmology in massive gravity with effective composite metric, *JCAP* **09**, p. 020, doi:10.1088/1475-7516/2016/09/020, arXiv:1604.07306 [gr-qc].
- Heisenberg, L. and Villarrubia-Rojo, H. (2021). Proca in the sky, *JCAP* **03**, p. 032, doi:10.1088/1475-7516/2021/03/032, arXiv:2010.00513 [astro-ph.CO].
- Heisenberg, W. and Euler, H. (1936). Consequences of Dirac's theory of positrons, *Z. Phys.* **98**, 11–12, pp. 714–732, doi:10.1007/BF01343663, arXiv:physics/0605038.
- Held, A. and Zhang, J. (2022). Instability of spherically-symmetric black holes in Quadratic Gravity, arXiv:2209.01867 [gr-qc].
- Henneaux, M., Martinez, C., and Troncoso, R. (2010). More on asymptotically anti-de Sitter spaces in topologically massive gravity, *Phys. Rev. D* **82**, p. 064038, doi:10.1103/PhysRevD.82.064038, arXiv:1006.0273 [hep-th].
- Henneaux, M., Martinez, C., and Troncoso, R. (2011). Asymptotically warped anti-de Sitter spacetimes in topologically massive gravity, *Phys. Rev. D* **84**, p. 124016, doi:10.1103/PhysRevD.84.124016, arXiv:1108.2841 [hep-th].

- Hennigar, R. A., Kubizňák, D., Mann, R. B., and Pollack, C. (2020). On taking the  $D \rightarrow 4$  limit of Gauss-Bonnet gravity: Theory and solutions, *JHEP* **07**, p. 027, doi:10.1007/JHEP07(2020)027, arXiv:2004.09472 [gr-qc].
- Henning, B., Lu, X., Melia, T., and Murayama, H. (2016). Hilbert series and operator bases with derivatives in effective field theories, *Commun. Math. Phys.* **347**, 2, pp. 363–388, doi:10.1007/s00220-015-2518-2, arXiv:1507.07240 [hep-th].
- Henning, B., Lu, X., and Murayama, H. (2018). One-loop matching and running with covariant derivative expansion, *JHEP* **01**, p. 123, doi:10.1007/JHEP01(2018)123, arXiv:1604.01019 [hep-ph].
- Higuchi, A. (1987). Forbidden mass range for Spin-2 field theory in de sitter space-time, *Nucl. Phys. B* **282**, pp. 397–436, doi:10.1016/0550-3213(87)90691-2.
- Himmertoglu, B., Contaldi, C. R., and Peloso, M. (2009). Instability of anisotropic cosmological solutions supported by vector fields, *Phys. Rev. Lett.* **102**, p. 111301, doi:10.1103/PhysRevLett.102.111301, arXiv:0809.2779 [astro-ph].
- Hinterbichler, K. (2013). Ghost-free derivative interactions for a massive graviton, *JHEP* **10**, p. 102, doi:10.1007/JHEP10(2013)102, arXiv:1305.7227 [hep-th].
- Hinterbichler, K. and Khoury, J. (2010). Symmetron fields: Screening long-range forces through local symmetry restoration, *Phys. Rev. Lett.* **104**, p. 231301, doi:10.1103/PhysRevLett.104.231301, arXiv:1001.4525 [hep-th].
- Hinterbichler, K., Khoury, J., Levy, A., and Matas, A. (2011). Symmetron cosmology, *Phys. Rev. D* **84**, p. 103521, doi:10.1103/PhysRevD.84.103521, arXiv:1107.2112 [astro-ph.CO].
- Hinterbichler, K. and Rosen, R. A. (2012). Interacting Spin-2 fields, *JHEP* **07**, p. 047, doi:10.1007/JHEP07(2012)047, arXiv:1203.5783 [hep-th].
- Hinterbichler, K. and Saravani, M. (2016). Stückelberg approach to quadratic curvature gravity and its decoupling limits, *Phys. Rev. D* **93**, p. 065006, doi:10.1103/PhysRevD.93.065006, arXiv:1508.02401 [hep-th].
- Hinterbichler, K., Stokes, J., and Trodden, M. (2013). Cosmologies of extended massive gravity, *Phys. Lett. B* **725**, pp. 1–5, doi:10.1016/j.physletb.2013.07.009, arXiv:1301.4993 [astro-ph.CO].
- Hinterbichler, K., Trodden, M., and Wesley, D. (2010). Multi-field galileons and higher co-dimension branes, *Phys. Rev. D* **82**, p. 124018, doi:10.1103/PhysRevD.82.124018, arXiv:1008.1305 [hep-th].
- Hobbs, G. *et al.* (2010). The international pulsar timing array project: Using pulsars as a gravitational wave detector, *Class. Quant. Grav.* **27**, p. 084013, doi:10.1088/0264-9381/27/8/084013, arXiv:0911.5206 [astro-ph.SR].
- Hoek, J. (1982). On the Deser-van Nieuwenhuizen algebraic Vierbein Gauge, *Lett. Math. Phys.* **6**, pp. 49–55, doi:10.1007/BF02281169.
- Högås, M. and Mörtzell, E. (2021a). Constraints on bimetric gravity from Big Bang nucleosynthesis, *JCAP* **11**, p. 001, doi:10.1088/1475-7516/2021/11/001, arXiv:2106.09030 [astro-ph.CO].
- Högås, M. and Mörtzell, E. (2021b). Constraints on bimetric gravity. Part I. Analytical constraints, *JCAP* **05**, p. 001, doi:10.1088/1475-7516/2021/05/001, arXiv:2101.08794 [gr-qc].
- Högås, M. and Mörtzell, E. (2021c). Constraints on bimetric gravity. Part II. Observational constraints, *JCAP* **05**, p. 002, doi:10.1088/1475-7516/2021/05/002, arXiv:2101.08795 [gr-qc].
- Högås, M., Torsello, F., and Mörtzell, E. (2020). On the stability of bimetric structure formation, *JCAP* **04**, p. 046, doi:10.1088/1475-7516/2020/04/046, arXiv:1910.01651 [gr-qc].

- Horava, P. (2009). Quantum gravity at a Lifshitz point, *Phys. Rev. D* **79**, p. 084008, doi:10.1103/PhysRevD.79.084008, arXiv:0901.3775 [hep-th].
- Horava, P. and Witten, E. (1996a). Eleven-dimensional supergravity on a manifold with boundary, *Nucl. Phys. B* **475**, pp. 94–114, doi:10.1016/0550-3213(96)00308-2, arXiv:hep-th/9603142.
- Horava, P. and Witten, E. (1996b). Heterotic and type I string dynamics from eleven-dimensions, *Nucl. Phys. B* **460**, pp. 506–524, doi:10.1016/0550-3213(95)00621-4, arXiv:hep-th/9510209.
- Horndeski, G. W. (1974). Second-order scalar-tensor field equations in a four-dimensional space, *Int. J. Theor. Phys.* **10**, pp. 363–384, doi:10.1007/BF01807638.
- Hosseini Mansoori, S. A. (2021). Thermodynamic geometry of the novel 4-D Gauss–Bonnet AdS black hole, *Phys. Dark Univ.* **31**, p. 100776, doi:10.1016/j.dark.2021.100776, arXiv:2003.13382 [gr-qc].
- Huang, Q.-G., Piao, Y.-S., and Zhou, S.-Y. (2012). Mass-varying massive gravity, *Phys. Rev. D* **86**, p. 124014, doi:10.1103/PhysRevD.86.124014, arXiv:1206.5678 [hep-th].
- Huang, Q.-G., Ribeiro, R. H., Xing, Y.-H., Zhang, K.-C., and Zhou, S.-Y. (2015). On the uniqueness of the non-minimal matter coupling in massive gravity and bigravity, *Phys. Lett. B* **748**, pp. 356–360, doi:10.1016/j.physletb.2015.07.003, arXiv:1505.02616 [hep-th].
- Huang, Q.-G., Zhang, K.-C., and Zhou, S.-Y. (2013). Generalized massive gravity in arbitrary dimensions and its Hamiltonian formulation, *JCAP* **08**, p. 050, doi:10.1088/1475-7516/2013/08/050, arXiv:1306.4740 [hep-th].
- Hui, L. and Nicolis, A. (2013). No-hair theorem for the Galileon, *Phys. Rev. Lett.* **110**, p. 241104, doi:10.1103/PhysRevLett.110.241104, arXiv:1202.1296 [hep-th].
- Hull, M. D. (2017). *Non-linear vector interactions and cosmological self-acceleration*, Ph.D. thesis, University of Portsmouth.
- Hulse, R. A. and Taylor, J. H. (1975). Discovery of a pulsar in a binary system, *Astro-phys. J.* **195**, pp. L51–L53, doi:10.1086/181708.
- Ishak, M. (2019). Testing general relativity in cosmology, *Living Rev. Rel.* **22**, 1, p. 1, doi:10.1007/s41114-018-0017-4, arXiv:1806.10122 [astro-ph.CO].
- Isham, C. J., Salam, A., and Stratdee, J. A. (1971). F-dominance of gravity, *Phys. Rev. D* **3**, pp. 867–873, doi:10.1103/PhysRevD.3.867.
- Isham, C. J. and Storey, D. (1978). Exact spherically symmetric classical solutions for the F-G theory of gravity, *Phys. Rev. D* **18**, p. 1047, doi:10.1103/PhysRevD.18.1047.
- Islam, S. U., Kumar, R., and Ghosh, S. G. (2020). Gravitational lensing by black holes in the 4D Einstein-Gauss-Bonnet gravity, *JCAP* **09**, p. 030, doi:10.1088/1475-7516/2020/09/030, arXiv:2004.01038 [gr-qc].
- Ivanov, E. A. and Ogievetskii, V. I. (1975). Inverse Higgs effect in nonlinear realizations, *Theoretical and Mathematical Physics* **25**, 2, pp. 1050–1059, doi:10.1007/BF01028947.
- Iyonaga, A., Takahashi, K., and Kobayashi, T. (2020). Extended Cuscuton as Dark Energy, *JCAP* **07**, p. 004, doi:10.1088/1475-7516/2020/07/004, arXiv:2003.01934 [gr-qc].
- Jaccard, M., Maggiore, M., and Mitsou, E. (2013). Nonlocal theory of massive gravity, *Phys. Rev. D* **88**, 4, p. 044033, doi:10.1103/PhysRevD.88.044033, arXiv:1305.3034 [hep-th].
- Jacobson, T. (2010). Extended Horava gravity and Einstein-aether theory, *Phys. Rev. D* **81**, p. 101502, doi:10.1103/PhysRevD.81.101502, arXiv:1001.4823 [hep-th], [Erratum: Phys.Rev.D 82, 129901 (2010)].
- Jacobson, T. and Mattingly, D. (2001). Gravity with a dynamical preferred frame, *Phys. Rev. D* **64**, p. 024028, doi:10.1103/PhysRevD.64.024028, arXiv:gr-qc/0007031.

- Jaffe, A. M. (1996). High-energy behavior of local quantum fields, SLAC PUB 250 (1966), Stanford Linear Accelerator Center.
- Jaffe, A. M. (1967). High-energy behavior in quantum field theory. I. Strictly localizable fields, *Phys. Rev.* **158**, doi:10.1103/PhysRev.158.1454.
- Jaffe, M., Haslinger, P., Xu, V., Hamilton, P., Upadhye, A., Elder, B., Khoury, J., and Müller, H. (2017). Testing sub-gravitational forces on atoms from a miniature, in-vacuum source mass, *Nature Phys.* **13**, p. 938, doi:10.1038/nphys4189, arXiv:1612.05171 [physics.atom-ph].
- Jain, B., Vikram, V., and Sakstein, J. (2013). Astrophysical tests of modified gravity: Constraints from distance indicators in the nearby universe, *Astrophys. J.* **779**, p. 39, doi:10.1088/0004-637X/779/1/39, arXiv:1204.6044 [astro-ph.CO].
- Jatkar, D. P. and Moitra, U. (2022). DBI counter-term and black hole thermodynamics, arXiv:2212.12545 [hep-th].
- Jatkar, D. P. and Sinha, A. (2011). New massive gravity and  $AdS_4$  counterterms, *Phys. Rev. Lett.* **106**, p. 171601, doi:10.1103/PhysRevLett.106.171601, arXiv:1101.4746 [hep-th].
- Jenke, T., Bosina, J., Micko, J., Pitschmann, M., Sedmik, R., and Abele, H. (2021). Gravity resonance spectroscopy and dark energy symmetron fields: qBOUNCE experiments performed with Rabi and Ramsey spectroscopy, *Eur. Phys. J. ST* **230**, 4, pp. 1131–1136, doi:10.1140/epjs/s11734-021-00088-y, arXiv:2012.07472 [hep-ph].
- Joung, E., Li, W., and Taronna, M. (2014). No-Go theorems for unitary and interacting partially massless spin-two fields, *Phys. Rev. Lett.* **113**, p. 091101, doi:10.1103/PhysRevLett.113.091101, arXiv:1406.2335 [hep-th].
- Joung, E., Lopez, L., and Taronna, M. (2013). Generating functions of (partially-)massless higher-spin cubic interactions, *JHEP* **01**, p. 168, doi:10.1007/JHEP01(2013)168, arXiv:1211.5912 [hep-th].
- Joung, E., Mkrtychyan, K., and Poghosyan, G. (2019). Looking for partially-massless gravity, *JHEP* **07**, p. 116, doi:10.1007/JHEP07(2019)116, arXiv:1904.05915 [hep-th].
- Joyce, A., Jain, B., Khoury, J., and Trodden, M. (2015). Beyond the cosmological standard model, *Phys. Rept.* **568**, pp. 1–98, doi:10.1016/j.physrep.2014.12.002, arXiv:1407.0059 [astro-ph.CO].
- Kallen, G. (1952). On the definition of the renormalization constants in quantum electrodynamics, *Helv. Phys. Acta* **25**, 4, p. 417, doi:10.1007/978-3-319-00627-7\_90.
- Kaloper, N. and Padilla, A. (2014a). Sequestering the standard model vacuum energy, *Phys. Rev. Lett.* **112**, 9, p. 091304, doi:10.1103/PhysRevLett.112.091304, arXiv:1309.6562 [hep-th].
- Kaloper, N. and Padilla, A. (2014b). Vacuum energy sequestering: The framework and its cosmological consequences, *Phys. Rev. D* **90**, 8, p. 084023, doi:10.1103/PhysRevD.90.084023, arXiv:1406.0711 [hep-th], [Addendum: Phys.Rev.D 90, 109901 (2014)].
- Kaloper, N. and Padilla, A. (2015). Sequestration of vacuum energy and the end of the universe, *Phys. Rev. Lett.* **114**, 10, p. 101302, doi:10.1103/PhysRevLett.114.101302, arXiv:1409.7073 [hep-th].
- Kaloper, N., Padilla, A., and Stefanyshyn, D. (2016a). Sequestering effects on and of vacuum decay, *Phys. Rev. D* **94**, 2, p. 025022, doi:10.1103/PhysRevD.94.025022, arXiv:1604.04000 [hep-th].
- Kaloper, N., Padilla, A., Stefanyshyn, D., and Zahariade, G. (2016b). Manifestly local theory of vacuum energy sequestering, *Phys. Rev. Lett.* **116**, 5, p. 051302, doi:10.1103/PhysRevLett.116.051302, arXiv:1505.01492 [hep-th].
- Kaloper, N. and Scargill, J. H. C. (2019). de Sitter Branes in a flat bulk of massive gravity, *JHEP* **03**, p. 132, doi:10.1007/JHEP03(2019)132, arXiv:1808.01506 [hep-th].

- Kaluza, T. (1921). Zum Unitätsproblem der Physik, *Sitzungsber. Preuss. Akad. Wiss. Berlin (Math. Phys.)* **1921**, pp. 966–972, doi:10.1142/S0218271818700017, arXiv:1803.08616 [physics.hist-ph].
- Kamefuchi, S., O’Raifeartaigh, L., and Salam, A. (1961). Change of variables and equivalence theorems in quantum field theories, *Nucl. Phys.* **28**, pp. 529–549, doi:10.1016/0029-5582(61)90056-6.
- Kampf, K. and Novotny, J. (2014). Unification of Galileon dualities, *JHEP* **10**, p. 006, doi:10.1007/JHEP10(2014)006, arXiv:1403.6813 [hep-th].
- Kandus, A., Kunze, K. E., and Tsagas, C. G. (2011). Primordial magnetogenesis, *Phys. Rept.* **505**, pp. 1–58, doi:10.1016/j.physrep.2011.03.001, arXiv:1007.3891 [astro-ph.CO].
- Kapner, D. J., Cook, T. S., Adelberger, E. G., Gundlach, J. H., Heckel, B. R., Hoyle, C. D., and Swanson, H. E. (2007). Tests of the gravitational inverse-square law below the dark-energy length scale, *Phys. Rev. Lett.* **98**, p. 021101, doi:10.1103/PhysRevLett.98.021101, arXiv:hep-ph/0611184.
- Karch, A. and Randall, L. (2001). Locally localized gravity, *JHEP* **05**, p. 008, doi:10.1088/1126-6708/2001/05/008, arXiv:hep-th/0011156.
- Karch, A. and Randall, L. (2020). Geometries with mismatched branes, *JHEP* **09**, p. 166, doi:10.1007/JHEP09(2020)166, arXiv:2006.10061 [hep-th].
- Kase, R., Minamitsuji, M., and Tsujikawa, S. (2018a). Black holes in quartic-order beyond-generalized Proca theories, *Phys. Lett. B* **782**, pp. 541–550, doi:10.1016/j.physletb.2018.05.078, arXiv:1803.06335 [gr-qc].
- Kase, R., Minamitsuji, M., and Tsujikawa, S. (2018b). Relativistic stars in vector-tensor theories, *Phys. Rev. D* **97**, 8, p. 084009, doi:10.1103/PhysRevD.97.084009, arXiv:1711.08713 [gr-qc].
- Kase, R., Minamitsuji, M., and Tsujikawa, S. (2020). Neutron stars with a generalized Proca hair and spontaneous vectorization, *Phys. Rev. D* **102**, 2, p. 024067, doi:10.1103/PhysRevD.102.024067, arXiv:2001.10701 [gr-qc].
- Kase, R., Minamitsuji, M., Tsujikawa, S., and Zhang, Y.-L. (2018c). Black hole perturbations in vector-tensor theories: The odd-mode analysis, *JCAP* **1802**, p. 048, doi:10.1088/1475-7516/2018/02/048, arXiv:1801.01787 [gr-qc].
- Kase, R. and Tsujikawa, S. (2014). Cosmology in generalized Horndeski theories with second-order equations of motion, *Phys. Rev. D* **90**, p. 044073, doi:10.1103/PhysRevD.90.044073, arXiv:1407.0794 [hep-th].
- Kase, R. and Tsujikawa, S. (2018). Dark energy in scalar-vector-tensor theories, *JCAP* **1811**, 11, p. 024, doi:10.1088/1475-7516/2018/11/024, arXiv:1805.11919 [gr-qc].
- Keltner, L. and Tolley, A. J. (2015). UV properties of Galileons: Spectral Densities, arXiv:1502.05706 [hep-th].
- Kenna-Allison, M., Gümrükçüoğlu, A. E., and Koyama, K. (2020a). Stable cosmology in generalized massive gravity, *Phys. Rev. D* **101**, 8, p. 084014, doi:10.1103/PhysRevD.101.084014, arXiv:1912.08560 [hep-th].
- Kenna-Allison, M., Gümrükçüoğlu, A. E., and Koyama, K. (2019). Viability of bigravity cosmology, *Phys. Rev. D* **99**, 10, p. 104032, doi:10.1103/PhysRevD.99.104032, arXiv:1812.05496 [hep-th].
- Kenna-Allison, M., Gümrükçüoğlu, A. E., and Koyama, K. (2020b). Cosmic acceleration and growth of structure in massive gravity, *Phys. Rev. D* **102**, 10, p. 103524, doi:10.1103/PhysRevD.102.103524, arXiv:2009.05405 [gr-qc].
- Khosravi, N., Niz, G., Koyama, K., and Tasinato, G. (2013). Stability of the self-accelerating universe in massive gravity, *JCAP* **08**, p. 044, doi:10.1088/1475-7516/2013/08/044, arXiv:1305.4950 [hep-th].

- Khoury, J. (2007). Fading gravity and self-inflation, *Phys. Rev. D* **76**, p. 123513, doi:10.1103/PhysRevD.76.123513, arXiv:hep-th/0612052.
- Khoury, J. (2015). Alternative to particle dark matter, *Phys. Rev. D* **91**, 2, p. 024022, doi:10.1103/PhysRevD.91.024022, arXiv:1409.0012 [hep-th].
- Khoury, J., Noumi, T., Trodden, M., and Wong, S. S. C. (2022). Stability of Hairy black holes in shift-symmetric Scalar-Tensor theories via the effective field theory approach, arXiv:2208.02823 [hep-th].
- Khoury, J. and Weltman, A. (2004a). Chameleon cosmology, *Phys. Rev. D* **69**, p. 044026, doi:10.1103/PhysRevD.69.044026, arXiv:astro-ph/0309411.
- Khoury, J. and Weltman, A. (2004b). Chameleon fields: Awaiting surprises for tests of gravity in space, *Phys. Rev. Lett.* **93**, p. 171104, doi:10.1103/PhysRevLett.93.171104, arXiv:astro-ph/0309300.
- Khoury, J. and Wyman, M. (2009). N-Body Simulations of DGP and Degravitation Theories, *Phys. Rev. D* **80**, p. 064023, doi:10.1103/PhysRevD.80.064023, arXiv:0903.1292 [astro-ph.CO].
- Kimpton, I. and Padilla, A. (2012). Cleaning up the cosmological constant, *JHEP* **12**, p. 031, doi:10.1007/JHEP12(2012)031, arXiv:1203.1040 [hep-th].
- Kimura, R. and Yamauchi, D. (2013). Derivative interactions in de Rham-Gabadadze-Tolley massive gravity, *Phys. Rev. D* **88**, p. 084025, doi:10.1103/PhysRevD.88.084025, arXiv:1308.0523 [gr-qc].
- Klein, O. (1926). Quantum theory and five-dimensional theory of relativity. (In German and English), *Z. Phys.* **37**, pp. 895–906, doi:10.1007/BF01397481.
- Kluson, J. (2012). Non-linear massive gravity with additional primary constraint and absence of Ghosts, *Phys. Rev. D* **86**, p. 044024, doi:10.1103/PhysRevD.86.044024, arXiv:1204.2957 [hep-th].
- Kluson, J. (2014a). Consistent extension of quasidilaton massive gravity, *J. Grav.* **2014**, p. 413835, doi:10.1155/2014/413835, arXiv:1309.0956 [hep-th].
- Kluson, J. (2014b). Hamiltonian formalism of bimetric gravity in Vierbein formulation, *Eur. Phys. J. C* **74**, 8, p. 2985, doi:10.1140/epjc/s10052-014-2985-1, arXiv:1307.1974 [hep-th].
- Kluson, J., Nojiri, S., and Odintsov, S. D. (2013). New proposal for non-linear ghost-free massive  $F(R)$  gravity: Cosmic acceleration and Hamiltonian analysis, *Phys. Lett. B* **726**, pp. 918–925, doi:10.1016/j.physletb.2013.10.003, arXiv:1309.2185 [hep-th].
- Kobayashi, T. (2019). Horndeski theory and beyond: A review, *Rept. Prog. Phys.* **82**, 8, p. 086901, doi:10.1088/1361-6633/ab2429, arXiv:1901.07183 [gr-qc].
- Kobayashi, T., Siino, M., Yamaguchi, M., and Yoshida, D. (2012). New cosmological solutions in massive gravity, *Phys. Rev. D* **86**, p. 061505, doi:10.1103/PhysRevD.86.061505, arXiv:1205.4938 [hep-th].
- Kobayashi, T., Siino, M., Yamaguchi, M., and Yoshida, D. (2016). Perturbations of cosmological and black hole solutions in massive gravity and bi-gravity, *PTEP* **2016**, 10, p. 103E02, doi:10.1093/ptep/ptw145, arXiv:1509.02096 [gr-qc].
- Kobayashi, T. and Tanahashi, N. (2014). Exact black hole solutions in shift symmetric scalar-tensor theories, *PTEP* **2014**, p. 073E02, doi:10.1093/ptep/ptu096, arXiv:1403.4364 [gr-qc].
- Koennig, F., Akrami, Y., Amendola, L., Motta, M., and Solomon, A. R. (2014). Stable and unstable cosmological models in bimetric massive gravity, *Phys. Rev. D* **90**, p. 124014, doi:10.1103/PhysRevD.90.124014, arXiv:1407.4331 [astro-ph.CO].
- Komargodski, Z. and Schwimmer, A. (2011). On renormalization group flows in four dimensions, *JHEP* **12**, p. 099, doi:10.1007/JHEP12(2011)099, arXiv:1107.3987 [hep-th].

- Konoplya, R. A. and Zhidenko, A. (2020). Black holes in the four-dimensional Einstein-Lovelock gravity, *Phys. Rev. D* **101**, 8, p. 084038, doi:10.1103/PhysRevD.101.084038, arXiv:2003.07788 [gr-qc].
- Konoplya, R. A. and Zinhailo, A. F. (2020). Quasinormal modes, stability and shadows of a black hole in the 4D Einstein-Gauss-Bonnet gravity, *Eur. Phys. J. C* **80**, 11, p. 1049, doi:10.1140/epjc/s10052-020-08639-8, arXiv:2003.01188 [gr-qc].
- Koshelev, A. S., Sravan Kumar, K., Modesto, L., and Rachwal, L. (2018). Finite quantum gravity in dS and AdS spacetimes, *Phys. Rev. D* **98**, 4, p. 046007, doi:10.1103/PhysRevD.98.046007, arXiv:1710.07759 [hep-th].
- Kostelevky, V. A. (2004). Gravity, Lorentz violation, and the standard model, *Phys. Rev. D* **69**, p. 105009, doi:10.1103/PhysRevD.69.105009, arXiv:hep-th/0312310.
- Kostelevky, V. A. and Li, Z. (2019). Gauge field theories with Lorentz-violating operators of arbitrary dimension, *Phys. Rev. D* **99**, 5, p. 056016, doi:10.1103/PhysRevD.99.056016, arXiv:1812.11672 [hep-ph].
- Koyama, K. (2005). Are there ghosts in the self-accelerating brane universe? *Phys. Rev. D* **72**, p. 123511, doi:10.1103/PhysRevD.72.123511, arXiv:hep-th/0503191.
- Koyama, K. (2016). Cosmological Tests of Modified Gravity, *Rept. Prog. Phys.* **79**, 4, p. 046902, doi:10.1088/0034-4885/79/4/046902, arXiv:1504.04623 [astro-ph.CO].
- Koyama, K. and Arroja, F. (2010). Pathological behaviour of the scalar graviton in Hořava-Lifshitz gravity, *JHEP* **03**, p. 061, doi:10.1007/JHEP03(2010)061, arXiv:0910.1998 [hep-th].
- Koyama, K., Niz, G., and Tasinato, G. (2011a). Analytic solutions in non-linear massive gravity, *Phys. Rev. Lett.* **107**, p. 131101, doi:10.1103/PhysRevLett.107.131101, arXiv:1103.4708 [hep-th].
- Koyama, K., Niz, G., and Tasinato, G. (2011b). The self-accelerating universe with vectors in massive gravity, *JHEP* **12**, p. 065, doi:10.1007/JHEP12(2011)065, arXiv:1110.2618 [hep-th].
- Krasnikov, N. V. (1987). Nonlocal Gauge theories, *Theor. Math. Phys.* **73**, pp. 1184–1190, doi:10.1007/BF01017588.
- Kuchar, K. V. (1991). Does an unspecified cosmological constant solve the problem of time in quantum gravity? *Phys. Rev. D* **43**, pp. 3332–3344, doi:10.1103/PhysRevD.43.3332.
- Kulchoakrungsun, E., Mukherjee, A., Agarwal, N., and Pullen, A. R. (2022). Linear growth of structure in massive gravity, *Phys. Rev. D* **106**, 8, p. 083527, doi:10.1103/PhysRevD.106.083527, arXiv:2206.04086 [gr-qc].
- Kumar, R. and Ghosh, S. G. (2020). Rotating black holes in 4D Einstein-Gauss-Bonnet gravity and its shadow, *JCAP* **07**, p. 053, doi:10.1088/1475-7516/2020/07/053, arXiv:2003.08927 [gr-qc].
- Kumar, R., Islam, S. U., and Ghosh, S. G. (2020). Gravitational lensing by charged black hole in regularized 4D Einstein-Gauss-Bonnet gravity, *Eur. Phys. J. C* **80**, 12, p. 1128, doi:10.1140/epjc/s10052-020-08606-3, arXiv:2004.12970 [gr-qc].
- Kuzenko, S. M., Lindstrom, U., Rocek, M., Sachs, I., and Tartaglino-Mazzucchelli, G. (2014). Three-dimensional  $\mathcal{N} = 2$  supergravity theories: From superspace to components, *Phys. Rev. D* **89**, 8, p. 085028, doi:10.1103/PhysRevD.89.085028, arXiv:1312.4267 [hep-th].
- Kuzenko, S. M. and Novak, J. (2014). Supergravity-matter actions in three dimensions and Chern-Simons terms, *JHEP* **05**, p. 093, doi:10.1007/JHEP05(2014)093, arXiv:1401.2307 [hep-th].

- Kuzenko, S. M., Novak, J., and Sachs, I. (2017). Minimal  $\mathcal{N} = 4$  topologically massive supergravity, *JHEP* **03**, p. 109, doi:10.1007/JHEP03(2017)109, arXiv:1610.09895 [hep-th].
- Lagos, M. and Ferreira, P. G. (2017). A general theory of linear cosmological perturbations: bimetric theories, *JCAP* **01**, p. 047, doi:10.1088/1475-7516/2017/01/047, arXiv:1610.00553 [gr-qc].
- Lagos, M. and Noller, J. (2016). New massive bigravity cosmologies with double matter coupling, *JCAP* **01**, p. 023, doi:10.1088/1475-7516/2016/01/023, arXiv:1508.05864 [gr-qc].
- Lahoz, S. S. and Noller, J. (2023). Testing the speed of gravity with black hole ringdown, arXiv:2301.10272 [gr-qc].
- Lanzcos, C. (1938). A Remarkable property of the Riemann-Christoffel tensor in four dimensions, *Annals Math.* **39**, pp. 842–850, doi:10.2307/1968467.
- Langlois, D. and Noui, K. (2016). Degenerate higher derivative theories beyond Horndeski: Evading the Ostrogradski instability, *JCAP* **1602**, 02, p. 034, doi:10.1088/1475-7516/2016/02/034, arXiv:1510.06930 [gr-qc].
- Lara, G., Bezares, M., and Barausse, E. (2022). UV completions, fixing the equations, and nonlinearities in k-essence, *Phys. Rev. D* **105**, 6, p. 064058, doi:10.1103/PhysRevD.105.064058, arXiv:2112.09186 [gr-qc].
- Lauf, F. and Sachs, I. (2016). Topologically massive gravity with extended supersymmetry, *Phys. Rev. D* **94**, 6, p. 065028, doi:10.1103/PhysRevD.94.065028, arXiv:1605.00103 [hep-th].
- Lawrence, M. G. and Seery, D. (2021). Ultraviolet sensitivity of the cosmological sequester, *Phys. Rev. D* **103**, 6, p. 064018, doi:10.1103/PhysRevD.103.064018, arXiv:2007.07058 [hep-th].
- Lehmann, H. (1954). On the Properties of propagation functions and renormalization constants of quantized fields, *Nuovo Cim.* **11**, pp. 342–357, doi:10.1007/BF02783624.
- Li, M. and Pang, Y. (2009). A Trouble with Hořava-Lifshitz Gravity, *JHEP* **08**, p. 015, doi:10.1088/1126-6708/2009/08/015, arXiv:0905.2751 [hep-th].
- Li, W., Song, W., and Strominger, A. (2008). Chiral gravity in three dimensions, *JHEP* **04**, p. 082, doi:10.1088/1126-6708/2008/04/082, arXiv:0801.4566 [hep-th].
- Lin, C. (2014). Massive graviton on a spatial condensate, *Phys. Lett. B* **738**, pp. 386–390, doi:10.1016/j.physletb.2014.09.065, arXiv:1307.2574 [hep-th].
- Lin, C. and Mukohyama, S. (2017). A class of minimally modified gravity theories, *JCAP* **10**, p. 033, doi:10.1088/1475-7516/2017/10/033, arXiv:1708.03757 [gr-qc].
- Liu, Y. and Raju, A. (2020). Quantum Chaos in topologically massive gravity, *JHEP* **12**, p. 027, doi:10.1007/JHEP12(2020)027, arXiv:2005.08508 [hep-th].
- Liu, Y. and Sun, Y.-W. (2009a). Consistent boundary conditions for new massive gravity in  $AdS_3$ , *JHEP* **05**, p. 039, doi:10.1088/1126-6708/2009/05/039, arXiv:0903.2933 [hep-th].
- Liu, Y. and Sun, Y.-w. (2009b). Note on new massive gravity in  $AdS(3)$ , *JHEP* **04**, p. 106, doi:10.1088/1126-6708/2009/04/106, arXiv:0903.0536 [hep-th].
- Lombriser, L. and Lima, N. A. (2017). Challenges to self-acceleration in modified gravity from gravitational waves and large-scale structure, *Phys. Lett. B* **765**, pp. 382–385, doi:10.1016/j.physletb.2016.12.048, arXiv:1602.07670 [astro-ph.CO].
- Lombriser, L. and Taylor, A. (2016). Breaking a dark degeneracy with gravitational waves, *JCAP* **03**, p. 031, doi:10.1088/1475-7516/2016/03/031, arXiv:1509.08458 [astro-ph.CO].

- Lovelock, D. (1971). The Einstein tensor and its generalizations, *J. Math. Phys.* **12**, pp. 498–501, doi:10.1063/1.1665613.
- Lovelock, D. (1972). The four-dimensionality of space and the einstein tensor, *J. Math. Phys.* **13**, pp. 874–876, doi:10.1063/1.1666069.
- Lu, H., Mei, J., and Pope, C. N. (2009). Solutions to Horava gravity, *Phys. Rev. Lett.* **103**, p. 091301, doi:10.1103/PhysRevLett.103.091301, arXiv:0904.1595 [hep-th].
- Lu, H. and Pang, Y. (2020). Horndeski gravity as  $D \rightarrow 4$  limit of Gauss-Bonnet, *Phys. Lett. B* **809**, p. 135717, doi:10.1016/j.physletb.2020.135717, arXiv:2003.11552 [gr-qc].
- Lu, H., Perkins, A., Pope, C. N., and Stelle, K. S. (2015). Black holes in higher-derivative gravity, *Phys. Rev. Lett.* **114**, 17, p. 171601, doi:10.1103/PhysRevLett.114.171601, arXiv:1502.01028 [hep-th].
- Lu, H. and Pope, C. N. (2011). Critical gravity in four dimensions, *Phys. Rev. Lett.* **106**, p. 181302, doi:10.1103/PhysRevLett.106.181302, arXiv:1101.1971 [hep-th].
- Lüben, M. (2021). *Phenomenological aspects of bimetric theory*, Ph.D. thesis, Munich U., Munich U., doi:10.5282/edoc.28191.
- Lüben, M., Mörtzell, E., and Schmidt-May, A. (2020a). Bimetric cosmology is compatible with local tests of gravity, *Class. Quant. Grav.* **37**, 4, p. 047001, doi:10.1088/1361-6382/ab4f9b, arXiv:1812.08686 [gr-qc].
- Lüben, M., Schmidt-May, A., and Weller, J. (2020b). Physical parameter space of bimetric theory and SN1a constraints, *JCAP* **09**, p. 024, doi:10.1088/1475-7516/2020/09/024, arXiv:2003.03382 [gr-qc].
- Lue, A. and Starkman, G. (2003). Gravitational leakage into extra dimensions: Probing dark energy using local gravity, *Phys. Rev. D* **67**, p. 064002, doi:10.1103/PhysRevD.67.064002, arXiv:astro-ph/0212083.
- Lukas, A., Ovrut, B. A., Stelle, K. S., and Waldram, D. (1999a). Heterotic M theory in five-dimensions, *Nucl. Phys. B* **552**, pp. 246–290, doi:10.1016/S0550-3213(99)00196-0, arXiv:hep-th/9806051.
- Lukas, A., Ovrut, B. A., Stelle, K. S., and Waldram, D. (1999b). The universe as a domain wall, *Phys. Rev. D* **59**, p. 086001, doi:10.1103/PhysRevD.59.086001, arXiv:hep-th/9803235.
- Lukas, A., Ovrut, B. A., and Waldram, D. (1998). On the four-dimensional effective action of strongly coupled heterotic string theory, *Nucl. Phys. B* **532**, pp. 43–82, doi:10.1016/S0550-3213(98)00463-5, arXiv:hep-th/9710208.
- Lukas, A., Ovrut, B. A., and Waldram, D. (1999c). Cosmological solutions of Horava-Witten theory, *Phys. Rev. D* **60**, p. 086001, doi:10.1103/PhysRevD.60.086001, arXiv:hep-th/9806022.
- Luty, M. A., Porrati, M., and Rattazzi, R. (2003). Strong interactions and stability in the DGP model, *JHEP* **09**, p. 029, doi:10.1088/1126-6708/2003/09/029, arXiv:hep-th/0303116 [hep-th].
- Maeda, K.-i. and Volkov, M. S. (2013). Anisotropic universes in the ghost-free bigravity, *Phys. Rev. D* **87**, p. 104009, doi:10.1103/PhysRevD.87.104009, arXiv:1302.6198 [hep-th].
- Maggiore, M. and Mancarella, M. (2014). Nonlocal gravity and dark energy, *Phys. Rev. D* **90**, 2, p. 023005, doi:10.1103/PhysRevD.90.023005, arXiv:1402.0448 [hep-th].
- Magueijo, J. and Smolin, L. (2004). Gravity’s rainbow, *Class. Quant. Grav.* **21**, pp. 1725–1736, doi:10.1088/0264-9381/21/7/001, arXiv:gr-qc/0305055.
- Mahapatra, S. (2020). A note on the total action of 4D Gauss–Bonnet theory, *Eur. Phys. J. C* **80**, 10, p. 992, doi:10.1140/epjc/s10052-020-08568-6, arXiv:2004.09214 [gr-qc].

- Mandelstam, S. (1958). Determination of the pion - nucleon scattering amplitude from dispersion relations and unitarity. General theory, *Phys. Rev.* **112**, pp. 1344–1360, doi:10.1103/PhysRev.112.1344.
- Manita, Y., Aoki, K., Fujita, T., and Mukohyama, S. (2022). Spin-2 dark matter from anisotropic Universe in bigravity, arXiv:2211.15873 [gr-qc].
- Manita, Y. and Kimura, R. (2022). Linear growth of structure in projected massive gravity, *Phys. Rev. D* **105**, 8, p. 084038, doi:10.1103/PhysRevD.105.084038, arXiv:2112.13855 [gr-qc].
- Manita, Y., Panpanich, S., and Kimura, R. (2023). Viable massive gravity without non-linear screening, arXiv:2301.09797 [gr-qc].
- Markevitch, M., Gonzalez, A. H., Clowe, D., Vikhlinin, A., David, L., Forman, W., Jones, C., Murray, S., and Tucker, W. (2004). Direct constraints on the dark matter self-interaction cross-section from the merging galaxy cluster 1E0657-56, *Astrophys. J.* **606**, pp. 819–824, doi:10.1086/383178, arXiv:astro-ph/0309303.
- Markevitch, M., Gonzalez, A. H., David, L., Vikhlinin, A., Murray, S., Forman, W., Jones, C., and Tucker, W. (2002). A Textbook example of a bow shock in the merging galaxy cluster 1E0657-56, *Astrophys. J. Lett.* **567**, p. L27, doi:10.1086/339619, arXiv:astro-ph/0110468.
- Martinelli, M. and Casas, S. (2021). Cosmological tests of gravity: A future perspective, *Universe* **7**, 12, p. 506, doi:10.3390/universe7120506, arXiv:2112.10675 [astro-ph.CO].
- Martínez-Huerta, H. and Pérez-Lorenzana, A. (2017). Restrictions from Lorentz invariance violation on cosmic ray propagation, *Phys. Rev. D* **95**, 6, p. 063001, doi:10.1103/PhysRevD.95.063001, arXiv:1610.00047 [astro-ph.HE].
- Marzola, L., Raidal, M., and Urban, F. R. (2018). Oscillating Spin-2 dark matter, *Phys. Rev. D* **97**, 2, p. 024010, doi:10.1103/PhysRevD.97.024010, arXiv:1708.04253 [hep-ph].
- Matas, A. (2016). Cutoff for extensions of massive gravity and bi-gravity, *Class. Quant. Grav.* **33**, 7, p. 075004, doi:10.1088/0264-9381/33/7/075004, arXiv:1506.00666 [hep-th].
- Matsumoto, J., Okumura, T., and Sasaki, M. (2020). New measures to test modified gravity cosmologies, *JCAP* **07**, p. 059, doi:10.1088/1475-7516/2020/07/059, arXiv:2005.09227 [astro-ph.CO].
- Mattingly, D. (2005). Modern tests of Lorentz invariance, *Living Rev. Rel.* **8**, p. 5, doi:10.12942/lrr-2005-5, arXiv:gr-qc/0502097.
- Mazuet, C., Mukohyama, S., and Volkov, M. S. (2017). Anisotropic deformations of spatially open cosmology in massive gravity theory, *JCAP* **04**, p. 039, doi:10.1088/1475-7516/2017/04/039, arXiv:1702.04205 [hep-th].
- Mazuet, C. and Volkov, M. S. (2018). Massive Spin-2 field in arbitrary spacetimes — the detailed derivation, *JCAP* **07**, p. 012, doi:10.1088/1475-7516/2018/07/012, arXiv:1804.01970 [hep-th].
- Mazur, P. O. and Mottola, E. (2001). Weyl cohomology and the effective action for conformal anomalies, *Phys. Rev. D* **64**, p. 104022, doi:10.1103/PhysRevD.64.104022, arXiv:hep-th/0106151.
- Melville, S. and Noller, J. (2016). Generalised matter couplings in massive bigravity, *JHEP* **01**, p. 094, doi:10.1007/JHEP01(2016)094, arXiv:1511.01485 [hep-th].
- Merkowitz, S. M. (2010). Tests of Gravity Using Lunar Laser Ranging, *Living Rev. Rel.* **13**, p. 7, doi:10.12942/lrr-2010-7.
- Metsaev, R. R. and Tseytlin, A. A. (1987). Curvature cubed terms in string theory effective actions, *Phys. Lett. B* **185**, pp. 52–58, doi:10.1016/0370-2693(87)91527-9.

- Meyer, L., Ghez, A. M., Schodel, R., Yelda, S., Boehle, A., Lu, J. R., Morris, M. R., Becklin, E. E., and Matthews, K. (2012). The shortest known period star orbiting our Galaxy's supermassive black hole, *Science* **338**, pp. 84–87, doi:10.1126/science.1225506, arXiv:1210.1294 [astro-ph.GA].
- Milgrom, M. (1983a). A Modification of the Newtonian dynamics as a possible alternative to the hidden mass hypothesis, *Astrophys. J.* **270**, pp. 365–370, doi:10.1086/161130.
- Milgrom, M. (1983b). A Modification of the Newtonian dynamics: Implications for galaxies, *Astrophys. J.* **270**, pp. 371–383, doi:10.1086/161131.
- Milgrom, M. (1983c). A modification of the Newtonian dynamics: Implications for galaxy systems, *Astrophys. J.* **270**, pp. 384–389, doi:10.1086/161132.
- Milgrom, M. (2009). Bimetric MOND gravity, *Phys. Rev. D* **80**, p. 123536, doi:10.1103/PhysRevD.80.123536, arXiv:0912.0790 [gr-qc].
- Milgrom, M. (2010). Matter and twin matter in bimetric MOND, *Mon. Not. Roy. Astron. Soc.* **405**, p. 1129, doi:10.1111/j.1365-2966.2010.16515.x, arXiv:1001.4444 [astro-ph.CO].
- Minamitsuji, M. (2016). Solutions in the generalized Proca theory with the nonminimal coupling to the Einstein tensor, *Phys. Rev. D* **94**, 8, p. 084039, doi:10.1103/PhysRevD.94.084039, arXiv:1607.06278 [gr-qc].
- Minamitsuji, M. (2017). Black holes in the generalized Proca theory, *Gen. Rel. Grav.* **49**, 7, p. 86, doi:10.1007/s10714-017-2250-7.
- Minamitsuji, M. and Motohashi, H. (2018). Stealth Schwarzschild solution in shift symmetry breaking theories, *Phys. Rev. D* **98**, 8, p. 084027, doi:10.1103/PhysRevD.98.084027, arXiv:1809.06611 [gr-qc].
- Modesto, L. (2012). Super-renormalizable quantum gravity, *Phys. Rev. D* **86**, p. 044005, doi:10.1103/PhysRevD.86.044005, arXiv:1107.2403 [hep-th].
- Modesto, L., Piva, M., and Rachwal, L. (2016). Finite quantum gauge theories, *Phys. Rev. D* **94**, 2, p. 025021, doi:10.1103/PhysRevD.94.025021, arXiv:1506.06227 [hep-th].
- Modesto, L. and Rachwal, L. (2015). Universally finite gravitational and gauge theories, *Nucl. Phys. B* **900**, pp. 147–169, doi:10.1016/j.nuclphysb.2015.09.006, arXiv:1503.00261 [hep-th].
- Modesto, L. and Rachwal, L. (2017). Nonlocal quantum gravity: A review, *Int. J. Mod. Phys. D* **26**, 11, p. 1730020, doi:10.1142/S0218271817300208.
- Modesto, L. and Tsujikawa, S. (2013). Non-local massive gravity, *Phys. Lett. B* **727**, pp. 48–56, doi:10.1016/j.physletb.2013.10.037, arXiv:1307.6968 [hep-th].
- Moffat, J. W. (1990). Finite nonlocal gauge field theory, *Phys. Rev. D* **41**, pp. 1177–1184, doi:10.1103/PhysRevD.41.1177.
- Moffat, J. W. (1993). Superluminary universe: A possible solution to the initial value problem in cosmology, *Int. J. Mod. Phys. D* **2**, pp. 351–366, doi:10.1142/S0218271893000246, arXiv:gr-qc/9211020.
- Moffat, J. W. (2006). Scalar-tensor-vector gravity theory, *JCAP* **03**, p. 004, doi:10.1088/1475-7516/2006/03/004, arXiv:gr-qc/0506021.
- Mortsell, E. (2017). Cosmological histories in bimetric gravity: A graphical approach, *JCAP* **02**, p. 051, doi:10.1088/1475-7516/2017/02/051, arXiv:1701.00710 [gr-qc].
- Mortsell, E. and Enander, J. (2015). Scalar instabilities in bimetric gravity: The Vainshtein mechanism and structure formation, *JCAP* **10**, p. 044, doi:10.1088/1475-7516/2015/10/044, arXiv:1506.04977 [astro-ph.CO].
- Motohashi, H. and Minamitsuji, M. (2018). General relativity solutions in modified gravity, *Phys. Lett. D* **781**, pp. 728–734, doi:10.1016/j.physletb.2018.04.041, arXiv:1804.01731 [gr-qc].

- Motohashi, H. and Minamitsuji, M. (2019). Exact black hole solutions in shift-symmetric quadratic degenerate higher-order scalar-tensor theories, *Phys. Rev. D* **99**, 6, p. 064040, doi:10.1103/PhysRevD.99.064040, arXiv:1901.04658 [gr-qc].
- Mottola, E. (2010). The trace anomaly and dynamical vacuum energy in cosmology, *Int. J. Mod. Phys. A* **25**, pp. 2391–2408, doi:10.1142/S0217751X10049670, arXiv:1006.3567 [gr-qc].
- Mottola, E. and Vaulin, R. (2006). Macroscopic effects of the quantum trace anomaly, *Phys. Rev. D* **74**, p. 064004, doi:10.1103/PhysRevD.74.064004, arXiv:gr-qc/0604051.
- Mou, Z.-G. and Zhang, H.-Y. (2022). Singularity problem for interacting massive vectors, *Phys. Rev. Lett.* **129**, 15, p. 151101, doi:10.1103/PhysRevLett.129.151101, arXiv:2204.11324 [hep-th].
- Mukohyama, S. (2017). Boulware-Deser ghost in extended quasidilaton massive gravity, *Phys. Rev. D* **96**, 4, p. 044029, doi:10.1103/PhysRevD.96.044029, arXiv:1309.2146 [hep-th].
- Mukohyama, S. and Noui, K. (2019). Minimally modified gravity: A hamiltonian construction, *JCAP* **07**, p. 049, doi:10.1088/1475-7516/2019/07/049, arXiv:1905.02000 [gr-qc].
- Mukohyama, S., Shiromizu, T., and Maeda, K.-i. (2000). Global structure of exact cosmological solutions in the brane world, *Phys. Rev. D* **62**, p. 024028, doi:10.1103/PhysRevD.63.029901, arXiv:hep-th/9912287, [Erratum: *Phys.Rev.D* 63, 029901 (2001)].
- Mvondo-She, Y. (2022). Integrable hierarchies, Hurwitz numbers and a branch point field in critical topologically massive gravity, *SciPost Phys.* **12**, 4, p. 132, doi:10.21468/SciPostPhys.12.4.132, arXiv:2109.03595 [hep-th].
- Nagy, S., Padilla, A., and Zavala, I. (2020). The Super-Stückelberg procedure and dS in pure supergravity, *Proc. Roy. Soc. Lond. A* **476**, 2237, p. 20200035, doi:10.1098/rspa.2020.0035, arXiv:1910.14349 [hep-th].
- Nakamura, S., De Felice, A., Kase, R., and Tsujikawa, S. (2019). Constraints on massive vector dark energy models from integrated Sachs-Wolfe-galaxy cross-correlations, *Phys. Rev. D* **99**, 6, p. 063533, doi:10.1103/PhysRevD.99.063533, arXiv:1811.07541 [astro-ph.CO].
- Nakamura, S., Kase, R., and Tsujikawa, S. (2017). Cosmology in beyond-generalized Proca theories, *Phys. Rev. D* **95**, 10, p. 104001, doi:10.1103/PhysRevD.95.104001, arXiv:1702.08610 [gr-qc].
- Nakarachinda, R. and Wongjun, P. (2018). Cosmological model due to dimensional reduction of higher-dimensional massive gravity theory, *Eur. Phys. J. C* **78**, 10, p. 827, doi:10.1140/epjc/s10052-018-6317-8, arXiv:1712.09349 [gr-qc].
- Nandi, D. and Shankaranarayanan, S. (2018). Vector Galileon and inflationary magnetogenesis, *JCAP* **01**, p. 039, doi:10.1088/1475-7516/2018/01/039, arXiv:1704.06897 [astro-ph.CO].
- Navarro, I. and Van Acoleyen, K. (2006). Modified gravity, dark energy and MOND, *JCAP* **09**, p. 006, doi:10.1088/1475-7516/2006/09/006, arXiv:gr-qc/0512109.
- Nemiroff, R. J., Holmes, J., and Connolly, R. (2012). Bounds on spectral dispersion from Fermi-detected Gamma ray bursts, *Phys. Rev. Lett.* **108**, p. 231103, doi:10.1103/PhysRevLett.108.231103, arXiv:1109.5191 [astro-ph.CO].
- Neronov, A. and Vovk, I. (2010). Evidence for strong extragalactic magnetic fields from Fermi observations of TeV blazars, *Science* **328**, pp. 73–75, doi:10.1126/science.1184192, arXiv:1006.3504 [astro-ph.HE].

- Nicolis, A., Penco, R., Piazza, F., and Rattazzi, R. (2015). Zoology of condensed matter: Framids, ordinary stuff, extra-ordinary stuff, *JHEP* **06**, p. 155, doi:10.1007/JHEP06(2015)155, arXiv:1501.03845 [hep-th].
- Nicolis, A., Penco, R., and Rosen, R. A. (2014). Relativistic fluids, superfluids, solids and supersolids from a Coset construction, *Phys. Rev. D* **89**, 4, p. 045002, doi:10.1103/PhysRevD.89.045002, arXiv:1307.0517 [hep-th].
- Nicolis, A. and Rattazzi, R. (2004). Classical and quantum consistency of the DGP model, *JHEP* **06**, p. 059, doi:10.1088/1126-6708/2004/06/059, arXiv:hep-th/0404159 [hep-th].
- Nicolis, A., Rattazzi, R., and Trincherini, E. (2009). The Galileon as a local modification of gravity, *Phys. Rev. D* **79**, p. 064036, doi:10.1103/PhysRevD.79.064036, arXiv:0811.2197 [hep-th].
- Nojiri, S. and Odintsov, S. D. (2012). Ghost-free  $F(R)$  bigravity and accelerating cosmology, *Phys. Lett. B* **716**, pp. 377–383, doi:10.1016/j.physletb.2012.08.049, arXiv:1207.5106 [hep-th].
- Nojiri, S., Odintsov, S. D., and Shirai, N. (2013). Variety of cosmic acceleration models from massive  $F(R)$  bigravity, *JCAP* **05**, p. 020, doi:10.1088/1475-7516/2013/05/020, arXiv:1212.2079 [hep-th].
- Noller, J. and Melville, S. (2015). The coupling to matter in massive, Bi- and Multi-Gravity, *JCAP* **01**, p. 003, doi:10.1088/1475-7516/2015/01/003, arXiv:1408.5131 [hep-th].
- Nordstrom, G. (1914). On the possibility of unifying the electromagnetic and the gravitational fields, *Phys. Z.* **15**, pp. 504–506, arXiv:physics/0702221.
- Oda, I. (2017). Manifestly local formulation of nonlocal approach to the cosmological constant problem, *Phys. Rev. D* **95**, 10, p. 104020, doi:10.1103/PhysRevD.95.104020, arXiv:1704.05619 [hep-th].
- Olive, K. A. and Pospelov, M. (2008). Environmental dependence of masses and coupling constants, *Phys. Rev. D* **77**, p. 043524, doi:10.1103/PhysRevD.77.043524, arXiv:0709.3825 [hep-ph].
- Oliveros, A. and Jaraba, M. A. (2019). Inflation driven by massive vector fields with derivative self-interactions, *Int. J. Mod. Phys. D* **28**, 04, p. 1950064, doi:10.1142/S0218271819500640, arXiv:1903.06005 [gr-qc].
- Ondo, N. A. and Tolley, A. J. (2013). Complete decoupling limit of ghost-free massive gravity, *JHEP* **11**, p. 059, doi:10.1007/JHEP11(2013)059, arXiv:1307.4769 [hep-th].
- Ondo, N. A. and Tolley, A. J. (2018). Deconstructing supergravity: Massive supermultiplets, *JHEP* **11**, p. 082, doi:10.1007/JHEP11(2018)082, arXiv:1612.08752 [hep-th].
- Ostrogradski, M. (1850). Mémoires sur les équations différentielles, relatives au problème des isopérimètres, *Mem. Acad. St. Petersbourg* **6**, 4, pp. 385–517.
- Ozen, G. D., Kurekci, S., and Tekin, B. (2017). Entropy in born-infeld gravity, *Phys. Rev. D* **96**, 12, p. 124038, doi:10.1103/PhysRevD.96.124038, arXiv:1710.01110 [hep-th].
- Padilla, A., Saffin, P. M., and Zhou, S.-Y. (2010). Bi-galileon theory I: Motivation and formulation, *JHEP* **12**, p. 031, doi:10.1007/JHEP12(2010)031, arXiv:1007.5424 [hep-th].
- Padilla, A., Saffin, P. M., and Zhou, S.-Y. (2011a). Bi-galileon theory II: Phenomenology, *JHEP* **01**, p. 099, doi:10.1007/JHEP01(2011)099, arXiv:1008.3312 [hep-th].
- Padilla, A., Saffin, P. M., and Zhou, S.-Y. (2011b). Multi-galileons, solitons and Derrick's theorem, *Phys. Rev. D* **83**, p. 045009, doi:10.1103/PhysRevD.83.045009, arXiv:1008.0745 [hep-th].

- Padilla, A. and Saltas, I. D. (2015). A note on classical and quantum unimodular gravity, *Eur. Phys. J. C* **75**, 11, p. 561, doi:10.1140/epjc/s10052-015-3767-0, arXiv:1409.3573 [gr-qc].
- Padilla, A. and Sivanesan, V. (2013). Covariant multi-galileons and their generalisation, *JHEP* **04**, p. 032, doi:10.1007/JHEP04(2013)032, arXiv:1210.4026 [gr-qc].
- Park, Y. and Wyman, M. (2015). Detectability of weak lensing modifications under Galileon theories, *Phys. Rev. D* **91**, 6, p. 064012, doi:10.1103/PhysRevD.91.064012, arXiv:1408.4773 [astro-ph.CO].
- Paulos, M. F. and Tolley, A. J. (2012). Massive gravity theories and limits of Ghost-free bigravity models, *JHEP* **09**, p. 002, doi:10.1007/JHEP09(2012)002, arXiv:1203.4268 [hep-th].
- Peirone, S., Koyama, K., Pogosian, L., Raveri, M., and Silvestri, A. (2018). Large-scale structure phenomenology of viable Horndeski theories, *Phys. Rev. D* **97**, 4, p. 043519, doi:10.1103/PhysRevD.97.043519, arXiv:1712.00444 [astro-ph.CO].
- Percacci, R. (2018). Unimodular quantum gravity and the cosmological constant, *Found. Phys.* **48**, 10, pp. 1364–1379, doi:10.1007/s10701-018-0189-5, arXiv:1712.09903 [gr-qc].
- Pesce, D. W. *et al.* (2020). The megamaser cosmology project. XIII. Combined Hubble constant constraints, *Astrophys. J. Lett.* **891**, 1, p. L1, doi:10.3847/2041-8213/ab75f0, arXiv:2001.09213 [astro-ph.CO].
- Piazza, F. and Tsujikawa, S. (2004). Dilatonic ghost condensate as dark energy, *JCAP* **07**, p. 004, doi:10.1088/1475-7516/2004/07/004, arXiv:hep-th/0405054.
- Pietroni, M. (2005). Dark energy condensation, *Phys. Rev. D* **72**, p. 043535, doi:10.1103/PhysRevD.72.043535, arXiv:astro-ph/0505615.
- Pinho S. S., A., Pereira, S. H., and Mendonça, E. L. (2017). New cosmological solutions in massive gravity theory, *Rev. Mex. Astron. Astrofis.* **53**, 1, pp. 17–28, arXiv:1510.05720 [gr-qc].
- Pius, R. and Sen, A. (2016). Cutkosky rules for superstring field theory, *JHEP* **10**, p. 024, doi:10.1007/JHEP10(2016)024, arXiv:1604.01783 [hep-th], [Erratum: JHEP 09, 122 (2018)].
- Polchinski, J. (1995). Dirichlet branes and ramond-ramond charges, *Physical Review Letters* **75**, 26, p. 4724.
- Polchinski, J. (1996). Tasi lectures on d-branes, Contribution to: Theoretical Advanced Study Institute in Elementary Particle Physics (TASI 96): Fields, Strings, and Duality, 293–356, arXiv preprint hep-th/9611050.
- Porrati, M. (2002a). Higgs phenomenon for 4-D gravity in anti-de Sitter space, *JHEP* **04**, p. 058, doi:10.1088/1126-6708/2002/04/058, arXiv:hep-th/0112166.
- Porrati, M. (2002b). Mass and gauge invariance 4. Holography for the Karch-Randall model, *Phys. Rev. D* **65**, p. 044015, doi:10.1103/PhysRevD.65.044015, arXiv:hep-th/0109017.
- Porrati, M. and Roberts, M. M. (2011). Ghosts of critical gravity, *Phys. Rev. D* **84**, p. 024013, doi:10.1103/PhysRevD.84.024013, arXiv:1104.0674 [hep-th].
- Pravda, V., Pravdova, A., Podolsky, J., and Svarc, R. (2017). Exact solutions to quadratic gravity, *Phys. Rev. D* **95**, 8, p. 084025, doi:10.1103/PhysRevD.95.084025, arXiv:1606.02646 [gr-qc].
- Psaltis, D. *et al.* (2020). Gravitational test beyond the first post-newtonian order with the shadow of the M87 black hole, *Phys. Rev. Lett.* **125**, 14, p. 141104, doi:10.1103/PhysRevLett.125.141104, arXiv:2010.01055 [gr-qc].

- Rahman, M. and Sen, A. A. (2019). Astrophysical signatures of black holes in generalized Proca theories, *Phys. Rev. D* **99**, 2, p. 024052, doi:10.1103/PhysRevD.99.024052, arXiv:1810.09200 [gr-qc].
- Randall, L. and Sundrum, R. (1999a). A Large mass hierarchy from a small extra dimension, *Phys. Rev. Lett.* **83**, pp. 3370–3373, doi:10.1103/PhysRevLett.83.3370, arXiv:hep-ph/9905221.
- Randall, L. and Sundrum, R. (1999b). An Alternative to compactification, *Phys. Rev. Lett.* **83**, pp. 4690–4693, doi:10.1103/PhysRevLett.83.4690, arXiv:hep-th/9906064.
- Rarita, W. and Schwinger, J. (1941). On a theory of particles with half integral spin, *Phys. Rev.* **60**, p. 61, doi:10.1103/PhysRev.60.61.
- Riegert, R. J. (1984). A nonlocal action for the trace anomaly, *Phys. Lett. B* **134**, pp. 56–60, doi:10.1016/0370-2693(84)90983-3.
- Romans, L. J. (1992). Supersymmetric, cold and lukewarm black holes in cosmological Einstein-Maxwell theory, *Nucl. Phys. B* **383**, pp. 395–415, doi:10.1016/0550-3213(92)90684-4, arXiv:hep-th/9203018.
- Rosen, R. A. (2017). Non-singular black holes in massive gravity: Time-dependent solutions, *JHEP* **10**, p. 206, doi:10.1007/JHEP10(2017)206, arXiv:1702.06543 [hep-th].
- Rosen, R. A. and Santoni, L. (2021). Black hole perturbations of massive and partially massless Spin-2 fields in (anti) de Sitter spacetime, *JHEP* **03**, p. 139, doi:10.1007/JHEP03(2021)139, arXiv:2010.00595 [hep-th].
- Rubakov, V. A. and Tinyakov, P. G. (2008). Infrared-modified gravities and massive gravitons, *Phys. Usp.* **51**, pp. 759–792, doi:10.1070/PU2008v051n08ABEH006600, arXiv:0802.4379 [hep-th].
- Ruhdorfer, M., Serra, J., and Weiler, A. (2020). Effective field theory of gravity to all orders, *JHEP* **05**, p. 083, doi:10.1007/JHEP05(2020)083, arXiv:1908.08050 [hep-ph].
- Sabulsky, D. O., Dutta, I., Hinds, E. A., Elder, B., Burrage, C., and Copeland, E. J. (2019). Experiment to detect dark energy forces using atom interferometry, *Phys. Rev. Lett.* **123**, 6, p. 061102, doi:10.1103/PhysRevLett.123.061102, arXiv:1812.08244 [physics.atom-ph].
- Sakakihara, Y. and Soda, J. (2015). Primordial gravitational waves in bimetric gravity, *JCAP* **09**, p. 015, doi:10.1088/1475-7516/2015/09/015, arXiv:1504.04969 [hep-th].
- Sakstein, J. (2020). *Astrophysical Tests of Screened Modified Gravity*, pp. 195–231, doi: 10.1142/9789813274006\_0008.
- Sakstein, J. and Jain, B. (2017). Implications of the Neutron star Merger GW170817 for Cosmological Scalar-Tensor theories, *Phys. Rev. Lett.* **119**, 25, p. 251303, doi: 10.1103/PhysRevLett.119.251303, arXiv:1710.05893 [astro-ph.CO].
- Saltas, I. D. (2014). UV structure of quantum unimodular gravity, *Phys. Rev. D* **90**, 12, p. 124052, doi:10.1103/PhysRevD.90.124052, arXiv:1410.6163 [hep-th].
- Sanders, R. H. (1997). A stratified framework for scalar– tensor theories of modified dynamics, *Astrophys. J.* **480**, pp. 492–502, doi:10.1086/303980, arXiv:astro-ph/9612099.
- Sasaki, M., Yeom, D.-h., and Zhang, Y.-l. (2013). Hartle-Hawking no-boundary proposal in dRGT massive gravity: Making inflation exponentially more probable, *Class. Quant. Grav.* **30**, p. 232001, doi:10.1088/0264-9381/30/23/232001, arXiv:1307.5948 [gr-qc].
- Scargill, J. H. C. and Noller, J. (2016). Strong-coupling scales and the graph structure of multi-gravity theories, *JHEP* **01**, p. 029, doi:10.1007/JHEP01(2016)029, arXiv:1511.02877 [hep-th].
- Scargill, J. H. C., Noller, J., and Ferreira, P. G. (2014). Cycles of interactions in multi-gravity theories, *JHEP* **12**, p. 160, doi:10.1007/JHEP12(2014)160, arXiv:1410.7774 [hep-th].

- Schwartz, M. D. (2003). Constructing gravitational dimensions, *Physical Review D* **68**, 2, p. 024029.
- Schwinger, J. S. (1962a). Gauge invariance and mass, *Phys. Rev.* **125**, pp. 397–398, doi:10.1103/PhysRev.125.397.
- Schwinger, J. S. (1962b). Gauge invariance and mass. 2. *Phys. Rev.* **128**, pp. 2425–2429, doi:10.1103/PhysRev.128.2425.
- Setare, M. R. and Sajadi, S. N. (2022). Conservation and integrability in topological massive gravity, *Phys. Lett. B* **825**, p. 136863, doi:10.1016/j.physletb.2021.136863, arXiv:2110.06789 [hep-th].
- Shaikh, R. (2023). Testing black hole mimickers with the Event Horizon Telescope image of Sagittarius A\*, *Mon. Not. Roy. Astron. Soc.* **523**(1), p. 375–384, doi:10.1093/mnras/stad1383 arXiv:2208.01995 [gr-qc].
- Shaposhnikov, M. and Zenhausern, D. (2009). Scale invariance, unimodular gravity and dark energy, *Phys. Lett. B* **671**, pp. 187–192, doi:10.1016/j.physletb.2008.11.054, arXiv:0809.3395 [hep-th].
- Shu, F.-W. (2020). Vacuum in novel 4D Einstein-Gauss-Bonnet gravity: Pathology and instability? *Phys. Lett. B* **811**, p. 135907, doi:10.1016/j.physletb.2020.135907, arXiv:2004.09339 [gr-qc].
- Silverstein, E. and Tong, D. (2004). Scalar speed limits and cosmology: Acceleration from D-cceleration, *Phys. Rev. D* **70**, p. 103505, doi:10.1103/PhysRevD.70.103505, arXiv:hep-th/0310221.
- Simon, J. Z. (1990). Higher derivative lagrangians, nonlocality, problems and solutions, *Phys. Rev. D* **41**, p. 3720, doi:10.1103/PhysRevD.41.3720.
- Sinha, A. (2010). On the new massive gravity and AdS/CFT, *JHEP* **06**, p. 061, doi:10.1007/JHEP06(2010)061, arXiv:1003.0683 [hep-th].
- Sjors, S. and Mortsell, E. (2013). Spherically symmetric solutions in massive gravity and constraints from galaxies, *JHEP* **02**, p. 080, doi:10.1007/JHEP02(2013)080, arXiv:1111.5961 [gr-qc].
- Skenderis, K., Taylor, M., and van Rees, B. C. (2009). Topologically massive gravity and the AdS/CFT correspondence, *JHEP* **09**, p. 045, doi:10.1088/1126-6708/2009/09/045, arXiv:0906.4926 [hep-th].
- Skordis, C. (2009). The Tensor-Vector-Scalar theory and its cosmology, *Class. Quant. Grav.* **26**, p. 143001, doi:10.1088/0264-9381/26/14/143001, arXiv:0903.3602 [astro-ph.CO].
- Skordis, C. and Zlosnik, T. (2021). New relativistic theory for modified Newtonian dynamics, *Phys. Rev. Lett.* **127**, 16, p. 161302, doi:10.1103/PhysRevLett.127.161302, arXiv:2007.00082 [astro-ph.CO].
- Skordis, C. and Zlosnik, T. (2022). Aether scalar tensor theory: Linear stability on Minkowski space, *Phys. Rev. D* **106**, 10, p. 104041, doi:10.1103/PhysRevD.106.104041, arXiv:2109.13287 [gr-qc].
- Skvortsov, E. D. and Vasiliev, M. A. (2006). Geometric formulation for partially massless fields, *Nucl. Phys. B* **756**, pp. 117–147, doi:10.1016/j.nuclphysb.2006.06.019, arXiv:hep-th/0601095.
- Smirnov, F. A. and Zamolodchikov, A. B. (2017). On space of integrable quantum field theories, *Nucl. Phys. B* **915**, pp. 363–383, doi:10.1016/j.nuclphysb.2016.12.014, arXiv:1608.05499 [hep-th].
- Smolin, L. (2009). The Quantization of unimodular gravity and the cosmological constant problems, *Phys. Rev. D* **80**, p. 084003, doi:10.1103/PhysRevD.80.084003, arXiv:0904.4841 [hep-th].

- Sobral Blanco, D. and Lombriser, L. (2020). Local self-tuning mechanism for the cosmological constant, *Phys. Rev. D* **102**, 4, p. 043506, doi:10.1103/PhysRevD.102.043506, arXiv:2003.04303 [gr-qc].
- Soloviev, V. O. (2020). Constraint algebra in tetrad bigravity, *Class. Quant. Grav.* **38**, 2, p. 025007, doi:10.1088/1361-6382/abc523, arXiv:2006.16230 [gr-qc].
- Son, D. T. (2002). Low-energy quantum effective action for relativistic superfluids, arXiv:hep-ph/0204199.
- Sotiriou, T. P. and Zhou, S.-Y. (2014a). Black hole hair in generalized scalar-tensor gravity, *Phys. Rev. Lett.* **112**, p. 251102, doi:10.1103/PhysRevLett.112.251102, arXiv:1312.3622 [gr-qc].
- Sotiriou, T. P. and Zhou, S.-Y. (2014b). Black hole hair in generalized scalar-tensor gravity: An explicit example, *Phys. Rev. D* **90**, p. 124063, doi:10.1103/PhysRevD.90.124063, arXiv:1408.1698 [gr-qc].
- Starobinsky, A. A. (1979). Spectrum of relict gravitational radiation and the early state of the universe, *JETP Lett.* **30**, pp. 682–685.
- Starobinsky, A. A. (1980). A new type of isotropic cosmological models without singularity, *Phys. Lett. B* **91**, pp. 99–102, doi:10.1016/0370-2693(80)90670-X.
- Steffen, J. H., Upadhye, A., Baumbaugh, A., Chou, A. S., Mazur, P. O., Tomlin, R., Weltman, A., and Wester, W. (2010). Laboratory constraints on chameleon dark energy and Power-Law fields, *Phys. Rev. Lett.* **105**, p. 261803, doi:10.1103/PhysRevLett.105.261803, arXiv:1010.0988 [astro-ph.CO].
- Steinhardt, P. J., Wang, L.-M., and Zlatev, I. (1999). Cosmological tracking solutions, *Phys. Rev. D* **59**, p. 123504, doi:10.1103/PhysRevD.59.123504, arXiv:astro-ph/9812313.
- Stelle, K. S. (1977). Renormalization of higher derivative quantum gravity, *Phys. Rev. D* **16**, pp. 953–969, doi:10.1103/PhysRevD.16.953.
- Stelle, K. S. (1978). Classical gravity with higher derivatives, *Gen. Rel. Grav.* **9**, pp. 353–371, doi:10.1007/BF00760427.
- Straight, M. C., Sakstein, J., and Baxter, E. J. (2020). Modified gravity and the black hole mass gap, *Phys. Rev. D* **102**, p. 124018, doi:10.1103/PhysRevD.102.124018, arXiv:2009.10716 [gr-qc].
- Takahashi, K. and Motohashi, H. (2021). Black hole perturbations in DHOST theories: Master variables, gradient instability, and strong coupling, *JCAP* **08**, p. 013, doi:10.1088/1475-7516/2021/08/013, arXiv:2106.07128 [gr-qc].
- Takahashi, K., Motohashi, H., and Minamitsuji, M. (2019). Linear stability analysis of hairy black holes in quadratic degenerate higher-order scalar-tensor theories: Odd-parity perturbations, *Phys. Rev. D* **100**, 2, p. 024041, doi:10.1103/PhysRevD.100.024041, arXiv:1904.03554 [gr-qc].
- Talaganis, S., Biswas, T., and Mazumdar, A. (2015). Towards understanding the ultraviolet behavior of quantum loops in infinite-derivative theories of gravity, *Class. Quant. Grav.* **32**, 21, p. 215017, doi:10.1088/0264-9381/32/21/215017, arXiv:1412.3467 [hep-th].
- Talmadge, C., Berthias, J. P., Hellings, R. W., and Standish, E. M. (1988). Model independent constraints on possible modifications of Newtonian gravity, *Phys. Rev. Lett.* **61**, pp. 1159–1162, doi:10.1103/PhysRevLett.61.1159.
- Tannukij, L. and Wongjun, P. (2016). Mass-varying massive gravity with k-essence, *Eur. Phys. J. C* **76**, 1, p. 17, doi:10.1140/epjc/s10052-015-3872-0, arXiv:1511.02164 [gr-qc].

- Tasinato, G. (2013). Conformal couplings of Galileons to other degrees of freedom, *JHEP* **11**, p. 196, doi:10.1007/JHEP11(2013)196, arXiv:1310.0034 [hep-th].
- Tasinato, G. (2014). Cosmic acceleration from Abelian symmetry breaking, *JHEP* **04**, p. 067, doi:10.1007/JHEP04(2014)067, arXiv:1402.6450 [hep-th].
- Tasinato, G., Koyama, K., and Niz, G. (2013a). Exact solutions in massive gravity, *Class. Quant. Grav.* **30**, p. 184002, doi:10.1088/0264-9381/30/18/184002, arXiv:1304.0601 [hep-th].
- Tasinato, G., Koyama, K., and Niz, G. (2013b). Vector instabilities and self-acceleration in the decoupling limit of massive gravity, *Phys. Rev. D* **87**, 6, p. 064029, doi:10.1103/PhysRevD.87.064029, arXiv:1210.3627 [hep-th].
- Taylor, J. H. and Weisberg, J. M. (1989). Further experimental tests of relativistic gravity using the binary pulsar PSR 1913+16, *Astrophys. J.* **345**, pp. 434–450, doi:10.1086/167917.
- Teitelboim, C. (1973). How commutators of constraints reflect the space-time structure, *Annals Phys.* **79**, pp. 542–557, doi:10.1016/0003-4916(73)90096-1.
- Tian, S. X. and Zhu, Z.-H. (2020). Non-full equivalence of the four-dimensional Einstein-Gauss-Bonnet gravity and Horndeski gravity for Bianchi type I metric, arXiv:2004.09954 [gr-qc].
- Tino, G. M., Cacciapuoti, L., Capozziello, S., Lambiase, G., and Sorrentino, F. (2020). Precision gravity tests and the Einstein equivalence principle, *Prog. Part. Nucl. Phys.* **112**, p. 103772, doi:10.1016/j.pnpnp.2020.103772, arXiv:2002.02907 [gr-qc].
- Tolley, A. J. (2020).  $T\bar{T}$  deformations, massive gravity and non-critical strings, *JHEP* **06**, p. 050, doi:10.1007/JHEP06(2020)050, arXiv:1911.06142 [hep-th].
- Tomboulis, E. T. (1997). Superrenormalizable Gauge and gravitational theories, arXiv:hep-th/9702146.
- Tomboulis, E. T. (2015). Nonlocal and quasilocal field theories, *Phys. Rev. D* **92**, 12, p. 125037, doi:10.1103/PhysRevD.92.125037, arXiv:1507.00981 [hep-th].
- Tomozawa, Y. (2011). Quantum corrections to gravity, arXiv:1107.1424 [gr-qc].
- Torsello, F., Kocic, M., and Mortsell, E. (2017). Classification and asymptotic structure of black holes in bimetric theory, *Phys. Rev. D* **96**, 6, p. 064003, doi:10.1103/PhysRevD.96.064003, arXiv:1703.07787 [gr-qc].
- Toubiana, A., Marsat, S., Barausse, E., Babak, S., and Baker, J. (2020). Tests of general relativity with stellar-mass black hole binaries observed by LISA, *Phys. Rev. D* **101**, 10, p. 104038, doi:10.1103/PhysRevD.101.104038, arXiv:2004.03626 [gr-qc].
- Touboul, P. *et al.* (2022). Microscope mission: Final results of the test of the equivalence principle, *Phys. Rev. Lett.* **129**, 12, p. 121102, doi:10.1103/PhysRevLett.129.121102, arXiv:2209.15487 [gr-qc].
- Townsend, P. K. (1993). Three lectures on supersymmetry and extended objects, *Integrable Systems, Quantum Groups, and Quantum Field Theories* Eds. Ibrort, L. A. and Rodríguez, M. A. (Springer Netherlands: Dordrecht), pp. 317–345.
- Traina, L., Boulanger, N., Deffayet, C., and Garcia-Saenz, S. (2020). A theory for multiple partially massless spin-2 fields, *PoS CORFU2019*, p. 142, doi:10.22323/1.376.0142.
- Trodden, M. (2013). Generalized Galileons for particle physics and cosmology, *PoS ICHEP2012*, p. 464, doi:10.22323/1.174.0464, arXiv:1212.5753 [hep-th].
- Tsujikawa, S. (2013). Quintessence: A review, *Class. Quant. Grav.* **30**, p. 214003, doi:10.1088/0264-9381/30/21/214003, arXiv:1304.1961 [gr-qc].
- Unruh, W. G. (1989). A unimodular theory of canonical quantum gravity, *Phys. Rev. D* **40**, p. 1048, doi:10.1103/PhysRevD.40.1048.

- Upadhye, A. (2012). Dark energy fifth forces in torsion pendulum experiments, *Phys. Rev. D* **86**, p. 102003, doi:10.1103/PhysRevD.86.102003, arXiv:1209.0211 [hep-ph].
- Upadhye, A., Hu, W., and Khoury, J. (2012). Quantum stability of Chameleon field theories, *Phys. Rev. Lett.* **109**, p. 041301, doi:10.1103/PhysRevLett.109.041301, arXiv:1204.3906 [hep-ph].
- Vagnozzi, S. *et al.* (2022). Horizon-scale tests of gravity theories and fundamental physics from the Event Horizon Telescope image of Sagittarius A\*, arXiv:2205.07787 [gr-qc].
- Vainshtein, A. I. (1972). To the problem of nonvanishing gravitation mass, *Phys. Lett.* **39 B**, pp. 393–394, doi:10.1016/0370-2693(72)90147-5.
- Vakili, B. and Khosravi, N. (2012). Classical and quantum massive cosmology for the open FRW universe, *Phys. Rev. D* **85**, p. 083529, doi:10.1103/PhysRevD.85.083529, arXiv:1204.1456 [gr-qc].
- van Dam, H. and Veltman, M. J. G. (1970). Massive and massless Yang-Mills and gravitational fields, *Nucl. Phys. B* **22**, pp. 397–411, doi:10.1016/0550-3213(70)90416-5.
- van der Bij, J. J., van Dam, H., and Ng, Y. J. (1982). The Exchange of Massless Spin Two Particles, *Physica A* **116**, pp. 307–320, doi:10.1016/0378-4371(82)90247-3.
- Vayonakis, C. E. (1976). Born helicity amplitudes and cross-sections in nonabelian Gauge theories, *Lett. Nuovo Cim.* **17**, p. 383, doi:10.1007/BF02746538.
- Vegh, D. (2013). Holography without translational symmetry, arXiv:1301.0537 [hep-th].
- Velo, G. and Zwanziger, D. (1969a). Noncausality and other defects of interaction lagrangians for particles with spin one and higher, *Phys. Rev.* **188**, pp. 2218–2222, doi:10.1103/PhysRev.188.2218.
- Velo, G. and Zwanziger, D. (1969b). Propagation and quantization of Rarita-Schwinger waves in an external electromagnetic potential, *Phys. Rev.* **186**, pp. 1337–1341, doi:10.1103/PhysRev.186.1337.
- Vilenkin, A. (1985). Classical and quantum cosmology of the Starobinsky inflationary model, *Phys. Rev. D* **32**, p. 2511, doi:10.1103/PhysRevD.32.2511.
- Visser, M. (2009). Lorentz symmetry breaking as a quantum field theory regulator, *Phys. Rev. D* **80**, p. 025011, doi:10.1103/PhysRevD.80.025011, arXiv:0902.0590 [hep-th].
- Vitale, S. (2016). Multiband gravitational-wave astronomy: Parameter estimation and tests of general relativity with space- and ground-based detectors, *Phys. Rev. Lett.* **117**, 5, p. 051102, doi:10.1103/PhysRevLett.117.051102, arXiv:1605.01037 [gr-qc].
- Volkov, M. S. (2012a). Cosmological solutions with massive gravitons in the bigravity theory, *JHEP* **01**, p. 035, doi:10.1007/JHEP01(2012)035, arXiv:1110.6153 [hep-th].
- Volkov, M. S. (2012b). Exact self-accelerating cosmologies in the ghost-free bigravity and massive gravity, *Phys. Rev. D* **86**, p. 061502, doi:10.1103/PhysRevD.86.061502, arXiv:1205.5713 [hep-th].
- Volkov, M. S. (2012c). Exact self-accelerating cosmologies in the ghost-free massive gravity – the detailed derivation, *Phys. Rev. D* **86**, p. 104022, doi:10.1103/PhysRevD.86.104022, arXiv:1207.3723 [hep-th].
- Volkov, M. S. (2012d). Hairy black holes in the ghost-free bigravity theory, *Phys. Rev. D* **85**, p. 124043, doi:10.1103/PhysRevD.85.124043, arXiv:1202.6682 [hep-th].
- Volkov, M. S. (2013). Self-accelerating cosmologies and hairy black holes in ghost-free bigravity and massive gravity, *Class. Quant. Grav.* **30**, p. 184009, doi:10.1088/0264-9381/30/18/184009, arXiv:1304.0238 [hep-th].
- Volkov, M. S. (2015). Hairy black holes in theories with massive gravitons, *Lect. Notes Phys.* **892**, pp. 161–180, doi:10.1007/978-3-319-10070-8\_6, arXiv:1405.1742 [hep-th].
- Volkov, M. S. (2017). Hairy black holes in the XX-th and XXI-st centuries, in *14th Marcel Grossmann Meeting on Recent Developments in Theoretical and Experimental General*

- Relativity, Astrophysics, and Relativistic Field Theories*, Vol. 2, pp. 1779–1798, doi:10.1142/9789813226609\_0184, arXiv:1601.08230 [gr-qc].
- von Strauss, M., Schmidt-May, A., Enander, J., Mortsell, E., and Hassan, S. F. (2012). Cosmological solutions in bimetric gravity and their observational tests, *JCAP* **03**, p. 042, doi:10.1088/1475-7516/2012/03/042, arXiv:1111.1655 [gr-qc].
- Wald, R. M. (1986). Spin-2 fields and general covariance, *Phys. Rev. D* **33**, p. 3613, doi:10.1103/PhysRevD.33.3613.
- Wang, D. and Mota, D. (2021). 4D Gauss–Bonnet gravity: Cosmological constraints,  $H_0$  tension and large scale structure, *Phys. Dark Univ.* **32**, p. 100813, doi:10.1016/j.dark.2021.100813, arXiv:2103.12358 [astro-ph.CO].
- Wei, J.-J. and Wu, X.-F. (2021). Tests of Lorentz invariance, arXiv:2111.02029 [astro-ph.HE].
- Wei, S.-W. and Liu, Y.-X. (2020). Extended thermodynamics and microstructures of four-dimensional charged Gauss-Bonnet black hole in AdS space, *Phys. Rev. D* **101**, 10, p. 104018, doi:10.1103/PhysRevD.101.104018, arXiv:2003.14275 [gr-qc].
- Wei, S.-W. and Liu, Y.-X. (2021). Testing the nature of Gauss-Bonnet gravity by four-dimensional rotating black hole shadow, *Eur. Phys. J. Plus* **136**, 4, p. 436, doi:10.1140/epjp/s13360-021-01398-9, arXiv:2003.07769 [gr-qc].
- Weinberg, S. (1964). Derivation of gauge invariance and the equivalence principle from Lorentz invariance of the S- matrix, *Phys. Lett.* **9**, 4, pp. 357–359, doi:10.1016/0031-9163(64)90396-8.
- Weinberg, S. (1972). *Gravitation and Cosmology: Principles and Applications of the General Theory of Relativity* (John Wiley and Sons, New York), ISBN 978-0-471-92567-5, 978-0-471-92567-5.
- Weinberg, S. (1989). The cosmological constant problem, *Rev. Mod. Phys.* **61**, pp. 1–23, doi:10.1103/RevModPhys.61.1.
- Weinberg, S. (2008). Effective field theory for inflation, *Phys. Rev. D* **77**, p. 123541, doi:10.1103/PhysRevD.77.123541, arXiv:0804.4291 [hep-th].
- Weinberg, S. and Witten, E. (1980). Limits on massless particles, *Phys. Lett. B* **96**, pp. 59–62, doi:10.1016/0370-2693(80)90212-9.
- Wex, N. and Kramer, M. (2020). Gravity tests with radio pulsars, *Universe* **6**, 9, p. 156, doi:10.3390/universe6090156.
- Will, C. M. (2014). The confrontation between general relativity and experiment, *Living Rev. Rel.* **17**, p. 4, doi:10.12942/lrr-2014-4, arXiv:1403.7377 [gr-qc].
- Will, C. M. (2018). *Theory and Experiment in Gravitational Physics* (Cambridge University Press), ISBN 978-1-108-67982-4, 978-1-107-11744-0.
- Williams, J. G., Turyshev, S. G., and Boggs, D. H. (2004). Progress in lunar laser ranging tests of relativistic gravity, *Phys. Rev. Lett.* **93**, p. 261101, doi:10.1103/PhysRevLett.93.261101, arXiv:gr-qc/0411113.
- Wiseman, T. (2002). Relativistic stars in Randall-Sundrum gravity, *Phys. Rev. D* **65**, p. 124007, doi:10.1103/PhysRevD.65.124007, arXiv:hep-th/0111057.
- Witten, E. (1995). String theory dynamics in various dimensions, *Nuclear Physics B* **443**, 1–2, pp. 85–126.
- Witten, E. (2015). The Feynman  $i\epsilon$  in string theory, *JHEP* **04**, p. 055, doi:10.1007/JHEP04(2015)055, arXiv:1307.5124 [hep-th].
- Wong, K. C. *et al.* (2020). H0LiCOW – XIII. A 2.4 per cent measurement of  $H_0$  from lensed quasars:  $5.3\sigma$  tension between early- and late-Universe probes, *Mon. Not. Roy. Astron. Soc.* **498**, 1, pp. 1420–1439, doi:10.1093/mnras/stz3094, arXiv:1907.04869 [astro-ph.CO].

- Wyman, M. (2011). Galilean-invariant scalar fields can strengthen gravitational lensing, *Phys. Rev. Lett.* **106**, p. 201102, doi:10.1103/PhysRevLett.106.201102, arXiv:1101.1295 [astro-ph.CO].
- Wyman, M., Hu, W., and Gratia, P. (2013). Self-accelerating massive gravity: Time for field fluctuations, *Phys. Rev. D* **87**, 8, p. 084046, doi:10.1103/PhysRevD.87.084046, arXiv:1211.4576 [hep-th].
- Yagi, K., Blas, D., Yunes, N., and Barausse, E. (2014). Strong binary pulsar constraints on Lorentz violation in gravity, *Phys. Rev. Lett.* **112**, 16, p. 161101, doi:10.1103/PhysRevLett.112.161101, arXiv:1307.6219 [gr-qc].
- Yamashita, Y. (2017). *Embedding Ghost-free Bigravity into Higher-Dimensional Gravity*, Ph.D. thesis, Kyoto U., Yukawa Inst., Kyoto, doi:10.14989/doctor.k20177.
- Yao, Z.-B., Oliosi, M., Gao, X., and Mukohyama, S. (2021). Minimally modified gravity with an auxiliary constraint: A Hamiltonian construction, *Phys. Rev. D* **103**, 2, p. 024032, doi:10.1103/PhysRevD.103.024032, arXiv:2011.00805 [gr-qc].
- Yin, P., Li, R., Yin, C., Xu, X., Bian, X., Xie, H., Duan, C.-K., Huang, P., He, J.-h., and Du, J. (2022). Experiments with levitated force sensor challenge theories of dark energy, *Nature Phys.* **18**, 10, pp. 1181–1185, doi:10.1038/s41567-022-01706-9.
- Yuan, W., Riess, A. G., Macri, L. M., Casertano, S., and Scolnic, D. (2019). Consistent calibration of the tip of the red giant branch in the large magellanic cloud on the hubble space telescope photometric system and a re-determination of the hubble constant, *Astrophys. J.* **886**, p. 61, doi:10.3847/1538-4357/ab4bc9, arXiv:1908.00993 [astro-ph.GA].
- Zakharov, A. F. (2022). Shadows around at Sgr A\* and M87\* as a tool to test gravity theories, in *ICRANet-ISFAHAN Astronomy Meeting: From the Ancient Persian Astronomy to Recent Developments in Theoretical and Experimental Physics, Astrophysics and General Relativity*, arXiv:2208.06805 [astro-ph.GA].
- Zakharov, A. F., Jovanovic, P., Borka, D., and Jovanovic, V. B. (2016). Constraining the range of Yukawa gravity interaction from S2 star orbits II: Bounds on graviton mass, *JCAP* **05**, p. 045, doi:10.1088/1475-7516/2016/05/045, arXiv:1605.00913 [gr-qc].
- Zakharov, V. I. (1970). Linearized gravitation theory and the graviton mass, *JETP Lett.* **12**, p. 312, [Pisma Zh. Eksp. Teor. Fiz.12,447(1970)].
- Zamolodchikov, A. B. (2004). Expectation value of composite field T anti-T in two-dimensional quantum field theory, arXiv:hep-th/0401146.
- Zeng, X.-X., Zhang, H.-Q., and Zhang, H. (2020). Shadows and photon spheres with spherical accretions in the four-dimensional Gauss–Bonnet black hole, *Eur. Phys. J. C* **80**, 9, p. 872, doi:10.1140/epjc/s10052-020-08449-y, arXiv:2004.12074 [gr-qc].
- Zhang, H., Hu, Y.-p., and Zhang, Y. (2019). Towards a sound massive cosmology, *Phys. Dark Univ.* **23**, p. 100257, doi:10.1016/j.dark.2018.100257, arXiv:1901.09331 [gr-qc].
- Zhang, X. (2022). Tests of gravitational scalar polarization and constraints of chameleon f(R) gravity from comprehensive analysis of binary pulsars, *Phys. Rev. D* **106**, 2, p. 024010, doi:10.1103/PhysRevD.106.024010, arXiv:2207.00995 [gr-qc].
- Zhang, Y.-l., Saito, R., and Sasaki, M. (2013). Hawking-Moss instanton in nonlinear massive gravity, *JCAP* **02**, p. 029, doi:10.1088/1475-7516/2013/02/029, arXiv:1210.6224 [hep-th].
- Zhang, Y.-l., Saito, R., Yeom, D.-h., and Sasaki, M. (2014). Coleman-de Luccia instanton in dRGT massive gravity, *JCAP* **02**, p. 022, doi:10.1088/1475-7516/2014/02/022, arXiv:1312.0709 [hep-th].
- Zinoviev, Y. M. (2007). On massive spin 2 interactions, *Nucl. Phys. B* **770**, pp. 83–106, doi:10.1016/j.nuclphysb.2007.02.005, arXiv:hep-th/0609170.

- Zinoviev, Y. M. (2013). All spin-2 cubic vertices with two derivatives, *Nucl. Phys. B* **872**, pp. 21–37, doi:10.1016/j.nuclphysb.2013.03.013, arXiv:1302.1983 [hep-th].
- Zinoviev, Y. M. (2014). Massive spin-2 in the Fradkin–Vasiliev formalism. I. Partially massless case, *Nucl. Phys. B* **886**, pp. 712–732, doi:10.1016/j.nuclphysb.2014.07.013, arXiv:1405.4065 [hep-th].
- Zlatev, I., Wang, L.-M., and Steinhardt, P. J. (1999). Quintessence, cosmic coincidence, and the cosmological constant, *Phys. Rev. Lett.* **82**, pp. 896–899, doi: 10.1103/PhysRevLett.82.896, arXiv:astro-ph/9807002.
- Zlosnik, T. G., Ferreira, P. G., and Starkman, G. D. (2007). Modifying gravity with the Aether: An alternative to dark matter, *Phys. Rev. D* **75**, p. 044017, doi:10.1103/PhysRevD.75.044017, arXiv:astro-ph/0607411.
- Zu, Y., Weinberg, D. H., Jennings, E., Li, B., and Wyman, M. (2014). Galaxy infall kinematics as a test of modified gravity, *Mon. Not. Roy. Astron. Soc.* **445**, 2, pp. 1885–1897, doi:10.1093/mnras/stu1739, arXiv:1310.6768 [astro-ph.CO].

## Index

- ADM, xvii, 24, 220, 264
- AdS/CFT, 222, 327, 329
- Æther, 345, 353, 358
- Aichelberg-Sexl metric, 113
- Anisotropic Shear, 64
- Anisotropy, 283
- Atom interferometry, 57
- Atomic Clocks, 57
- Auxiliary Variables, 28, 81, 355
  
- Bending of Light, 111
- Bi-Gravity, 286, 353
- Bi-gravity, 290, 313, 324
- Bianchi Identity, 11, 34, 36, 233
- Binary Pulsar, 60, 181
- Birefringence, 61
- Birkhoff theorem, 222
- Black Hole, 194, 286
  - Hair, 180, 195
- Black hole
  - Hair, 59, 62
  - Mass Gap, 59
- Brane, 97, 108, 140, 142, 210, 350
  - Orbifold, 218, 227
- Brane Bending Mode, 228
- Brans-Dicke Gravity, 107, 116, 124
  
- Calabi-Yau, 213
- Canonical Formalism, 24, 26
- Cascading Gravity, 51, 237
- Cassini experiment, 124
- Causality, 54, 359, 366
- Caustics, 340, 347
- Chameleon, 57, 126
- Chern-Simons, 328, 344
  
- Christoffel Symbols, 7, 30, 344
- Clock, 164
- Coincidence Problem, 47
- Coleman-Mandula, 139, 143
- Coleman-Weinberg Effective Potential, 134
- Compactification, 214
- Condensed Matter Systems, 330
- Conformal anomaly, 370
- Conformal Galileon, *see* Galileon
- Conformal Invariance, 89, 148, 299, 331
- Conformal Transformation, 119, 299
- Conjugate Momentum, 28
- Connection
  - Affine, 42
  - Spin, 33, 36, 37, 40
- Constraint, 14, 22
  - First Class, 24
  - Hamiltonian, 26, 264, 267, 337
  - Momentum, 26, 337, 338
  - Primary, 266
  - Second Class, 23, 264
  - Second-Class, 339
  - Secondary, 267, 339
  - Tertiary, 268
- Coset, 140
- Cosmological Constant, 12, 232, 352
  - Problem, 43, 46, 279, 309, 375
- Covariant Derivative, 34, 41
- Critical Gravity, 327
- Curvature
  - Extrinsic, 25, 144, 166, 221, 228, 231
  - Non-metricity, 42
  - Riemann, 10, 35, 36

- Scalar, 35
- Two-form, 33
- Cuscuton, 51, 347, 358
- Cutoff, 40, 53, 79, 81, 137, 230
- d'Alembertian " $\square$ ", xvii, 9, 361
- Dark Energy, 47, 58, 141, 165, 182, 184
- Dark Matter, 46, 352
- DBI, 142, 146, 172, 178
- DBI-Galileon, 140, 153
- DBI-Inflation, 146
- Decoupling, 67, 186
  - Limit, 69, 140, 168, 229, 231, 269, 283
  - AdS, 306, 317
  - dS, 308, 317
  - General Metric, 318
  - Quantum, 73
- Degravitation, 232, 280, 285, 361
- Degrees of Freedom, 21, 52, 91, 230, 261, 290
  - Half, 267, 345
- Deser-van Nieuwenhuizen, *see* Vielbein
- DeWitt supermetric, 343
- DGP, 51, 148, 225, 291
- DHOST, 51, 171
- Diffeomorphism, 12, 14, 18, 279, 290
  - Invariance, 80, 92
  - invariant, 107
  - Linear, 8, 248
  - Non-linear, 16, 250
  - spatial, 24, 338, 343
  - Transverse, 43
- Dilaton, 125
- Dimensional Deconstruction, 241, 321
- Dimensional Regularization, 74
- Discretization, 321
- Disformal Coupling, 57, 172, 275, 350
- Dispersion Relation, 61, 351
- dRGT, 255, 353
- Effective mass, 234
- EFT, 12, 40, 50, 107, 135, 137, 184, 215, 247, 341
  - for Fluctuations, 165
  - Loop level, 70, 97
  - of Fluids/Solids, 355
  - of Gravity, 91, 97
  - tree-level, 68, 96, 98
- Einstein's equations, 10
- Einstein-Æther, 346
- Einstein-Cartan, 32, 35, 322
- Einstein-Hilbert action, 12, 25, 35
  - Modified, 12
- Equivalence Principle, 4, 17, 49, 56
  - Einstein, 18, 57, 120
  - Strong, 7, 18, 57, 120
  - Violation, 107
  - Weak, 17, 18, 57, 109
- Euler-Heisenberg, 78
- Extra Dimension, 209, 225, 321, 361
- $f(R)$  Gravity, 51, 120, 127, 291
- Field Redefinition, 39, 82, 93, 108, 172
  - Non-local, 363
- Fierz-Pauli, 96, 292
  - (A)dS, 303
  - Action, 247, 249, 262
  - Kinetic term, 14
  - Mass, 229, 264, 354, 374
- Fifth Force, 56, 111, 124
- First Order Formalism, 28, 39, 103
- Frame
  - Einstein, 120, 121, 127, 133
  - Jordan, 96, 120, 127, 133
  - Local Inertial, 4, 5, 10, 49, 109
  - Preferred, 335
  - Reference, 4
- Friedmann Equation, 63, 222, 231, 241, 281, 296, 312, 319, 348
- Galilean Group, 148
- Galileon, 140, 155, 178, 230, 274
  - Conformal, 148, 157
  - de Sitter, 158, 308
  - Vector-, 187
- Gauge
  - Local transformation, 34
  - de Donder, 9, 110, 228
  - Fixing, 42, 229
  - Harmonic, 9, 110
  - Invariance, 14, 23
    - Non-linear, 16
  - Newtonian, 10
  - Unitary, 164
- Gauss-Bonnet, 12, 93, 97, 152, 222

- Gauss-Codazzi, 167  
 General Relativity, 3, 13  
 Generating Function, 202, 233, 250, 371  
 Geodesic, 7  
 Ghost, 52, 232, 293, 304, 345  
   Boulware-Deser, 254, 261, 301  
   Higuchi, 300, 303, 308  
   Ostrogradski, 54, 80, 126, 170, 184, 224, 341  
 Ghost Condensate, 51, 124, 239, 350  
 Gibbons-Hawking-York, 152, 157  
 Global Symmetries, 32, 70, 131, 138, 149, 161, 171, 183, 277, 289, 299, 304, 335  
 Goldstone, 140, 141, 143, 147, 158, 164, 217, 224  
 GR, *see* General Relativity  
 Gradient Instability, 53  
 Gravitational Mass, 4  
 Gravitational Waves, 60, 181  
   Primordial, 62  
   Speed, 61, 194, 223, 297  
 Green's function, 212, 220
- Hamilton-Jacobi, 344  
 Hard Mass, 234  
 Hartle-Hawking Instanton, 298  
 Helicity-0, 185, 230, 249, 269, 304  
 Helicity-1, 249, 272, 304  
 Helicity-2, 304  
 Hessian, 263  
 Hierarchy Problem, 46, 216  
 High pass filter, 233  
 Higher Spin, 97  
 Hilbert series, 84  
 Holography, 47  
 Horava-Lifshitz, 51, 341  
   Non-projectible, 345  
   Projectible, 345  
 Horava-Witten, 218  
 Horndeski, 51, 169  
   Beyond, 170  
 Hubble Tension, 47, 193  
 Hyperbolicity, 340  
 Hypersurface Orthogonal, 340
- Inertial Mass, 4  
 Inflation, 47, 63, 141, 146, 157, 165, 173, 184, 298
- Inhomogeneity, 282  
 Israel Matching Condition, 221, 227
- k-essence, 124, 161, 172  
 k-mouflage, 126, 177  
 Källén-Lehmann, 199, 211, 227, 335, 371  
 Kaluza-Klein, 96, 108, 209, 211, 213, 242, 291, 321  
 Karch-Randall, 243  
 Kepler's law, 59  
 Killing Vector, 215, 216
- Lagrange Multiplier, 24, 43, 267, 338, 375  
 Laplacian " $\nabla^2$ ", xvii  
 Lapse, xvii, 24, 339  
 Levi-Civita, xviii, 35  
 Lichnerowicz Operator, xviii, 7, 8, 96, 249 (A)dS, 303  
 Lifshitz Scaling, 342  
 LIGO-Virgo-KAGRA, 60, 181  
 LISA, 60  
 Local Symmetries, 12, 27, 34, 37, 74, 91, 139, 164, 183  
 Lorentz, 289  
   Invariance, 50, 55, 290  
   Tests, 56  
   Local transformation, 37, 259  
   Violation, 50, 335  
 Lorentz Factor, 153, 156  
 Lorenz Gauge, 186  
 Lovelock, 152  
 Lunar Laser Ranging, 60, 179  
 Lunar Ranging Experiment, 58
- Mach's principle, 107  
 Macrocausality, 366, 371  
 Magnetic Fields, 48, 183  
 Mass Operator, 214, 315  
 Mass-Varying Gravity, 297  
 Massive Gravity, 51, 236, 247  
   Generalized, 293  
   Lorentz-Violating, 354  
   New, *see* New Massive Gravity  
   Non-local, 374  
   Projected, 296  
 Massive Spin-2, 95, 229, 247  
 Massless Gravity  
   Non-local, 373  
 Massless Spin-2, 13

- Matter Coupling, 11, 32, 38, 57, 87, 116, 123, 127, 145, 173, 204, 258, 273, 314
- Maximally Symmetric Spacetime, 302
- Maxwell equations, 6
- Microcausality, 366
- Minimal Coupling, 6
- Minimal Modified Gravity, 357
- Moduli, 216
- MOND, *see* TeVeS
- Multi-Gravity, 51, 290, 320
- Natural Units, xvii
- New Massive Gravity, 324  
Born–Infeld, 327
- Newton’s equations, 9
- Newtonian Limit, *see* Weak Field Limit
- Noether’s theorem, 8
- Non-Abelian Fields, 185, 194
- Non-Local Gravity, 51, 232, 290, 359
- Non-localizable Fields, 367
- Non-Metricity, 41, 49
- Non-renormalization, 159, 170, 277, 300
- 1PI Effective Action, 73, 160, 368
- Observable, 56, 359
- Operator, 70, 199  
Irrelevant, 75, 80, 137, 279, 341  
Marginal, 75  
Relevant, 75
- Optical Theorem, 84
- $P(X)$ , 126, 141, 161, 350
- Palatini, 30, 49, 104, 292
- Parity  
Breaking, 328
- Partially Massless, 289, 304, 309
- Path integral, 70
- Perfect Fluid, 172
- Phase Shift, 113, 115
- Phase Space, 29
- Phonons, 330
- Poincaré algebra, 33
- Poincaré Invariance, 5, 14, 49, 202
- Point Particle Action, 7
- Polarization, 60
- Potential, 108  
Coulomb, 114  
Effective, 128  
Lensing, 63
- Newtonian, 6, 64, 87, 88, 125, 127  
Modified, 58, 65, 66, 111, 232
- Power Law, 220
- Yukawa, 58, 65, 112, 131, 210, 220, 287
- PPN, 124
- Proca, 184  
-nuevo, 51, 191  
Generalized, 51, 186
- Projectability, 344
- Propagator  
Euclidean, 364  
Feynman, 361
- Proper Time, 7
- Pseudo-Linear Spin-2, 291
- Quadratic Gravity, *see* Stelle Gravity
- Quantum Gravity, 13, 46, 88
- Quantum Stability, 132, 277, 345
- Quasi-Dilaton, 298
- Quasinormal Modes, 62
- Quintessence, 124
- Radiation, 117  
Dipole, 60, 118, 181  
Monopole, 60, 118, 181  
Quadrupole, 60
- Randall-Sundrum, 218, 291
- Redundant operators, 82
- Regime of Validity, 53
- Renormalization, 13, 132, 171, 277, 341, 359
- Resonance, 227
- Ricci, *see* Curvature
- Riemann, *see* Curvature
- Ringdown, 62
- Scalar-Tensor Gravity, 7, 51, 107, 121, 224
- Scale Invariance, 298
- Scaling Limit, 271, 324
- Scattering Angle, 115, 116
- Schwinger model, 244
- Screening, 57, 124, 239, 285
- Second Order Formalism, 39, 103
- Self-Acceleration, 231, 280, 284, 300
- Semi-Classical Gravity, 87
- Sequence of stars, 59
- Sequestering, 375
- Shapiro time delay, 113

- Shift, xvii, 24  
 Shift-Symmetry, 138, 140  
 Singularity, 13, 286  
 Soft Mass, 234  
 Special Relativity, 4  
 Speed of Fluctuations, 173, 181, 301  
 Spin, 50  
 Spontaneous Symmetry Breaking, 138, 141, 158  
 Stückelberg, 140, 164, 185, 248, 293, 346, 355  
     (A)dS, 304  
     Lorentz, 259, 272, 321  
 Starobinsky Inflation, 121  
 Stelle Gravity, 89, 122  
 Stress-energy Tensor, 10, 112, 331, 352  
      $P(X)$ , 172  
     Anomaly, 370  
     Conservation, 8, 117, 127, 309  
 Strictly localizable Fields, 367  
 String Theory, 13, 55, 98, 209, 332  
 Strong Coupling, 86, 224, 350  
     Scale, 270, 321  
 Structure Formation, 63  
 Super-renormalizable, 342  
 Superfluid, 141  
 Supergravity, 209, 214, 329  
 Superpotential, 344  
 Superradiance, 59  
 Symmetron, 57, 125, 131  
  
 $T\bar{T}$  Deformation, 330  
 2d Gravity, 330  
 3d Gravity, 323  
 Tachyon, 53, 304  
 Teleparallel Gravity, 49  
  
 Tetrad, *see* Vielbein  
 TeVeS, 51, 352  
 Time Delay, 114, 115  
 Time Reversal, 343  
 Topological Gravity, 328  
 Torsion, 36, 40–42, 49  
  
 Uncertainty principle, 68  
 Unimodular Gravity, 42  
 Unitarity, 54, 84, 200, 204, 234, 342, 361  
     Perturbative, 230  
     Violation, 88, 310  
  
 Vacuum, 52  
 Vainshtein, 57, 125, 161, 170, 178, 275, 300  
 Varying Speed of Light, 349  
 vDVZ Discontinuity, 250, 275, 308, 374  
 Vielbein, 32, 35, 259, 272, 314, 320, 322  
     Symmetric, 260, 315, 321, 323  
 Vierbein, *see* Vielbein  
  
 Wavefunction Factor, 176, 204, 206  
 Weak Field, 6, 9, 111, 116, 210, 218, 225, 336, 345, 372  
 Weak Lensing, 64  
 Wess-Zumino, 155  
 Wick Rotation, 364  
 Wightman function, 199, 367  
 Wigner-İnönü, 148, 155  
  
 Yang-Mills, 29, 32, 215  
 Yukawa Potential, *see* Potential  
  
 Zero Mode, 212, 221, 225, 241  
 Zwei-Dreibein, 327