

References

1. J. Collins, *Foundations of Perturbative QCD* (Cambridge University Press, 2013).
2. T. C. Rogers and P. J. Mulders, No generalized TMD-factorization in hadro-production of high transverse momentum hadrons, *Phys. Rev. D* **81**, 094006, (2010). doi: 10.1103/PhysRevD.81.094006.
3. M. Diehl, D. Ostermeier and A. Schäfer, Elements of a theory for multiparton interactions in QCD, *J. High Energy Phys.* **03**, 089, (2012). doi: 10.1007/JHEP03(2012)089.
4. G. Calucci and D. Treleani, Incoherence and multiple parton interactions, *Phys. Rev. D* **80**, 054025, (2009). doi: 10.1103/PhysRevD.80.054025.
5. M. Diehl, J. R. Gaunt and K. Schönwald, Double hard scattering without double counting, *J. High Energy Phys.* **06**, 083, (2017). doi: 10.1007/JHEP06(2017)083.
6. N. Paver and D. Treleani, Multiple parton processes in the TeV region, *Z. Phys. C* **28**, 187, (1985). doi: 10.1007/BF01575722.
7. D. Treleani, AGK cutting rules and perturbative QCD, *Int. J. Mod. Phys. A* **11**, 613–654, (1996). doi: 10.1142/S0217751X96000286.
8. M. Cacciari, G. P. Salam and S. Sapeta, On the characterisation of the underlying event, *J. High Energy Phys.* **04**, 065, (2010). doi: 10.1007/JHEP04(2010)065.
9. B. Blok, Yu. Dokshitzer, L. Frankfurt and M. Strikman, pQCD physics of multiparton interactions, *Eur. Phys. J. C* **72**, 1963, (2012). doi: 10.1140/epjc/s10052-012-1963-8.
10. B. Blok, Yu. Dokshitzer, L. Frankfurt and M. Strikman, Perturbative QCD correlations in multi-parton collisions, *Eur. Phys. J. C* **74**, 2926, (2014). doi: 10.1140/epjc/s10052-014-2926-z.
11. M. G. Ryskin and A. M. Snigirev, A fresh look at double parton scattering, *Phys. Rev. D* **83**, 114047, (2011). doi: 10.1103/PhysRevD.83.114047.
12. M. G. Ryskin and A. M. Snigirev, Double parton scattering in double logarithm approximation of perturbative QCD, *Phys. Rev. D* **86**, 014018, (2012). doi: 10.1103/PhysRevD.86.014018.
13. J. R. Gaunt, Single perturbative splitting diagrams in double parton scattering, *J. High Energy Phys.* **01**, 042, (2013). doi: 10.1007/JHEP01(2013)042.
14. A. V. Manohar and W. J. Waalewijn, What is double parton scattering? *Phys. Lett. B* **713**, 196–201, (2012). doi: 10.1016/j.physletb.2012.05.044.
15. R. Kirschner, Generalized Lipatov–Altarelli–Parisi equations and jet calculus rules, *Phys. Lett. B* **84**, 266–270, (1979). doi: 10.1016/0370-2693(79)90300-9.
16. V. P. Shelest, A. M. Snigirev and G. M. Zinovev, The multiparton distribution equations in QCD, *Phys. Lett. B* **113**, 325, (1982). doi: 10.1016/0370-2693(82)90049-1.

17. A. M. Snigirev, Double parton distributions in the leading logarithm approximation of perturbative QCD, *Phys. Rev. D* **68**, 114012, (2003). doi: 10.1103/PhysRevD.68.114012.
18. J. R. Gaunt and W. J. Stirling, Double parton distributions incorporating perturbative QCD evolution and momentum and quark number sum rules, *J. High Energy Phys.* **03**, 005, (2010). doi: 10.1007/JHEP03(2010)005.
19. F. A. Ceccopieri, An update on the evolution of double parton distributions, *Phys. Lett. B* **697**, 482–487, (2011). doi: 10.1016/j.physletb.2011.02.047.
20. P. Plöchl, DPD sum rules in QCD. (2017). URL <https://inspirehep.net/record/1520880>.
21. M. Diehl, J. R. Gaunt, D. Ostermeier, P. Plöchl and A. Schäfer, Cancellation of Glauber gluon exchange in the double Drell–Yan process, *J. High Energy Phys.* **01**, 076, (2016). doi: 10.1007/JHEP01(2016)076.
22. M. G. A. Buffing, M. Diehl and T. Kasemets, Transverse momentum in double parton scattering: factorisation, evolution and matching, *J. High Energy Phys.* **01**, 044, (2018). doi: 10.1007/JHEP01(2018)044.
23. A. V. Manohar and W. J. Waalewijn, A QCD analysis of double parton scattering: Color correlations, interference effects and evolution, *Phys. Rev. D* **85**, 114009, (2012). doi: 10.1103/PhysRevD.85.114009.
24. A. Vladimirov, Soft factors for double parton scattering at NNLO, *J. High Energy Phys.* **12**, 038, (2016). doi: 10.1007/JHEP12(2016)038.
25. M. Mekhfi and X. Artru, Sudakov suppression of color correlations in multiparton scattering, *Phys. Rev. D* **37**, 2618–2622, (1988). doi: 10.1103/PhysRevD.37.2618.
26. J. R. Gaunt, Glauber gluons and multiple parton interactions, *J. High Energy Phys.* **07**, 110, (2014). doi: 10.1007/JHEP07(2014)110.
27. J. C. Collins, D. E. Soper and G. F. Sterman, Soft gluons and factorization, *Nucl. Phys. B* **308**, 833–856, (1988). doi: 10.1016/0550-3213(88)90130-7.
28. A. Vladimirov, Structure of rapidity divergences in multi-parton scattering soft factors, *J. High Energy Phys.* **04**, 045, (2008). doi: 10.1007/JHEP04(2018)045.
29. D. Binosi, J. Collins, C. Kaufhold and L. Theussl, JaxoDraw: A graphical user interface for drawing Feynman diagrams. Version 2.0 release notes, *Comput. Phys. Commun.* **180**, 1709–1715, (2009). doi: 10.1016/j.cpc.2009.02.020.
30. N. Paver and D. Treleani, Multi-quark scattering and large p_T jet production in hadronic collisions, *Nuovo Cim. A* **70**, 215, (1982). doi: 10.1007/BF02814035.
31. B. Humpert, Are there multi-quark interactions? *Phys. Lett. B* **131**, 461–467, (1983). doi: 10.1016/0370-2693(83)90540-3.
32. M. Mekhfi, Multiparton processes: An application to double Drell–Yan, *Phys. Rev. D* **32**, 2371, (1985). doi: 10.1103/PhysRevD.32.2371.
33. M. Mekhfi, Correlations in color and spin in multiparton processes, *Phys. Rev. D* **32**, 2380, (1985). doi: 10.1103/PhysRevD.32.2380.
34. L. Ametller and D. Treleani, Shadowing in semihard interactions, *Int. J. Mod. Phys. A* **3**, 521–530, (1988). doi: 10.1142/S0217751X88000217.
35. T. Sjöstrand and M. van Zijl, A multiple interaction model for the event structure in hadron collisions, *Phys. Rev. D* **36**, 2019, (1987). doi: 10.1103/PhysRevD.36.2019.
36. J. M. Butterworth, J. R. Forshaw and M. H. Seymour, Multiparton interactions in photoproduction at HERA, *Z. Phys. C* **72**, 637–646, (1996). doi: 10.1007/BF02909195, 10.1007/s002880050286.
37. M. Bahr, S. Gieseke and M. H. Seymour, Simulation of multiple partonic interactions in Herwig++, *J. High Energy Phys.* **07**, 076, (2008). doi: 10.1088/1126-6708/2008/07/076.

38. V. A. Abramovsky, V. N. Gribov and O. V. Kancheli, Character of inclusive spectra and fluctuations produced in inelastic processes by multi-pomeron exchange, *Yad. Fiz.* **18**, 595–616, (1973). [*Sov. J. Nucl. Phys.* **18**, 308, (1974)].
39. G. Calucci and D. Treleani, A functional formalism for multiparton interactions in high-energy collisions, *Int. J. Mod. Phys. A* **6**, 4375–4393, (1991). doi: 10.1142/S0217751X91002112.
40. A. Bialas, M. Bleszynski and W. Czyz, Multiplicity distributions in nucleus–nucleus collisions at high-energies, *Nucl. Phys. B* **111**, 461–476, (1976). doi: 10.1016/0550-3213(76)90329-1.
41. G. Calucci and D. Treleani, Multi-parton correlations and ‘exclusive’ cross sections, *Phys. Rev. D* **79**, 074013, (2009). doi: 10.1103/PhysRevD.79.074013.
42. M. H. Seymour and A. Siodmok, Extracting $\sigma_{\text{effective}}$ from the LHCb double-charm measurement. (2013). arXiv:1308.6749.
43. D. d’Enterria and A. M. Snigirev, Triple parton scatterings in high-energy proton–proton collisions, *Phys. Rev. Lett.* **118** (12), 122001, (2017). doi: 10.1103/PhysRevLett.118.122001.
44. G. Calucci and D. Treleani, Disentangling correlations in multiple parton interactions, *Phys. Rev. D* **83**, 016012, (2011). doi: 10.1103/PhysRevD.83.016012.
45. G. Calucci and D. Treleani, Proton structure in transverse space and the effective cross section, *Phys. Rev. D* **60**, 054023, (1999). doi: 10.1103/PhysRevD.60.054023.
46. M. Diehl, Introduction to GPDs and TMDs, *Eur. Phys. J. A* **52** (6), 149, (2016). doi: 10.1140/epja/i2016-16149-3.
47. S. Scopetta and V. Vento, Generalized parton distributions in constituent quark models, *Eur. Phys. J. A* **16**, 527–535, (2003). doi: 10.1140/epja/i2002-10120-y.
48. S. Boffi, B. Pasquini and M. Traini, Linking generalized parton distributions to constituent quark models, *Nucl. Phys. B* **649**, 243–262, (2003). doi: 10.1016/S0550-3213(02)01016-7.
49. R. Dupre, M. Guidal and M. Vanderhaeghen, Tomographic image of the proton, *Phys. Rev. D* **95** (1), 011501, (2017). doi: 10.1103/PhysRevD.95.011501.
50. J. Gaunt, *Double Parton Scattering in Proton–Proton Collisions* (Cambridge University Thesis, 2012).
51. F. A. Ceccopieri, A second update on double parton distributions, *Phys. Lett. B* **734**, 79–85, (2014). doi: 10.1016/j.physletb.2014.05.015.
52. H.-M. Chang, A. V. Manohar and W. J. Waalewijn, Double parton correlations in the bag model, *Phys. Rev. D* **87** (3), 034009, (2013). doi: 10.1103/PhysRevD.87.034009.
53. M. Rinaldi, S. Scopetta and V. Vento, Double parton correlations in constituent quark models, *Phys. Rev. D* **87**, 114021, (2013). doi: 10.1103/PhysRevD.87.114021.
54. M. Rinaldi, S. Scopetta, M. Traini and V. Vento, Double parton correlations and constituent quark models: a Light Front approach to the valence sector, *J. High Energy Phys.* **12**, 028, (2014). doi: 10.1007/JHEP12(2014)028.
55. W. Broniowski, E. Ruiz Arriola and K. Golec-Biernat, Generalized valon model for double parton distributions, *Few Body Syst.* **57** (6), 405–410, (2016). doi: 10.1007/s00601-016-1087-z.
56. T. Kasemets and A. Mukherjee, Quark–gluon double parton distributions in the light-front dressed quark model, *Phys. Rev. D* **94** (7), 074029, (2016). doi: 10.1103/PhysRevD.94.074029.
57. G. Parisi and R. Petronzio, On the breaking of Bjorken scaling, *Phys. Lett. B* **62**, 331–334, (1976). doi: 10.1016/0370-2693(76)90088-5.
58. R. L. Jaffe and G. G. Ross, Normalizing the renormalization group analysis of deep inelastic leptonproduction, *Phys. Lett. B* **93**, 313–317, (1980). doi: 10.1016/0370-2693(80)90521-3.

59. M. Diehl, T. Kasemets and S. Keane, Correlations in double parton distributions: effects of evolution, *J. High Energy Phys.* **05**, 118, (2014). doi: 10.1007/JHEP05(2014)118.
60. M. Rinaldi, S. Scopetta, M. C. Traini and V. Vento, Correlations in double parton distributions: Perturbative and non-perturbative effects, *J. High Energy Phys.* **10**, 063, (2016). doi: 10.1007/JHEP10(2016)063.
61. S. Chekanov *et al.*, Exclusive photoproduction of J/psi mesons at HERA, *Eur. Phys. J. C* **24**, 345–360, (2002). doi: 10.1007/s10052-002-0953-7.
62. A. Aktas *et al.*, Elastic J/psi production at HERA, *Eur. Phys. J. C* **46**, 585–603, (2006). doi: 10.1140/epjc/s2006-02519-5.
63. M. Diehl, From form factors to generalized parton distributions, *PoS DIS2013*, 224, (2013).
64. P. Hagler, Hadron structure from lattice quantum chromodynamics, *Phys. Rept.* **490**, 49–175, (2010). doi: 10.1016/j.physrep.2009.12.008.
65. L. Frankfurt, M. Strikman and C. Weiss, Dijet production as a centrality trigger for pp collisions at CERN LHC, *Phys. Rev. D* **69**, 114010, (2004). doi: 10.1103/PhysRevD.69.114010.
66. R. Corke and T. Sjöstrand, Multiparton interactions with an x -dependent proton size, *J. High Energy Phys.* **05**, 009, (2011). doi: 10.1007/JHEP05(2011)009.
67. M. Diehl and A. Schäfer, Theoretical considerations on multiparton interactions in QCD, *Phys. Lett. B* **698**, 389–402, (2011). doi: 10.1016/j.physletb.2011.03.024.
68. T. Kasemets and M. Diehl, Angular correlations in the double Drell–Yan process, *J. High Energy Phys.* **01**, 121, (2013). doi: 10.1007/JHEP01(2013)121.
69. T. Kasemets and P. J. Mulders, Constraining double parton correlations and interferences, *Phys. Rev. D* **91**, 014015, (2015). doi: 10.1103/PhysRevD.91.014015.
70. M. Diehl and T. Kasemets, Positivity bounds on double parton distributions, *J. High Energy Phys.* **05**, 150, (2013). doi: 10.1007/JHEP05(2013)150.
71. M. Aaboud *et al.*, Study of hard double-parton scattering in four-jet events in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS experiment, *J. High Energy Phys.* **11**, 110, (2016). doi: 10.1007/JHEP11(2016)110.
72. M. Rinaldi and F. A. Ceccopieri, Relativistic effects in model calculations of double parton distribution function, *Phys. Rev. D* **95** (3), 034040, (2017). doi: 10.1103/PhysRevD.95.034040.
73. M. Rinaldi, S. Scopetta, M. Traini and V. Vento, Double parton scattering: a study of the effective cross section within a Light–Front quark model, *Phys. Lett. B* **752**, 40–45, (2016). doi: 10.1016/j.physletb.2015.11.031.
74. M. Traini, M. Rinaldi, S. Scopetta and V. Vento, The effective cross section for double parton scattering within a holographic AdS/QCD approach, *Phys. Lett. B* **768**, 270–273, (2017). doi: 10.1016/j.physletb.2017.02.061.
75. F. A. Ceccopieri, M. Rinaldi and S. Scopetta, Parton correlations in same-sign W pair production via double parton scattering at the LHC, *Phys. Rev. D* **95** (11), 114030, (2017). doi: 10.1103/PhysRevD.95.114030.
76. CMS Collaboration, Measurement of double parton scattering in same-sign WW production in p–p collisions at $\sqrt{s} = 13$ TeV with the CMS experiment, (2017). <http://cds.cern.ch/record/2257583>.
77. A. Accardi *et al.*, Electron ion collider: the next QCD frontier, *Eur. Phys. J. A* **52** (9), 268, (2016). doi: 10.1140/epja/i2016-16268-9.
78. R. Aaij *et al.*, Observation of double charm production involving open charm in pp collisions at $\sqrt{s} = 7$ TeV, *J. High Energy Phys.* **06**, 141, (2012). doi: 10.1007/JHEP03(2014)108, 10.1007/JHEP06(2012)141. [Addendum: *J. High Energy Phys.* **03**, 108, (2014)].

79. M. G. Echevarria, T. Kasemets, P. J. Mulders and C. Pisano, Polarization effects in double open-charm production at LHCb, *J. High Energy Phys.* **04**, 034, (2015). doi: 10.1007/JHEP04(2015)034.
80. M. Strikman and D. Treleani, Measuring double parton distributions in nucleons at proton–nucleus colliders, *Phys. Rev. Lett.* **88**, 031801, (2002). doi: 10.1103/PhysRevLett.88.031801.
81. A. Grebenyuk, F. Hautmann, H. Jung, P. Katsas and A. Knutsson, Jet production and the inelastic pp cross section at the LHC, *Phys.Rev. D* **86**, 117501, (2012). doi: 10.1103/PhysRevD.86.117501.
82. B. Blok, Yu. Dokshitzer, L. Frankfurt and M. Strikman, The four jet production at LHC and Tevatron in QCD, *Phys. Rev. D* **83**, 071501, (2011). doi: 10.1103/PhysRevD.83.071501.
83. M. Diehl, Multiple interactions and generalized parton distributions, *PoS DIS2010*, 223, (2010).
84. J. R. Gaunt and W. J. Stirling, Double parton scattering singularity in one-loop integrals, *J. High Energy Phys.* **06**, 048, (2011). doi: 10.1007/JHEP06(2011)048.
85. B. Blok, Yu. Dokshitzer, L. Frankfurt and M. Strikman, Origins of parton correlations in nucleon and multi-parton collisions, *arXiv:1206.5594*. (2012).
86. J. R. Gaunt, R. Maciula and A. Szczurek, Conventional versus single-ladder-splitting contributions to double parton scattering production of two quarkonia, two Higgs bosons and $c\bar{c}c\bar{c}$, *Phys. Rev. D* **90** (5), 054017, (2014). doi: 10.1103/PhysRevD.90.054017.
87. K. Golec-Biernat and E. Lewandowska, Electroweak boson production in double parton scattering, *Phys. Rev. D* **90** (9), 094032, (2014). doi: 10.1103/PhysRevD.90.094032.
88. R. Astalos *et al.*, *Proceedings of the Sixth International Workshop on Multiple Partonic Interactions at the Large Hadron Collider*. (2015). URL <https://inspirehep.net/record/1377199/files/arXiv:1506.05829.pdf>.
89. H. Jung, D. Treleani, M. Strikman and N. van Buuren (eds.), *Proceedings, 7th International Workshop on Multiple Partonic Interactions at the LHC (MPI@LHC 2015)*, (2016). URL <https://bib-pubdb1.desy.de/record/297386>.
90. B. Blok and P. Gunnellini, Dynamical approach to MPI four-jet production in Pythia, *Eur. Phys. J. C* **75** (6), 282, (2015). doi: 10.1140/epjc/s10052-015-3520-8.
91. B. Blok and P. Gunnellini, Dynamical approach to MPI in W+dijet and Z+dijet production within the Pythia event generator, *Eur. Phys. J. C* **76** (4), 202, (2016). doi: 10.1140/epjc/s10052-016-4035-7.
92. B. Blok and M. Strikman, Shadowing in multiparton proton–deuteron collisions, *Eur. Phys. J. C* **74**, 3038, (2014). doi: 10.1140/epjc/s10052-014-3038-5.
93. B. Blok, M. Strikman and U. A. Wiedemann, Hard four-jet production in pA collisions, *Eur. Phys. J. C* **73** (6), 2433, (2013). doi: 10.1140/epjc/s10052-013-2433-7.
94. B. Blok and M. Strikman, Double parton interactions in $\gamma p, \gamma A$ collisions in the direct photon kinematics, *Eur. Phys. J. C* **74** (12), 3214, (2014). doi: 10.1140/epjc/s10052-014-3214-7.
95. B. Blok and M. Strikman, Open charm production in double parton scattering processes in the forward kinematics, *Eur. Phys. J. C* **76** (12), 694, (2016). doi: 10.1140/epjc/s10052-016-4551-5.
96. B. Blok and M. Strikman, Interplay of soft and perturbative correlations in multiparton interactions at central rapidities, *Phys. Lett. B* **772**, 219–224, (2017). doi: 10.1016/j.physletb.2017.06.049.
97. F. Abe *et al.*, Double parton scattering in $\bar{p}p$ collisions at $\sqrt{s} = 1.8\text{TeV}$, *Phys. Rev. D* **56**, 3811–3832, (1997). doi: 10.1103/PhysRevD.56.3811.

98. V. M. Abazov *et al.*, Double parton interactions in $\gamma+3$ jet events in $p\bar{p}$ collisions $\sqrt{s} = 1.96$ TeV *Phys. Rev. D* **81**, 052012, (2010). doi: 10.1103/PhysRevD.81.052012.
99. V. M. Abazov *et al.*, Azimuthal decorrelations and multiple parton interactions in $\gamma+2$ jet and $\gamma+3$ jet events in $p\bar{p}$ collisions at $\sqrt{s} = 1.96$ TeV, *Phys. Rev. D* **83**, 052008, (2011). doi: 10.1103/PhysRevD.83.052008.
100. S. Chatrchyan *et al.*, Measurement of four-jet production in proton–proton collisions at $\sqrt{s} = 7$ TeV, *Phys. Rev. D* **89**, 092010, (2014). doi: 10.1103/PhysRevD.89.092010.
101. G. Aad *et al.*, Measurement of underlying event characteristics using charged particles in pp collisions at $\sqrt{s} = 900$ GeV and 7 TeV with the ATLAS detector, *Phys. Rev. D* **83**, 112001, (2011). doi: 10.1103/PhysRevD.83.112001.
102. G. Aad *et al.*, Measurement of hard double-parton interactions in $W(\rightarrow l\nu) + 2$ jet events at $\sqrt{s} = 7$ TeV with the ATLAS detector, *New J. Phys.* **15**, 033038, (2013). doi: 10.1088/1367-2630/15/3/033038.
103. S. Chatrchyan *et al.*, Study of double parton scattering using $W + 2$ -jet events in proton–proton collisions at $\sqrt{s} = 7$ TeV, *J. High Energy Phys.* **03**, 032, (2014). doi: 10.1007/JHEP03(2014)032.
104. I. M. Belyaev, Talk at MPI-2015 conference.
105. R. Aaij *et al.*, Prompt charm production in pp collisions at $\sqrt{s} = 7$ TeV, *Nucl. Phys. B* **871**, 1–20, (2013). doi: 10.1016/j.nuclphysb.2013.02.010.
106. R. Aaij *et al.*, Production of associated Υ and open charm hadrons in pp collisions at $\sqrt{s} = 7$ and 8 TeV via double parton scattering, *J. High Energy Phys.* **07**, 052, (2016). doi: 10.1007/JHEP07(2016)052.
107. T. Sjöstrand and P. Z. Skands, Transverse-momentum-ordered showers and interleaved multiple interactions, *Eur. Phys. J. C* **39**, 129–154, (2005). doi: 10.1140/epjc/s2004-02084-y.
108. S. Gieseke, C. Röhr and A. Siódmok, Multiple partonic interaction developments in Herwig++. (2011). arXiv:1110.2675.
109. S. Gieseke *et al.*, Herwig++ 2.5 Release Note. URL <https://arxiv.org/abs/1102.1672>. arXiv:1102.1672 [hep-ph], (2011).
110. M. H. Seymour and A. Siódmok, Constraining MPI models using σ_{eff} and recent Tevatron and LHC underlying event data, *J. High Energy Phys.* **10**, 113, (2013). doi: 10.1007/JHEP10(2013)113.
111. S. Gieseke, C. Röhr and A. Siódmok, Colour reconnections in Herwig++, *Eur. Phys. J. C* **72**, 2225, (2012). doi: 10.1140/epjc/s10052-012-2225-5.
112. M. Bahr, M. Myska, M. H. Seymour and A. Siódmok, Extracting $\sigma_{\text{effective}}$ from the CDF $\gamma + 3$ jets measurement, *J. High Energy Phys.* **03**, 129, (2013). doi: 10.1007/JHEP03(2013)129.
113. T. Sjöstrand, S. Ask, J. R. Christiansen, R. Corke, N. Desai, P. Ilten, S. Mrenna, S. Prestel, C. O. Rasmussen and P. Z. Skands, An Introduction to Pythia 8.2, *Comput. Phys. Commun.* **191**, 159–177, (2015). doi: 10.1016/j.cpc.2015.01.024.
114. R. Corke and T. Sjöstrand, Interleaved parton showers and tuning prospects, *J. High Energy Phys.* **03**, 032, (2011). doi: 10.1007/JHEP03(2011)032.
115. C. Flensburg, G. Gustafson, L. Lönnblad and A. Ster, Correlations in double parton distributions at small x , *J. High Energy Phys.* **06**, 066, (2011). doi: 10.1007/JHEP06(2011)066.
116. L. Frankfurt, M. Strikman and C. Weiss, Small- x physics: From HERA to LHC and beyond, *Ann. Rev. Nucl. Part. Sci.* **55**, 403–465, (2005). doi: 10.1146/annurev.nucl.53.041002.110615.
117. L. Frankfurt, M. Strikman and C. Weiss, Transverse nucleon structure and diagnostics of hard parton–parton processes at LHC, (2010). *Phys. Rev. D* **83** (2011) 054012. doi: 10.1103/PhysRevD.83.054012.

118. M. Strikman, Transverse nucleon structure and multiparton interactions, *Acta Phys. Polon. B* **42**, 2607–2630, (2011). doi: 10.5506/APhysPolB.42.2607.
119. Y. L. Dokshitzer, D. Diakonov and S. I. Troian, Hard processes in quantum chromodynamics, *Phys. Rept.* **58**, 269–395, (1980). doi: 10.1016/0370-1573(80)90043-5.
120. M. Glück, E. Reya and A. Vogt, Parton distributions for high-energy collisions, *Z. Phys. C* **53**, 127–134, (1992). doi: 10.1007/BF01483880.
121. V. Gribov, Y. Dokshitzer and J. Nyiri, *Strong Interactions of Hadrons at High Energies: Gribov Lectures on Theoretical Physics*. Cambridge Monographs on Particle Physics, (Cambridge University Press, 2009). URL https://books.google.fr/books?id=idli5ryJ_AYC.
122. C. Adloff *et al.*, Diffraction dissociation in photoproduction at HERA, *Z. Phys. C* **74**, 221–236, (1997). doi: 10.1007/s002880050385.
123. E. G. S. Luna, V. A. Khoze, A. D. Martin and M. G. Ryskin, Diffractive dissociation re-visited for predictions at the LHC, *Eur. Phys. J. C* **59**, 1–12, (2009). doi: 10.1140/epjc/s10052-008-0793-1.
124. M. Glück, E. Reya and A. Vogt, Dynamical parton distributions revisited, *Eur. Phys. J. C* **5**, 461–470, (1998). doi: 10.1007/s100529800978, 10.1007/s100520050289.
125. F. Hautmann, Z. Kunszt and D. E. Soper, Hard scattering factorization and light cone Hamiltonian approach to diffractive processes, *Nucl. Phys. B* **563**, 153–199, (1999). doi: 10.1016/S0550-3213(99)00568-4.
126. F. D. Aaron *et al.*, Diffractive electroproduction of rho and phi Mesons at HERA, *J. High Energy Phys.* **05**, 032, (2010). doi: 10.1007/JHEP05(2010)032.
127. S. Salvini, D. Treleani and G. Calucci, Double parton scatterings in high-energy proton–nucleus collisions and partonic correlations, *Phys. Rev. D* **89** (1), 016020, (2014). doi: 10.1103/PhysRevD.89.016020.
128. T. Affolder *et al.*, Charged jet evolution and the underlying event in $p\bar{p}$ collisions at 1.8 TeV, *Phys. Rev. D* **65**, 092002, (2002). doi: 10.1103/PhysRevD.65.092002.
129. S. Chatrchyan *et al.*, Measurement of the underlying event activity at the LHC with $\sqrt{s} = 7$ TeV and comparison with $\sqrt{s} = 0.9$ TeV, *J. High Energy Phys.* **09**, 109, (2011). doi: 10.1007/JHEP09(2011)109.
130. ATLAS Collaboration, Measurements of underlying-event properties using neutral and charged particles in pp collisions at 900 GeV and 7 TeV with the ATLAS detector at the LHC, *Eur. Phys. J. C* **71**, 1636, (2011). doi: 10.1140/epjc/s10052-011-1636-z.
131. M. Yu. Azarkin, I. M. Dremin and M. Strikman, Jets in multiparticle production in and beyond geometry of proton–proton collisions at the LHC, *Phys. Lett. B* **735**, 244–249, (2014). doi: 10.1016/j.physletb.2014.06.040.
132. Y. L. Dokshitzer, V. A. Khoze, A. H. Mueller and S. I. Troian, *Basics of Perturbative QCD*. 1991.
133. M. Strikman, Comments on the observation of high multiplicity events at the LHC, *Phys. Rev. D* **84**, 011501, (2011). doi: 10.1103/PhysRevD.84.011501.
134. T. C. Rogers, A. M. Stasto and M. I. Strikman, Unitarity constraints on semi-hard jet production in impact parameter space, *Phys. Rev. D* **77**, 114009, (2008). doi: 10.1103/PhysRevD.77.114009.
135. T. C. Rogers and M. Strikman, Multiple hard partonic collisions with correlations in proton–proton scattering, *Phys. Rev. D* **81**, 016013, (2010). doi: 10.1103/PhysRevD.81.016013.
136. V. Khachatryan *et al.*, Measurement of prompt J/ψ pair production in pp collisions at $\sqrt{s} = 7$ TeV, *J. High Energy Phys.* **09**, 094, (2014). doi: 10.1007/JHEP09(2014)094.

137. J.-P. Lansberg and H.-S. Shao, Double-quarkonium production at a fixed-target experiment at the LHC (After@LHC), *Nucl. Phys. B* **900**, 273–294, (2015). doi: 10.1016/j.nuclphysb.2015.09.005.
138. J.-P. Lansberg and H.-S. Shao, Associated production of a quarkonium and a Z boson at one loop in a quark–hadron-duality approach, *J. High Energy Phys.* **10**, 153, (2016). doi: 10.1007/JHEP10(2016)153.
139. J.-P. Lansberg, H.-S. Shao and N. Yamanaka, Indication for double parton scatterings in W+ prompt J/Ψ production at the LHC, *Phys. Lett. B* **781**, 485–491, (2018). doi: 10.1016/j.physletb.2018.04.020.
140. P. Schweitzer, M. Strikman and C. Weiss, Intrinsic transverse momentum and parton correlations from dynamical chiral symmetry breaking, *J. High Energy Phys.* **01**, 163, (2013). doi: 10.1007/JHEP01(2013)163.
141. M. Strikman and W. Vogelsang, Multiple parton interactions and forward double pion production in pp and dA scattering, *Phys. Rev. D* **83**, 034029, (2011). doi: 10.1103/PhysRevD.83.034029.
142. J. C. Collins, L. Frankfurt and M. Strikman, Factorization for hard exclusive electroproduction of mesons in QCD, *Phys. Rev. D* **56**, 2982–3006, (1997). doi: 10.1103/PhysRevD.56.2982.
143. L. Frankfurt, C. E. Hyde-Wright, M. Strikman and C. Weiss, Generalized parton distributions and rapidity gap survival in exclusive diffractive pp scattering, *Phys. Rev. D* **75**, 054009, (2007). doi: 10.1103/PhysRevD.75.054009.
144. ATLAS collaboration, Double parton scattering in pp collisions at $\sqrt{s} = 63$ GeV, *Z. Phys. C* **34**, 163, (1987).
145. UA2 collaboration and J. Alitti *et al.*, A Study of multi-jet events at the CERN $\bar{p}p$ collider and a search for double parton scattering, *Phys. Lett. B* **268**, 145–154, (1991). doi: 10.1016/0370-2693(91)90937-L.
146. DØ Collaboration, Double parton interactions in photon+3 jet events in $p\bar{p}$ collisions at $\sqrt{s} = 1.96$ TeV, *Phys. Rev. D* **82**, (2010).
147. V. Khachatryan *et al.*, Studies of inclusive four-jet production with two b-tagged jets in proton–proton collisions at 7 TeV, *Phys. Rev. D* **94** (11), 112005, (2016). doi: 10.1103/PhysRevD.94.112005.
148. V. M. Abazov *et al.*, Double parton interactions in $\gamma + 3$ jet and $\gamma + b/cjet + 2$ jet events in $p\bar{p}$ collisions at $\sqrt{s} = 1.96$ TeV, *Phys. Rev. D* **89** (7), 072006, (2014). doi: 10.1103/PhysRevD.89.072006.
149. P. Gunnellini. *Study of double parton scattering using four-jet scenarios in proton–proton collisions at $\sqrt{s} = 7$ TeV with the CMS experiment at the Large Hadron Collider*, PhD thesis, University of Hamburg, (2014).
150. O. Gueta. *Study of hard double parton scattering in four-jet events in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS experiment at the LHC*, PhD thesis, Tel Aviv University, (2015-09-30). URL <http://inspirehep.net/record/1504136/files/CERN-THESIS-2015-359.pdf>.
151. K. Kutak, R. Maciula, M. Serino, A. Szczurek and A. van Hameren, Four-jet production in single- and double-parton scattering within high-energy factorization, *J. High Energy Phys.* **04**, 175, (2016). doi: 10.1007/JHEP04(2016)175.
152. V. Khachatryan *et al.*, Event generator tunes obtained from underlying event and multiparton scattering measurements, *Eur. Phys. J. C* **76** (3), 155, (2016). doi: 10.1140/epjc/s10052-016-3988-x.
153. F. Abe *et al.*, Study of four jet events and evidence for double parton interactions in $p\bar{p}$ collisions at $\sqrt{s} = 1.8$ TeV, *Phys. Rev. D* **47**, 4857–4871, (1993). doi: 10.1103/PhysRevD.47.4857.

154. S. Chatrchyan *et al.*, Jet and underlying event properties as a function of charged-particle multiplicity in proton–proton collisions at $\sqrt{s} = 7$ TeV, *Eur. Phys. J. C* **73** (12), 2674, (2013). doi: 10.1140/epjc/s10052-013-2674-5.
155. CMS Collaboration, Study of double parton scattering in photon + 3 jets final state in proton–proton collisions at 7 TeV, (2015). <https://cds.cern.ch/record/2007815>
156. G. Corcella, I. G. Knowles, G. Marchesini, S. Moretti, K. Odagiri, P. Richardson, M. H. Seymour and B. R. Webber, Herwig 6: an event generator for hadron emission reactions with interfering gluons (including supersymmetric processes), *J. High Energy Phys.* **01**, 010, (2001). doi: 10.1088/1126-6708/2001/01/010.
157. T. Gleisberg, S. Hoeche, F. Krauss, M. Schonherr, S. Schumann, F. Siegert and J. Winter, Event generation with SHERPA 1.1, *J. High Energy Phys.* **02**, 007, (2009). doi: 10.1088/1126-6708/2009/02/007.
158. T. Sjöstrand, S. Mrenna and P. Z. Skands, Pythia 6.4 physics and manual, *J. High Energy Phys.* **05**, 026, (2006). doi: 10.1088/1126-6708/2006/05/026.
159. V. M. Abazov *et al.*, Observation and studies of double J/ψ production at the Tevatron, *Phys. Rev. D* **90** (11), 111101, (2014). doi: 10.1103/PhysRevD.90.111101.
160. D. Treleani, Double parton scattering, diffraction and effective cross section, *Phys. Rev. D* **76**, 076006, (2007). doi: 10.1103/PhysRevD.76.076006.
161. C. Goebel, F. Halzen and D. M. Scott, Double Drell–Yan annihilations in hadron collisions: novel tests of the constituent picture, *Phys. Rev. D* **22**, 2789, (1980). doi: 10.1103/PhysRevD.22.2789.
162. T. Akesson *et al.*, Double parton scattering in pp collisions at $\sqrt{s} = 63$ -GeV, *Z. Phys. C* **34**, 163, (1987). doi: 10.1007/BF01566757.
163. F. Halzen, P. Hoyer and W. J. Stirling, Evidence for multiple parton interactions from the observation of multi-muon events in Drell–Yan experiments, *Phys. Lett. B* **188**, 375–378, (1987). doi: 10.1016/0370-2693(87)91400-6.
164. G. Arnison *et al.*, Experimental observation of isolated large transverse energy electrons with associated missing energy at $\sqrt{s} = 540$ GeV, *Phys. Lett. B* **122**, 103–116, (1983). doi: 10.1016/0370-2693(83)91177-2.
165. M. Banner *et al.*, Observation of single isolated electrons of high transverse momentum in events with missing transverse energy at the CERN $\bar{p}p$ collider, *Phys. Lett. B* **122**, 476–485, (1983). doi: 10.1016/0370-2693(83)91605-2.
166. G. Arnison *et al.*, Experimental observation of lepton pairs of invariant mass around 95-GeV/c**2 at the CERN SPS collider, *Phys. Lett. B* **126**, 398–410, (1983). doi: 10.1016/0370-2693(83)90188-0.
167. P. Bagnaia *et al.*, Evidence for $Z^0 \rightarrow e^+e^-$ at the CERN anti- pp collider, *Phys. Lett. B* **129**, 130–140, (1983). doi: 10.1016/0370-2693(83)90744-X.
168. B. Humpert, The production of gauge boson pairs by p anti- p colliders, *Phys. Lett. B* **135**, 179–186, (1984). doi: 10.1016/0370-2693(84)90479-9.
169. R. M. Godbole *et al.*, Double parton scattering contribution to W+jets, *Z. Phys. C* **47**, 69, (1990). doi: 10.1007/BF01551914.
170. O. J. P. Eboli, F. Halzen and J. K. Mizukoshi, The associated production of weak bosons and jets by multiple parton interactions, *Phys. Rev. D* **57**, 1730–1734, (1998). doi: 10.1103/PhysRevD.57.1730.
171. E. A. Kuraev, L. N. Lipatov and V. S. Fadin, The Pomernichuk singularity in nonabelian gauge theories, *Sov. Phys. JETP*. **45**, 199–204, (1977). [*Zh. Eksp. Teor. Fiz.* **72**, 377, (1977)].
172. I. I. Balitsky and L. N. Lipatov, The Pomernichuk singularity in quantum chromodynamics, *Sov. J. Nucl. Phys.* **28**, 822–829, (1978). [*Yad. Fiz.* **28**, 1597, (1978)].

173. M. Drees and T. Han, Signals for double parton scattering at the Fermilab Tevatron, *Phys. Rev. Lett.* **77**, 4142–4145, (1996). doi: 10.1103/PhysRevLett.77.4142.
174. V. M. Abazov *et al.*, Study of double parton interactions in diphoton + dijet events in $p\bar{p}$ collisions at $\sqrt{s} = 1.96$ TeV, *Phys. Rev. D* **93** (5), 052008, (2016). doi: 10.1103/PhysRevD.93.052008.
175. A. Kulesza and W. J. Stirling, Like sign W boson production at the LHC as a probe of double parton scattering, *Phys. Lett. B* **475**, 168–175, (2000). doi: 10.1016/S0370-2693(99)01512-9.
176. A. Del Fabbro and D. Treleani, A double parton scattering background to Higgs boson production at the LHC, *Phys. Rev. D* **61**, 077502, (2000). doi: 10.1103/PhysRevD.61.077502.
177. E. L. Berger, C. B. Jackson, S. Quackenbush and G. Shaughnessy, Calculation of $Wb\bar{b}$ production via double parton scattering at the LHC, *Phys. Rev. D* **84**, 074021, (2011). doi: 10.1103/PhysRevD.84.074021.
178. E. Maina, Multiple parton interactions, top-antitop and $W + 4j$ production at the LHC, *J. High Energy Phys.* **04**, 098, (2009). doi: 10.1088/1126-6708/2009/04/098.
179. E. Maina, Multiple parton interactions in $Z + 4j$, $W^\pm W^\pm + 0/2j$ and $W^+W^- + 2j$ production at the LHC, *J. High Energy Phys.* **09**, 081, (2009). doi: 10.1088/1126-6708/2009/09/081.
180. E. Cattaruzza, A. Del Fabbro and D. Treleani, Fractional momentum correlations in multiple production of W bosons and of $b\bar{b}$ pairs in high energy pp collisions, *Phys. Rev. D* **72**, 034022, (2005). doi: 10.1103/PhysRevD.72.034022.
181. D. Bandurin, G. Golovanov and N. Skachkov, Double parton interactions as a background to associated HW production at the Tevatron, *J. High Energy Phys.* **04**, 054, (2011). doi: 10.1007/JHEP04(2011)054.
182. G. Aad *et al.*, Electron performance measurements with the ATLAS detector using the 2010 LHC proton–proton collision data, *Eur. Phys. J. C* **72**, 1909, (2012). doi: 10.1140/epjc/s10052-012-1909-1.
183. G. Aad *et al.*, Study of jets produced in association with a W boson in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector, *Phys. Rev. D* **85**, 092002, (2012). doi: 10.1103/PhysRevD.85.092002.
184. G. Aad *et al.*, Muon reconstruction efficiency and momentum resolution of the ATLAS experiment in proton–proton collisions at $\sqrt{s} = 7$ TeV in 2010, *Eur. Phys. J. C* **74** (9), 3034, (2014). doi: 10.1140/epjc/s10052-014-3034-9.
185. M. Cacciari, G. P. Salam and G. Soyez, The anti- $k(t)$ jet clustering algorithm, *J. High Energy Phys.* **0804**, 063, (2008). doi: 10.1088/1126-6708/2008/04/063.
186. M. L. Mangano, M. Moretti, F. Piccinini, R. Pittau and A. D. Polosa, ALPGEN, a generator for hard multiparton processes in hadronic collisions, *J. High Energy Phys.* **07**, 001, (2003). doi: 10.1088/1126-6708/2003/07/001.
187. J. Pumplin, D. R. Stump, J. Huston, H. L. Lai, P. M. Nadolsky and W. K. Tung, New generation of parton distributions with uncertainties from global QCD analysis, *J. High Energy Phys.* **07**, 012, (2002). doi: 10.1088/1126-6708/2002/07/012.
188. ATLAS Collaboration. New ATLAS event generator tunes to 2010 data. Technical Report ATL-PHYS-PUB-2011-008, CERN, (2011). URL <http://cds.cern.ch/record/1345343>.
189. F. Maltoni and T. Stelzer, MadEvent: automatic event generation with MadGraph, *J. High Energy Phys.* **02**, 027, (2003). doi: 10.1088/1126-6708/2003/02/027.
190. J. Alwall, M. Herquet, F. Maltoni, O. Mattelaer and T. Stelzer, MadGraph 5: going beyond, *J. High Energy Phys.* **06**, 128, (2011). doi: 10.1007/JHEP06(2011)128.

191. R. Field. Early LHC underlying event data — findings and surprises, In *Hadron Collider Physics. Proceedings, 22nd Conference, HCP 2010*, Toronto, Canada, August 23–27, 2010, (2010). URL <https://inspirehep.net/record/873443/files/arXiv:1010.3558.pdf>.
192. T. Sjöstrand, S. Mrenna and P. Z. Skands, A Brief Introduction to Pythia 8.1, *Comput. Phys. Commun.* **178**, 852–867, (2008). doi: 10.1016/j.cpc.2008.01.036.
193. G. Aad *et al.*, Measurement of the production cross section of prompt J/ψ mesons in association with a $W^\pm$ boson in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector, *J. High Energy Phys.* **04**, 172, (2014). doi: 10.1007/JHEP04(2014)172.
194. G. Aad *et al.*, Measurement of the differential cross-sections of inclusive, prompt and non-prompt J/ψ production in proton–proton collisions at $\sqrt{s} = 7$ TeV, *Nucl. Phys. B* **850**, 387–444, (2011). doi: 10.1016/j.nuclphysb.2011.05.015.
195. G. Aad *et al.*, Observation and measurements of the production of prompt and non-prompt J/ψ mesons in association with a Z boson in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector, *Eur. Phys. J. C* **75** (5), 229, (2015). doi: 10.1140/epjc/s10052-015-3406-9.
196. CMS Collaboration, Double parton scattering cross section limit from same-sign W bosons pair production in di-muon final state at LHC, (2015). <https://cds.cern.ch/record/2103756>
197. A. Donnachie and P. V. Landshoff, Total cross-sections, *Phys. Lett. B* **296**, 227–232, (1992). doi: 10.1016/0370-2693(92)90832-O.
198. H. Abramowicz *et al.*, Summary of the workshop on multi-parton interactions (MPI@LHC 2012), (2013). arXiv:1306.5413.
199. S. Bansal *et al.*, Progress in double parton scattering studies. In *Workshop on Multi-parton Interactions at the LHC (MPI@LHC 2013) Antwerp, Belgium, December 2–6, 2013*, (2014). URL <https://inspirehep.net/record/1323623/files/arXiv:1410.6664.pdf>.
200. V. M. Abazov *et al.*, Evidence for simultaneous production of J/ψ and Υ mesons, *Phys. Rev. Lett.* **116** (8), 082002, (2016). doi: 10.1103/PhysRevLett.116.082002.
201. A. Szczurek, A short review of some double-parton scattering processes, *Acta Phys. Polon. Supp.* **8** (2), 483, (2015). doi: 10.5506/APhysPolBSupp.8.483.
202. G. Calucci and D. Treleani, Minijets and the two-body parton correlation, *Phys. Rev. D* **57**, 503–511, (1998). doi: 10.1103/PhysRevD.57.503.
203. A. Del Fabbro and D. Treleani, Scale factor in double parton collisions and parton densities in transverse space, *Phys. Rev. D* **63**, 057901, (2001). doi: 10.1103/PhysRevD.63.057901.
204. V. L. Korotkikh and A. M. Snigirev, Double parton correlations versus factorized distributions, *Phys. Lett. B* **594**, 171–176, (2004). doi: 10.1016/j.physletb.2004.05.012.
205. J. R. Gaunt, C.-H. Kom, A. Kulesza and W. J. Stirling, Same-sign W pair production as a probe of double parton scattering at the LHC, *Eur. Phys. J. C* **69**, 53–65, (2010). doi: 10.1140/epjc/s10052-010-1362-y.
206. M. W. Krasny and W. Flaczek, The LHC excess of four-lepton events interpreted as Higgs-boson signal: background from double Drell–Yan process? *Acta Phys. Polon. B* **45** (1), 71–87, (2014). doi: 10.5506/APhysPolB.45.71.
207. M. W. Krasny and W. Flaczek, On the contribution of the double Drell–Yan process to WW and ZZ production at the LHC, *Acta Phys. Polon. B* **47**, 1045, (2016).
208. M. W. Krasny and W. Flaczek, In search of elementary spin 0 particles, *Ann. Phys.* **352**, 11, (2015). doi: 10.1016/j.aop.2014.07.035.

209. R. Aaij *et al.*, Measurements of prompt charm production cross-sections in pp collisions at $\sqrt{s} = 5$ TeV, *J. High Energy Phys.* **06**, 147, (2017). doi: 10.1007/JHEP06(2017)147.
210. R. Aaij *et al.*, Measurements of prompt charm production cross-sections in pp collisions at $\sqrt{s} = 13$ TeV, *J. High Energy Phys.* **03**, 159, (2016). doi: 10.1007/JHEP03(2016)159.
211. G. Aad *et al.*, Measurement of $D^{*\pm}$, $D^\pm$ and $D_s^\pm$ meson production cross sections in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector, *Nucl. Phys. B* **907**, 717–763, (2016). doi: 10.1016/j.nuclphysb.2016.04.032.
212. B. Abelev *et al.*, Measurement of charm production at central rapidity in proton–proton collisions at $\sqrt{s} = 2.76$ TeV, *J. High Energy Phys.* **07**, 191, (2012). doi: 10.1007/JHEP07(2012)191.
213. B. Abelev *et al.*, Measurement of charm production at central rapidity in proton–proton collisions at $\sqrt{s} = 7$ TeV, *J. High Energy Phys.* **01**, 128, (2012). doi: 10.1007/JHEP01(2012)128.
214. B. Abelev *et al.*, D_s^+ meson production at central rapidity in proton–proton collisions at $\sqrt{s} = 7$ TeV, *Phys. Lett. B* **718**, 279, (2012). doi: 10.1016/j.physletb.2012.10.049.
215. D. Acosta *et al.*, Measurement of prompt charm meson production cross sections in $p\bar{p}$ collisions at $\sqrt{s} = 1.96$ TeV, *Phys. Rev. Lett.* **91**, 241804, (2003). doi: 10.1103/PhysRevLett.91.241804.
216. B. A. Kniehl, G. Kramer, I. Schienbein and H. Spiesberger, Inclusive charmed-meson production at the CERN LHC, *Eur. Phys. J. C* **72**, 2082, (2012). doi: 10.1140/epjc/s10052-012-2082-2.
217. B. A. Kniehl, G. Kramer, I. Schienbein and H. Spiesberger, Inclusive $D^{*\pm}$ production in $p\bar{p}$ collisions with massive charm quarks, *Phys. Rev. D* **71**, 014018, (2005). doi: 10.1103/PhysRevD.71.014018.
218. B. A. Kniehl, G. Kramer, I. Schienbein and H. Spiesberger, Reconciling open charm production at the Fermilab Tevatron with QCD, *Phys. Rev. Lett.* **96**, 012001, (2006). doi: 10.1103/PhysRevLett.96.012001.
219. T. Kneesch, B. A. Kniehl, G. Kramer and I. Schienbein, Charmed-meson fragmentation functions with finite-mass corrections, *Nucl. Phys. B* **799**, 34, (2008). doi: 10.1016/j.nuclphysb.2008.02.015.
220. B. A. Kniehl, G. Kramer, I. Schienbein and H. Spiesberger, Open charm hadroproduction and the charm content of the proton, *Phys. Rev. D* **79**, 094009, (2009). doi: 10.1103/PhysRevD.79.094009.
221. R. Gauld, J. Rojo, L. Rottoli and J. Talbert, Charm production in the forward region: constraints on the small- x gluon and backgrounds for neutrino astronomy, *J. High Energy Phys.* **11**, 009, (2015). doi: 10.1007/JHEP11(2015)009.
222. M. Cacciari, M. L. Mangano and P. Nason, Gluon PDF constraints from the ratio of forward heavy-quark production at the LHC at $\sqrt{s} = 7$ and 13 TeV, *Eur. Phys. J. C* **75** (12), 610, (2015). doi: 10.1140/epjc/s10052-015-3814-x.
223. M. Cacciari, M. Greco and P. Nason, The p_T spectrum in heavy flavor hadroproduction, *J. High Energy Phys.* **05**, 007, (1998). doi: 10.1088/1126-6708/1998/05/007.
224. M. Cacciari and P. Nason, Charm cross-sections for the Tevatron Run II, *J. High Energy Phys.* **09**, 006, (2003). doi: 10.1088/1126-6708/2003/09/006.
225. M. Cacciari, P. Nason and C. Oleari, A study of heavy flavored meson fragmentation functions in e^+e^- annihilation, *J. High Energy Phys.* **04**, 006, (2006). doi: 10.1088/1126-6708/2006/04/006.
226. R. Aaij *et al.*, Observation of J/ψ pair production in pp collisions at $\sqrt{s} = 7$ TeV, *Phys. Lett. B* **707**, 52–59, (2012). doi: 10.1016/j.physletb.2011.12.015.

227. R. Aaij *et al.*, Measurement of the J/ψ pair production cross-section in pp collisions at $\sqrt{s} = 13$ TeV, *J. High Energy Phys.* **06**, 047, (2017). doi: 10.1007/JHEP06(2017)047.
228. A. V. Berezhnoy, V. V. Kiselev, A. K. Likhoded and A. I. Onishchenko, Doubly charmed baryon production in hadronic experiments, *Phys. Rev. D* **57**, 4385–4392, (1998). doi: 10.1103/PhysRevD.57.4385.
229. S. P. Baranov, Topics in associated $J/\psi + c + \bar{c}$ production at modern colliders, *Phys. Rev. D* **73**, 074021, (2006). doi: 10.1103/PhysRevD.73.074021.
230. J.-P. Lansberg, On the mechanisms of heavy-quarkonium hadroproduction, *Eur. Phys. J. C* **61**, 693–703, (2009). doi: 10.1140/epjc/s10052-008-0826-9.
231. M. Luszczak, R. Maciula and A. Szczurek, Production of two $c\bar{c}$ pairs in double-parton scattering, *Phys. Rev. D* **85**, 094034, (2012). doi: 10.1103/PhysRevD.85.094034.
232. R. Maciula and A. Szczurek, Single and double charmed meson production at the LHC, *EPJ Web Conf.* **81**, 01007, (2014). doi: 10.1051/epjconf/20148101007.
233. R. Aaij *et al.*, Measurement of J/ψ production in pp collisions at $\sqrt{s} = 7$ TeV, *Eur. Phys. J. C* **71**, 1645, (2011). doi: 10.1140/epjc/s10052-011-1645-y.
234. A. V. Berezhnoy and A. K. Likhoded, Associated production of Υ and open charm at LHC, *Int. J. Mod. Phys. A* **30**, 1550125, (2015). doi: 10.1142/S0217751X15501250.
235. L. V. Gribov, E. M. Levin and M. G. Ryskin, Semihard processes in QCD, *Phys. Rept.* **100**, 1–150, (1983). doi: 10.1016/0370-1573(83)90022-4.
236. E. M. Levin and M. G. Ryskin, High-energy hadron collisions in QCD, *Phys. Rept.* **189**, 267, (1990). doi: 10.1016/0370-1573(90)90016-U.
237. S. P. Baranov, Highlights from the k_T factorization approach on the quarkonium production puzzles, *Phys. Rev. D* **66**, 114003, (2002). doi: 10.1103/PhysRevD.66.114003.
238. B. Andersson *et al.*, Small- x phenomenology: summary and status, *Eur. Phys. J. C* **25**, 77, (2002). doi: 10.1007/s10052-002-0998-7.
239. J. R. Andersen *et al.*, Small- x phenomenology: summary and status, *Eur. Phys. J. C* **35**, 67, (2004). doi: 10.1140/epjc/s2004-01775-7.
240. J. R. Andersen *et al.*, Small- x phenomenology: summary of the 3rd Lund small- x workshop in 2004, *Eur. Phys. J. C* **48**, 53, (2006). doi: 10.1140/epjc/s2006-02615-6.
241. S. P. Baranov, Associated $\Upsilon + b + \bar{b}$ production at the Fermilab Tevatron and CERN LHC, *Phys. Rev. D* **74**, 074002, (2006). doi: 10.1103/PhysRevD.74.074002.
242. S. P. Baranov, Prompt Υ (nS) production at the LHC in view of the k_T -approach, *Phys. Rev. D* **86**, 054015, (2012). doi: 10.1103/PhysRevD.86.054015.
243. R. Aaij *et al.*, Forward production of Υ mesons in pp collisions at $\sqrt{s} = 7$ and 8 TeV, *J. High Energy Phys.* **11**, 103, (2015). doi: 10.1007/JHEP11(2015)103.
244. J. Badier *et al.*, Evidence for $\psi\psi$ production in π^- interactions at 150 GeV/c and 280 GeV/c, *Phys. Lett. B* **114**, 457, (1982). doi: 10.1016/0370-2693(82)90091-0.
245. J. Badier *et al.*, $\psi\psi$ production and limits on beauty meson production from 400 GeV/c protons, *Phys. Lett. B* **158**, 85, (1985). doi: 10.1016/0370-2693(85)90745-2.
246. M. Aaboud *et al.*, Measurement of the prompt J/ψ pair production cross-section in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector, *Eur. Phys. J. C* **77** (2), 76, (2017). doi: 10.1140/epjc/s10052-017-4644-9.
247. A. V. Berezhnoy, A. K. Likhoded, A. V. Luchinsky and A. A. Novoselov, Double J/ψ -meson production at LHC and 4c-tetraquark state, *Phys. Rev. D* **84**, 094023, (2011). doi: 10.1103/PhysRevD.84.094023.

248. S. P. Baranov, A. M. Snigirev and N. P. Zotov, Double heavy meson production through double parton scattering in hadronic collisions, *Phys. Lett. B* **705**, 116–119, (2011). doi: 10.1016/j.physletb.2011.09.106.
249. S. P. Baranov, A. M. Snigirev, N. P. Zotov, A. Szczurek and W. Schäfer, Interparticle correlations in the production of J/ψ pairs in proton–proton collisions, *Phys. Rev. D* **87** (3), 034035, (2013). doi: 10.1103/PhysRevD.87.034035.
250. C.-F. Qiao, L.-P. Sun and P. Sun, Testing charmonium production mechanism via polarized J/ψ pair production at the LHC, *J. Phys. G* **37**, 075019, (2010). doi: 10.1088/0954-3899/37/7/075019.
251. L.-P. Sun, H. Han and K.-T. Chao, Impact of J/ψ pair production at the LHC and predictions in nonrelativistic QCD, *Phys. Rev. D* **94** (7), 074033, (2016). doi: 10.1103/PhysRevD.94.074033.
252. C. H. Kom, A. Kulesza and W. J. Stirling, Pair production of J/Ψ as a probe of double parton scattering at LHCb, *Phys. Rev. Lett.* **107**, 082002, (2011). doi: 10.1103/PhysRevLett.107.082002.
253. J.-P. Lansberg and H.-S. Shao, J/Ψ -pair production at large momenta: Indications for double parton scatterings and large α_s^5 contributions, *Phys. Lett. B* **751**, 479–486, (2015). doi: 10.1016/j.physletb.2015.10.083.
254. C. Borschensky and A. Kulesza, Double parton scattering in pair production of J/ψ mesons at the LHC revisited, *Phys. Rev. D* **95** (3), 034029, (2017). doi: 10.1103/PhysRevD.95.034029.
255. J.-P. Lansberg and H.-S. Shao, Production of $J/\psi + \eta_c$ versus $J/\psi + J/\psi$ at the LHC: importance of real α_s^5 corrections, *Phys. Rev. Lett.* **111**, 122001, (2013). doi: 10.1103/PhysRevLett.111.122001.
256. A. K. Likhoded, A. V. Luchinsky and S. V. Poslavsky, Production of $J/\psi + \chi_c$ and $J/\psi + J/\psi$ with real gluon emission at LHC, *Phys. Rev. D* **94**, 054017, (2016). doi: 10.1103/PhysRevD.94.054017.
257. H.-S. Shao, HELAC-ONIA: an automatic matrix element generator for heavy quarkonium physics, *Comput. Phys. Commun.* **184**, 2562–2570, (2013). doi: 10.1016/j.cpc.2013.05.023.
258. H.-S. Shao, HELAC-ONIA 2.0: an upgraded matrix-element and event generator for heavy quarkonium physics, *Comput. Phys. Commun.* **198**, 238–259, (2016). doi: 10.1016/j.cpc.2015.09.011.
259. R. Aaij *et al.*, Measurement of forward J/ψ production cross-sections in pp collisions at $\sqrt{s} = 13$ TeV, *J. High Energy Phys.* **10**, 172, (2015). doi: 10.1007/JHEP10(2015)172.
260. S. P. Baranov, Pair production of J/ψ mesons in the k_t -factorization approach, *Phys. Rev. D* **84**, 054012 (Sep, 2011). doi: 10.1103/PhysRevD.84.054012. URL <https://link.aps.org/doi/10.1103/PhysRevD.84.054012>.
261. V. Khachatryan *et al.*, Observation of $\Upsilon(1S)$ pair production in proton–proton collisions at $\sqrt{s} = 8$ TeV, *J. High Energy Phys.* **05**, 013, (2017). doi: 10.1007/JHEP05(2017)013.
262. A. Novoselov, Double parton scattering as a source of quarkonia pairs in LHCb, (2011). arXiv:1106.2184.
263. A. V. Berezhnoy, A. K. Likhoded and A. A. Novoselov, Υ -meson pair production at LHC, *Phys. Rev. D* **87** (5), 054023, (2013). doi: 10.1103/PhysRevD.87.054023.
264. S. Chatrchyan *et al.*, Measurement of associated $W +$ charm production in pp collisions at $\sqrt{s} = 7$ TeV, *J. High Energy Phys.* **02**, 013, (2014). doi: 10.1007/JHEP02(2014)013.

265. G. Aad *et al.*, Measurement of the production of a W boson in association with a charm quark in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector, *J. High Energy Phys.* **05**, 068, (2014). doi: 10.1007/JHEP05(2014)068.
266. R. Aaij *et al.*, Observation of associated production of a Z boson with a D meson in the forward region, *J. High Energy Phys.* **04**, 091, (2014). doi: 10.1007/JHEP04(2014)091.
267. R. Maciula and A. Szczurek, Can the triple-parton scattering be observed in open charm meson production at the LHC? *Phys. Lett. B* **772**, 849–853, (2017). doi: 10.1016/j.physletb.2017.07.061.
268. P. Bartalini *et al.*, Multi-parton interactions at the LHC. (2011). URL <https://inspirehep.net/record/944170/files/arXiv:1111.0469.pdf>.
269. A. Del Fabbro and D. Treleani, b anti-b b anti-b production in proton–nucleus collisions at the LHC. (2003). arXiv:hep-ph/0301175.
270. L. Frankfurt, M. Strikman and C. Weiss, 3D parton imaging of the nucleon in high-energy pp and pA collisions, *Ann. Phys.* **13**, 665–672, (2004). doi: 10.1002/andp.200410108.
271. E. Cattaruzza, A. Del Fabbro and D. Treleani, Heavy-quark production in proton–nucleus collision at the CERN LHC, *Phys. Rev. D* **70**, 034022, (2004). doi: 10.1103/PhysRevD.70.034022.
272. A. Del Fabbro and D. Treleani, $b\bar{b}b\bar{b}$ production in proton–proton and proton–nucleus collisions at the CERN LHC, *Eur. Phys. J. A* **19S1**, 229–237, (2004). doi: 10.1140/epjad/s2004-03-038-4.
273. E. Cattaruzza, A. Del Fabbro and D. Treleani, Heavy-quark production in proton–nucleus collisions at the LHC, *Int. J. Mod. Phys. A* **20**, 4462–4468, (2005). doi: 10.1142/S0217751X05028077.
274. D. Treleani and G. Calucci, Collisions of protons with light nuclei shed new light on nucleon structure, *Phys. Rev. D* **86**, 036003, (2012). doi: 10.1103/PhysRevD.86.036003.
275. D. d’Enterria and A. M. Snigirev, Same-sign WW production in proton–nucleus collisions at the LHC as a signal for double parton scattering, *Phys. Lett. B* **718**, 1395–1400, (2013). doi: 10.1016/j.physletb.2012.12.032.
276. D. d’Enterria and A. M. Snigirev, Pair production of quarkonia and electroweak bosons from double-parton scatterings in nuclear collisions at the LHC, *Nucl. Phys. A* **931**, 303–308, (2014). doi: 10.1016/j.nuclphysa.2014.09.089.
277. D. d’Enterria and A. M. Snigirev, Double-parton scattering cross sections in proton–nucleus and nucleus–nucleus collisions at the LHC, *Nucl. Phys. A* **932**, 296–301, (2014). doi: 10.1016/j.nuclphysa.2014.07.005.
278. D. d’Enterria and A. M. Snigirev, Triple-parton scatterings in proton–nucleus collisions at high energies, *Eur. Phys. J. C* **78** (5) 359 (2018). doi: 10.1140/epjc/s10052-018-5687-2.
279. D. d’Enterria and A. M. Snigirev, Enhanced J/Ψ -pair production from double parton scatterings in nucleus–nucleus collisions at the large hadron collider, *Phys. Lett. B* **727**, 157–162, (2013). doi: 10.1016/j.physletb.2013.10.004.
280. T. Sjöstrand, The development of MPI modelling in Pythia, arXiv:1706.02166. (2017).
281. D. d’Enterria, G. K. Eyyubova, V. L. Korotkikh, I. P. Lokhtin, S. V. Petrushanko, L. I. Sarycheva and A. M. Snigirev, Estimates of hadron azimuthal anisotropy from multiparton interactions in proton–proton collisions at $\sqrt{s} = 14$ TeV, *Eur. Phys. J. C* **66**, 173–185, (2010). doi: 10.1140/epjc/s10052-009-1232-7.

282. V. Khachatryan *et al.*, Observation of long-range near-side angular correlations in proton–proton collisions at the LHC, *J. High Energy Phys.* **09**, 091, (2010). doi: 10.1007/JHEP09(2010)091.
283. G. Aad *et al.*, Observation of long-range elliptic azimuthal anisotropies in $\sqrt{s} = 13$ and 2.76 TeV pp collisions with the ATLAS detector, *Phys. Rev. Lett.* **116** (17), 172301, (2016). doi: 10.1103/PhysRevLett.116.172301.
284. F. Abe *et al.*, Measurement of double parton scattering in $\bar{p}p$ collisions at $\sqrt{s} = 1.8$ TeV, *Phys. Rev. Lett.* **79**, 584–589, (1997). doi: 10.1103/PhysRevLett.79.584.
285. M. L. Mangano *et al.*, Physics at a 100 TeV pp collider: standard model processes, *CERN Yellow Report.* (3), 1–254, (2017). doi: 10.23731/CYRM-2017-003.1.
286. A. Dainese *et al.*, Heavy ions at the future circular collider, *CERN Yellow Report.* (3), 635–692, (2017). doi: 10.23731/CYRM-2017-003.635.
287. J. C. Collins, D. E. Soper and G. F. Sterman, Factorization of hard processes in QCD, *Adv. Ser. Direct. High Energy Phys.* **5**, 1–91, (1989). doi: 10.1142/9789814503266_0001.
288. A. M. Snigirev, Triple parton scattering in collinear approximation of perturbative QCD, *Phys. Rev. D* **94** (3), 034026, (2016). doi: 10.1103/PhysRevD.94.034026.
289. A. V. Berezhnoy, A. K. Likhoded, A. V. Luchinsky and A. A. Novoselov, Double $c\bar{c}$ production at LHCb, *Phys. Rev. D* **86**, 034017, (2012). doi: 10.1103/PhysRevD.86.034017.
290. E. R. Cazaroto, V. P. Goncalves and F. S. Navarra, Heavy quark production and gluon saturation in double parton scattering at the LHC, *Phys. Rev. D* **88** (3), 034005, (2013). doi: 10.1103/PhysRevD.88.034005.
291. D. d’Enterria. Proceeds. Moriond-QCD (2017), to be submitted.
292. M. Czakon, P. Fiedler and A. Mitov, Total top-quark pair-production cross-section at hadron colliders through $O(\alpha_s^4)$, *Phys. Rev. Lett.* **110**, 252004, (2013). doi: 10.1103/PhysRevLett.110.252004.
293. S. Alekhin, J. Bluemlein, S.-O. Moch and R. Placakyte, The new ABMP16 PDF, *PoS DIS2016*, 016, (2016).
294. M. Cacciari, S. Frixione, N. Houdeau, M. L. Mangano, P. Nason and G. Ridolfi, Theoretical predictions for charm and bottom production at the LHC, *J. High Energy Phys.* **10**, 137, (2012). doi: 10.1007/JHEP10(2012)137.
295. M. L. Mangano, P. Nason and G. Ridolfi, Heavy quark correlations in hadron collisions at next-to-leading order, *Nucl. Phys. B* **373**, 295–345, (1992). doi: 10.1016/0550-3213(92)90435-E.
296. D. d’Enterria and T. Pierog, Global properties of proton–proton collisions at $\sqrt{s} = 100$ TeV, *J. High Energy Phys.* **08**, 170, (2016). doi: 10.1007/JHEP08(2016)170.
297. N. Armesto, Nuclear shadowing, *J. Phys. G* **32**, R367–R394, (2006). doi: 10.1088/0954-3899/32/11/R01.
298. D. G. d’Enterria, Hard scattering cross-sections at LHC in the Glauber approach: From pp to pA and AA collisions, (2003). arXiv:nucl-ex/0302016.
299. C. W. deJager, H. deVries and C. deVries, Atomic data and nuclear data tables. **14**, 485, (1974).
300. <http://mcfm.fnal.gov>.
301. J. M. Campbell, R. K. Ellis and C. Williams, Vector boson pair production at the LHC, *J. High Energy Phys.* **07**, 018, (2011). doi: 10.1007/JHEP07(2011)018.
302. H.-L. Lai *et al.*, New parton distributions for collider physics, *Phys. Rev. D* **82**, 074024, (2010). doi: 10.1103/PhysRevD.82.074024.

303. K. J. Eskola, H. Paukkunen and C. A. Salgado, EPS09: a new generation of NLO and LO nuclear parton distribution functions, *J. High Energy Phys.* **04**, 065, (2009). doi: 10.1088/1126-6708/2009/04/065.
304. <http://www-itp.particle.uni-karlsruhe.de/vbfnlo>.
305. K. Arnold *et al.*, Release Note — Vbfnlo-2.6.0. (2012). arXiv:1207.4975.
306. H. Paukkunen and C. A. Salgado, Constraints for the nuclear parton distributions from Z and W production at the LHC, *J. High Energy Phys.* **03**, 071, (2011). doi: 10.1007/JHEP03(2011)071.
307. T. Melia, K. Melnikov, R. Rontsch and G. Zanderighi, Next-to-leading order QCD predictions for W^+W^+jj production at the LHC, *J. High Energy Phys.* **12**, 053, (2010). doi: 10.1007/JHEP12(2010)053.
308. R. Vogt, R. E. Nelson and A. D. Frawley, Improving the J/ψ production baseline at RHIC and the LHC, *Nucl. Phys. A* **910–911**, 231–234, (2013). doi: 10.1016/j.nuclphysa.2012.12.106.
309. J. Adam *et al.*, D-meson production in p–Pb collisions at $\sqrt{s_{NN}}=5.02$ TeV and in pp collisions at $\sqrt{s}=7$ TeV, *Phys. Rev. C* **94** (5), 054908, (2016). doi: 10.1103/PhysRevC.94.054908.
310. K. Greisen, End to the cosmic ray spectrum? *Phys. Rev. Lett.* **16**, 748–750, (1966). doi: 10.1103/PhysRevLett.16.748.
311. G. T. Zatsepin and V. A. Kuzmin, Upper limit of the spectrum of cosmic rays, *JETP Lett.* **4**, 78–80, (1966). [*Pisma Zh. Eksp. Teor. Fiz.* **4**, 114, (1966)].
312. D. d’Enterria, R. Engel, T. Pierog, S. Ostapchenko and K. Werner, Constraints from the first LHC data on hadronic event generators for ultra-high energy cosmic-ray physics, *Astropart. Phys.* **35**, 98–113, (2011). doi: 10.1016/j.astropartphys.2011.05.002.
313. I. P. Lokhtin and A. M. Snigirev, Nuclear geometry of jet quenching, *Eur. Phys. J. C* **16**, 527–536, (2000). doi: 10.1007/s100520000437.
314. T. Matsui and H. Satz, J/ψ Suppression by quark–gluon plasma formation, *Phys. Lett. B* **178**, 416–422, (1986). doi: 10.1016/0370-2693(86)91404-8.
315. J. P. Lansberg, A. Rakotozafindrabe, P. Artoisenet, D. Blaschke, J. Cugnon, D. d’Enterria, A. C. Kraan, F. Maltoni, D. Prorok and H. Satz, Perspectives on heavy-quarkonium production at the LHC, *AIP Conf. Proc.* **1038**, 15–44, (2008). doi: 10.1063/1.2987169.
316. D. Acosta *et al.*, Measurement of the J/ψ meson and b -hadron production cross sections in $p\bar{p}$ collisions at $\sqrt{s}=1960$ GeV, *Phys. Rev. D* **71**, 032001, (2005). doi: 10.1103/PhysRevD.71.032001.
317. B. Abelev *et al.*, Inclusive J/ψ production in pp collisions at $\sqrt{s}=2.76$ TeV, *Phys. Lett. B* **718**, 295–306, (2012). doi: 10.1016/j.physletb.2012.10.078, 10.1016/j.physletb.2015.06.058. [Erratum: *Phys. Lett. B* **748**, 472, (2015)].
318. R. Aaij *et al.*, Measurement of J/ψ production in pp collisions at $\sqrt{s}=2.76$ TeV, *J. High Energy Phys.* **02**, 041, (2013). doi: 10.1007/JHEP02(2013)041.
319. B. Abelev *et al.*, Measurement of prompt J/ψ and beauty hadron production cross sections at mid-rapidity in pp collisions at $\sqrt{s}=7$ TeV, *J. High Energy Phys.* **11**, 065, (2012). doi: 10.1007/JHEP11(2012)065.
320. V. Khachatryan *et al.*, Prompt and non-prompt J/ψ production in pp collisions at $\sqrt{s}=7$ TeV, *Eur. Phys. J. C* **71**, 1575, (2011). doi: 10.1140/epjc/s10052-011-1575-8.
321. A. Andronic, P. Braun-Munzinger, K. Redlich and J. Stachel, Heavy quark(onium) at LHC: the statistical hadronization case, *J. Phys. G* **37**, 094014, (2010). doi: 10.1088/0954-3899/37/9/094014.

322. H. U. Bengtsson, The Lund Monte Carlo for high p_T physics, *Comput. Phys. Commun.* **31**, 323, (1984). doi: 10.1016/0010-4655(84)90018-3.
323. B. Andersson, G. Gustafson, G. Ingelman and T. Sjöstrand, Parton fragmentation and string dynamics, *Phys. Rept.* **97**, 31–145, (1983). doi: 10.1016/0370-1573(83)90080-7.
324. B. Andersson, G. Gustafson and T. Sjöstrand, How to find the gluon jets in $e^+ e^-$ Annihilation, *Phys. Lett. B* **94**, 211–215, (1980). doi: 10.1016/0370-2693(80)90861-8.
325. W. Bartel *et al.*, Experimental study of jets in Electron — positron annihilation, *Phys. Lett. B* **101**, 129–134, (1981). doi: 10.1016/0370-2693(81)90505-0.
326. T. Sjöstrand, The Lund Monte Carlo for jet fragmentation, *Comput. Phys. Commun.* **27**, 243, (1982). doi: 10.1016/0010-4655(82)90175-8.
327. T. Sjöstrand, A model for initial state parton showers, *Phys. Lett. B* **157**, 321–325, (1985). doi: 10.1016/0370-2693(85)90674-4.
328. T. Sjöstrand. *Multiple Parton-Parton Interactions in Hadronic Events*. Oregon Workshop on Super High Energy Physics, FERMILAB-PUB-85-119-T, (1985).
329. G. J. Alner *et al.*, Scaling violation favoring high multiplicity events at 540-GeV CMS energy, *Phys. Lett. B* **138**, 304–310, (1984). doi: 10.1016/0370-2693(84)91666-6.
330. R. E. Ansorge *et al.*, Charged particle multiplicity distributions at 200-GeV and 900-GeV center-of-mass energy, *Z. Phys. C* **43**, 357, (1989). doi: 10.1007/BF01506531.
331. Z. Koba, H. B. Nielsen and P. Olesen, Scaling of multiplicity distributions in high-energy hadron collisions, *Nucl. Phys. B* **40**, 317–334, (1972). doi: 10.1016/0550-3213(72)90551-2.
332. R. E. Ansorge *et al.*, Charged particle correlations in $\bar{p}p$ collisions at c.m. energies of 200-GeV, 546-GeV and 900-GeV, *Z. Phys. C* **37**, 191–213, (1988). doi: 10.1007/BF01579906.
333. G. Arnison *et al.*, Transverse momentum spectra for charged particles at the CERN proton–anti-proton collider, *Phys. Lett. B* **118**, 167–172, (1982). doi: 10.1016/0370-2693(82)90623-2.
334. C. Albajar *et al.*, A study of the general characteristics of $p\bar{p}$ collisions at $\sqrt{s} = 0.2\text{-TeV}$ to 0.9-TeV , *Nucl. Phys. B* **335**, 261–287, (1990). doi: 10.1016/0550-3213(90)90493-W.
335. A. Breakstone *et al.*, Multiplicity dependence of transverse momentum spectra at ISR energies, *Phys. Lett. B* **132**, 463–466, (1983). doi: 10.1016/0370-2693(83)90348-9.
336. F. Ceradini, Study of minimum bias trigger events at $s^{**}(1/2) = 0.2\text{-TeV}$ to 0.9-TeV with magnetic and calorimetric analysis at the CERN proton–anti-proton collider, *Conf. Proc. C* **850718**, 363, (1985).
337. C. Albajar *et al.*, Production of low transverse energy clusters in anti-p p collisions at $s^{**}(1/2) = 0.2\text{-TeV}$ to 0.9-TeV and their interpretation in terms of QCD jets, *Nucl. Phys. B* **309**, 405–425, (1988). doi: 10.1016/0550-3213(88)90450-6.
338. G. Arnison *et al.*, Hadronic jet production at the CERN proton–anti-proton collider, *Phys. Lett. B* **132**, 214, (1983). doi: 10.1016/0370-2693(83)90254-X.
339. P. V. Landshoff and J. C. Polkinghorne, Calorimeter triggers for hard collisions, *Phys. Rev. D* **18**, 3344, (1978). doi: 10.1103/PhysRevD.18.3344.
340. N. Paver and D. Treleani, Multiple parton interactions and multi-jet events at collider and Tevatron energies, *Phys. Lett. B* **146**, 252–256, (1984). doi: 10.1016/0370-2693(84)91029-3.
341. B. Humpert and R. Oderico, Multiparton scattering and QCD radiation as sources of four jet events, *Phys. Lett. B* **154**, 211, (1985). doi: 10.1016/0370-2693(85)90587-8.
342. V. N. Gribov, A reggeon diagram technique, *Sov. Phys. JETP* **26**, 414–422, (1968). [*Zh. Eksp. Teor. Fiz.* **53**, 654, (1967)].

343. G. Veneziano, Regge intercepts and unitarity in planar dual models, *Nucl. Phys. B* **74**, 365–377, (1974). doi: 10.1016/0550-3213(74)90203-X.
344. G. F. Chew and C. Rosenzweig, Dual topological unitarization: an ordered approach to hadron theory, *Phys. Rept.* **41**, 263–327, (1978). doi: 10.1016/0370-1573(78)90194-1.
345. A. Capella, U. Sukhatme, C.-I. Tan and J. Tran Thanh Van, Jets in small $p(T)$ hadronic collisions, universality of quark fragmentation and rising rapidity plateaus, *Phys. Lett. B* **81**, 68–74, (1979). doi: 10.1016/0370-2693(79)90718-4.
346. H. Minakata, Universal quark — jet fragmentation in soft hadronic reactions, *Phys. Rev. D* **20**, 1656, (1979). doi: 10.1103/PhysRevD.20.1656.
347. G. Cohen-Tannoudji, A. El Hassouni, J. Kalinowski, O. Napoly and R. B. Peschanski, Partons at low $P(T)$, *Phys. Rev. D* **21**, 2699, (1980). doi: 10.1103/PhysRevD.21.2699.
348. K. Fialkowski and A. Kotanski, Hadron multiplicity distributions in a dual model, *Phys. Lett. B* **107**, 132, (1981). doi: 10.1016/0370-2693(81)91165-5.
349. P. Aurenche and F. W. Bopp, Rapidity spectra in proton–proton and proton–anti-proton scattering up to 540-GeV in a dual parton model, *Phys. Lett. B* **114**, 363–368, (1982). doi: 10.1016/0370-2693(82)90363-X.
350. A. Capella and J. Tran Thanh Van, Multiplicity distributions up to $\sqrt{s} = 540$ -GeV in the dual parton model, *Phys. Lett. B* **114**, 450–456, (1982). doi: 10.1016/0370-2693(82)90090-9.
351. A. B. Kaidalov, The quark–gluon structure of the pomeron and the rise of inclusive spectra at high-energies, *Phys. Lett. B* **116**, 459–463, (1982). doi: 10.1016/0370-2693(82)90168-X.
352. A. B. Kaidalov and K. A. Ter-Martirosian, Pomeron as quark–gluon strings and multiple hadron production at SPS collider energies, *Phys. Lett. B* **117**, 247–251, (1982). doi: 10.1016/0370-2693(82)90556-1.
353. T. K. Gaisser and F. Halzen, Soft hard scattering in the TeV range, *Phys. Rev. Lett.* **54**, 1754, (1985). doi: 10.1103/PhysRevLett.54.1754.
354. G. Pancheri and Y. Srivastava, Jets in minimum bias physics, *Conf. Proc. C* **850313**, 28, (1985). doi: 10.1016/0370-2693(85)90121-2. [*Phys. Lett. B* **159**, 69 (1985)].
355. A. D. Martin and C. J. Maxwell, Isolation of hard scattering effects in minimum bias data, *Phys. Lett. B* **172**, 248, (1986). doi: 10.1016/0370-2693(86)90844-0.
356. F. E. Paige and S. D. Protopopescu, Isajet 5.02: a monte carlo event generator for pp and anti-pp interactions, *Conf. Proc. C* **850809**, 41, (1985).
357. R. Odorico, Cojets: a Monte Carlo program simulating QCD in hadronic production of jets and heavy flavors with inclusion of initial QCD bremsstrahlung, *Comput. Phys. Commun.* **32**, 139, (1984). doi: 10.1016/0010-4655(84)90067-5.
358. R. D. Field, High-energy multi-jets at the CERN $\bar{p}p$ collider and the SSC, *Nucl. Phys. B* **264**, 687–720, (1986). doi: 10.1016/0550-3213(86)90504-3.
359. P. Aurenche, F. W. Bopp and J. Ranft, Particle production in hadron hadron collisions at collider energies in an exclusive multistring fragmentation model, *Z. Phys. C* **23**, 67–76, (1984). doi: 10.1007/BF01558042.
360. G. J. Alner *et al.*, The UA5 high-energy $\bar{p}p$ simulation program, *Nucl. Phys. B* **291**, 445–502, (1987). doi: 10.1016/0550-3213(87)90481-0.
361. R. D. Ball, V. Bertone, S. Carrazza, L. Del Debbio, S. Forte, A. Guffanti, N. P. Hartland and J. Rojo, Parton distributions with QED corrections, *Nucl. Phys. B* **877**, 290–320, (2013). doi: 10.1016/j.nuclphysb.2013.10.010.
362. V. V. Sudakov, Vertex parts at very high-energies in quantum electrodynamics, *Sov. Phys. JETP* **3**, 65–71, (1956). [*Zh. Eksp. Teor. Fiz.* **30**, 87, (1956)].

363. A. Buckley *et al.*, General-purpose event generators for LHC physics, *Phys. Rept.* **504**, 145–233, (2011). doi: 10.1016/j.physrep.2011.03.005.
364. R. K. Ellis and J. C. Sexton, QCD radiative corrections to parton–parton scattering, *Nucl. Phys. B* **269**, 445–484, (1986). doi: 10.1016/0550-3213(86)90232-4.
365. T. Sjöstrand and P. Z. Skands, Multiple interactions and the structure of beam remnants, *J. High Energy Phys.* **03**, 053, (2004).
366. A. H. Mueller and J.-w. Qiu, Gluon recombination and shadowing at small values of x , *Nucl. Phys. B* **268**, 427–452, (1986). doi: 10.1016/0550-3213(86)90164-1.
367. R. J. Glauber. High-energy collision theory. In eds. W. E. Brittin and L. G. Dunham, *Lectures in Theoretical Physics*, Vol. I, pp. 315–414. Interscience, New York, (1959).
368. T. T. Chou and C.-N. Yang, Model of elastic high-energy scattering, *Phys. Rev.* **170**, 1591–1596, (1968). doi: 10.1103/PhysRev.170.1591.
369. C. Bourrely, J. Soffer and T. T. Wu, Impact picture expectations for very high-energy elastic pp and $p\bar{p}$ scattering, *Nucl. Phys. B* **247**, 15–28, (1984). doi: 10.1016/0550-3213(84)90369-9.
370. P. L’Heureux, B. Margolis and P. Valin, Quark–gluon model for diffraction at high-energies, *Phys. Rev. D* **32**, 1681–1691, (1985). doi: 10.1103/PhysRevD.32.1681.
371. G. ’t Hooft, A planar diagram theory for strong interactions, *Nucl. Phys. B* **72**, 461, (1974). doi: 10.1016/0550-3213(74)90154-0.
372. B. Andersson, G. Gustafson and B. Söderberg, A probability measure on parton and string states, *Nucl. Phys. B* **264**, 29, (1986). doi: 10.1016/0550-3213(86)90471-2.
373. H. Fritzsch, Producing heavy quark flavors in hadronic collisions: a test of quantum chromodynamics, *Phys. Lett. B* **67**, 217–221, (1977). doi: 10.1016/0370-2693(77)90108-3.
374. A. Ali, J. G. Körner, G. Kramer and J. Willrodt, Nonleptonic weak decays of bottom mesons, *Z. Phys. C* **1**, 269, (1979). doi: 10.1007/BF01440227.
375. H. Fritzsch, How to discover the B mesons, *Phys. Lett. B* **86**, 343–346, (1979). doi: 10.1016/0370-2693(79)90853-0.
376. T. Alexopoulos *et al.*, The role of double parton collisions in soft hadron interactions, *Phys. Lett. B* **435**, 453–457, (1998). doi: 10.1016/S0370-2693(98)00921-6.
377. T. Alexopoulos *et al.*, Charged particle multiplicity correlations in $p\bar{p}$ collisions at $\sqrt{s} = 0.3$ -TeV to 1.8-TeV, *Phys. Lett. B* **353**, 155–160, (1995). doi: 10.1016/0370-2693(95)00554-X.
378. T. Alexopoulos *et al.*, Multiplicity dependence of transverse momentum spectra of centrally produced hadrons in anti-pp collisions at 0.3-TeV, 0.54-TeV, 0.9-TeV and 1.8-TeV center-of-mass energy, *Phys. Lett. B* **336**, 599–604, (1994). doi: 10.1016/0370-2693(94)90578-9.
379. D. Acosta *et al.*, Soft and hard interactions in $p\bar{p}$ collisions at $\sqrt{s} = 1800$ -GeV and 630-GeV, *Phys. Rev. D* **65**, 072005, (2002). doi: 10.1103/PhysRevD.65.072005.
380. R. D. Field, The underlying event in hard scattering processes, *eConf. C* **010630**, P501, (2001).
381. D. Acosta *et al.*, The underlying event in hard interactions at the Tevatron $p\bar{p}$ collider, *Phys. Rev. D* **70**, 072002, (2004). doi: 10.1103/PhysRevD.70.072002.
382. D. Kar. *Using Drell–Yan to probe the underlying event in Run II at Collider Detector at Fermilab (CDF)*. PhD thesis, Florida University, (2008). URL http://lss.fnal.gov/cgi-bin/find_paper.pl?thesis-2008-54.
383. R. Field and R. C. Group, Pythia tune A, Herwig and Jimmy in Run 2 at CDF, (2005). arXiv:hep-ph/0510198.

384. R. D. Field, Studying the underlying event at CDF, *Conf. Proc.* **C060726**, 581–584, (2006).
385. G. A. Schuler and T. Sjöstrand, Hadronic diffractive cross-sections and the rise of the total cross-section, *Phys. Rev. D* **49**, 2257–2267, (1994). doi: 10.1103/PhysRevD.49.2257.
386. J. Dischler and T. Sjöstrand, A Toy model of color screening in the proton, *Eur. Phys. J. direct.* **3** (1), 2, (2001). doi: 10.1007/s1010501c0002.
387. M. Glück, E. Reya and A. Vogt, Dynamical parton distributions of the proton and small x physics, *Z. Phys. C* **67**, 433–448, (1995). doi: 10.1007/BF01624586.
388. G. A. Schuler and T. Sjöstrand, Towards a complete description of high-energy photoproduction, *Nucl. Phys. B* **407**, 539–605, (1993). doi: 10.1016/0550-3213(93)90091-3.
389. G. A. Schuler and T. Sjöstrand, A scenario for high-energy gamma gamma interactions, *Z. Phys. C* **73**, 677–688, (1997). doi: 10.1007/s002880050359.
390. M. Ciafaloni, Coherence effects in initial jets at small Q^2/s , *Nucl. Phys. B* **296**, 49–74, (1988). doi: 10.1016/0550-3213(88)90380-X.
391. S. Catani, F. Fiorani and G. Marchesini, Small x behavior of initial state radiation in perturbative QCD, *Nucl. Phys. B* **336**, 18–85, (1990). doi: 10.1016/0550-3213(90)90342-B.
392. V. N. Gribov and L. N. Lipatov, Deep inelastic $e p$ scattering in perturbation theory, *Sov. J. Nucl. Phys.* **15**, 438–450, (1972). [*Yad. Fiz.* **15**, 781, (1972)].
393. G. Altarelli and G. Parisi, Asymptotic freedom in parton language, *Nucl. Phys. B* **126**, 298–318, (1977). doi: 10.1016/0550-3213(77)90384-4.
394. Y. L. Dokshitzer, Calculation of the structure functions for deep inelastic scattering and $e^+ e^-$ annihilation by perturbation theory in quantum chromodynamics, *Sov. Phys. JETP* **46**, 641–653, (1977). [*Zh. Eksp. Teor. Fiz.* **73**, 1216, (1977)].
395. B. Andersson, G. Gustafson and J. Samuelsson, The linked dipole chain model for DIS, *Nucl. Phys. B* **467**, 443–478, (1996). doi: 10.1016/0550-3213(96)00114-9.
396. G. Marchesini and B. R. Webber, Monte Carlo simulation of general hard processes with coherent QCD radiation, *Nucl. Phys. B* **310**, 461–526, (1988). doi: 10.1016/0550-3213(88)90089-2.
397. I. Borozan and M. H. Seymour, An eikonal model for multiparticle production in hadron hadron interactions, *J. High Energy Phys.* **09**, 015, (2002). doi: 10.1088/1126-6708/2002/09/015.
398. J. Bellm *et al.*, Herwig 7.0/Herwig++ 3.0 release note, *Eur. Phys. J. C* **76** (4), 196, (2016). doi: 10.1140/epjc/s10052-016-4018-8.
399. S. Gieseke, F. Loshaj and P. Kirchgaesser, Soft and diffractive scattering with the cluster model in Herwig, *Eur. Phys. J. C* **77** (3), 156, (2017). doi: 10.1140/epjc/s10052-017-4727-7.
400. A. D. Martin, H. Hoeth, V. A. Khoze, F. Krauss, M. G. Ryskin and K. Zapp, Diffractive physics, *PoS QNP2012*, 017, (2012).
401. P. Aurenche, F. W. Bopp, A. Capella, J. Kwiecinski, M. Maire, J. Ranft and J. Tran Thanh Van, Multiparticle production in a two component dual parton model, *Phys. Rev. D* **45**, 92–105, (1992). doi: 10.1103/PhysRevD.45.92.
402. P. Aurenche *et al.*, DTUJET-93: Sampling inelastic proton–proton and anti-proton–proton collisions according to the two component dual parton model, *Comput. Phys. Commun.* **83**, 107–123, (1994). doi: 10.1016/0010-4655(94)90037-X.
403. R. Engel, Photoproduction within the two component dual parton model: amplitudes and cross-sections, *Z. Phys. C* **66**, 203–214, (1995). doi: 10.1007/BF01496594.

404. R. Engel and J. Ranft, Hadronic photon–photon interactions at high-energies, *Phys. Rev. D* **54**, 4244–4262, (1996). doi: 10.1103/PhysRevD.54.4244.
405. F. W. Bopp, J. Ranft, R. Engel and S. Roesler, Antiparticle to particle production ratios in hadron–hadron and d-Au collisions in the DPMJET-III Monte Carlo, *Phys. Rev. C* **77**, 014904, (2008). doi: 10.1103/PhysRevC.77.014904.
406. R. S. Fletcher, T. K. Gaisser, P. Lipari and T. Stanev, SIBYLL: an event generator for simulation of high-energy cosmic ray cascades, *Phys. Rev. D* **50**, 5710–5731, (1994). doi: 10.1103/PhysRevD.50.5710.
407. E.-J. Ahn, R. Engel, T. K. Gaisser, P. Lipari and T. Stanev, Cosmic ray interaction event generator SIBYLL 2.1, *Phys. Rev. D* **80**, 094003, (2009). doi: 10.1103/PhysRevD.80.094003.
408. K. Werner, F.-M. Liu and T. Pierog, Parton ladder splitting and the rapidity dependence of transverse momentum spectra in deuteron gold collisions at RHIC, *Phys. Rev. C* **74**, 044902, (2006). doi: 10.1103/PhysRevC.74.044902.
409. T. Pierog, I. Karpenko, J. M. Katzy, E. Yatsenko and K. Werner, EPOS LHC: test of collective hadronization with data measured at the CERN Large Hadron Collider, *Phys. Rev. C* **92** (3), 034906, (2015). doi: 10.1103/PhysRevC.92.034906.
410. S. Ostapchenko, Nonlinear screening effects in high energy hadronic interactions, *Phys. Rev. D* **74** (1), 014026, (2006). doi: 10.1103/PhysRevD.74.014026.
411. S. Ostapchenko, Monte Carlo treatment of hadronic interactions in enhanced Pomeron scheme: I. QGSJET-II model, *Phys. Rev. D* **83**, 014018, (2011). doi: 10.1103/PhysRevD.83.014018.
412. T. Sjöstrand and P. Z. Skands, Baryon number violation and string topologies, *Nucl. Phys. B* **659**, 243, (2003). doi: 10.1016/S0550-3213(03)00193-7.
413. R. Corke and T. Sjöstrand, Multiparton interactions and rescattering, *J. High Energy Phys.* **01**, 035, (2010). doi: 10.1007/JHEP01(2010)035.
414. K. Konishi, A. Ukawa and G. Veneziano, Jet calculus: a simple algorithm for resolving QCD jets, *Nucl. Phys. B* **157**, 45–107, (1979). doi: 10.1016/0550-3213(79)90053-1.
415. J. W. Cronin *et al.*, Production of hadrons with large transverse momentum at 200-GeV, 300-GeV and 400-GeV, *Phys. Rev. D* **11**, 3105, (1975). doi: 10.1103/PhysRevD.11.3105.
416. E. Avsar, G. Gustafson and L. Lönnblad, Small- x dipole evolution beyond the large- $N(c)$ limit, *J. High Energy Phys.* **01**, 012, (2007). doi: 10.1088/1126-6708/2007/01/012.
417. C. Bierlich, G. Gustafson, L. Lönnblad and A. Tarasov, Effects of overlapping strings in pp collisions, *J. High Energy Phys.* **03**, 148, (2015). doi: 10.1007/JHEP03(2015)148.
418. G. Ingelman and P. E. Schlein, Jet structure in high mass diffractive scattering, *Phys. Lett. B* **152**, 256–260, (1985). doi: 10.1016/0370-2693(85)91181-5.
419. R. Bonino *et al.*, Evidence for transverse jets in high mass diffraction, *Phys. Lett. B* **211**, 239, (1988). doi: 10.1016/0370-2693(88)90840-4.
420. P. Bruni and G. Ingelman, Diffractive W and Z production at p anti-p colliders and the pomeron parton content, *Phys. Lett. B* **311**, 317–323, (1993). doi: 10.1016/0370-2693(93)90576-4.
421. S. Navin, Diffraction in Pythia, (2010). arXiv:1005.3894.
422. R. Ciesielski and K. Goulianos, MBR Monte Carlo simulation in PYTHIA8, *PoS ICHEP2012*, 301, (2013).
423. Y. L. Dokshitzer, V. A. Khoze and T. Sjöstrand, Rapidity gaps in Higgs production, *Phys. Lett. B* **274**, 116–121, (1992). doi: 10.1016/0370-2693(92)90312-R.

424. J. D. Bjorken, Rapidity gaps and jets as a new physics signature in very high-energy hadron hadron collisions, *Phys. Rev. D* **47**, 101–113, (1993). doi: 10.1103/PhysRevD.47.101.
425. T. Affolder *et al.*, Diffractive dijets with a leading antiproton in $\bar{p}p$ collisions at $\sqrt{s} = 1800$ GeV, *Phys. Rev. Lett.* **84**, 5043–5048, (2000). doi: 10.1103/PhysRevLett.84.5043.
426. C. O. Rasmussen and T. Sjöstrand, Hard diffraction with dynamic gap survival, *J. High Energy Phys.* **02**, 142, (2016). doi: 10.1007/JHEP02(2016)142.
427. J. R. Christiansen and T. Sjöstrand, Color reconnection at future e^+e^- colliders, *Eur. Phys. J. C* **75** (9), 441, (2015). doi: 10.1140/epjc/s10052-015-3674-4.
428. T. Sjöstrand. Colour reconections from LEP to future colliders. In *Proceedings, Par-ton Radiation and Fragmentation from LHC to FCC-ee: CERN, Geneva, Switzerland, November 22-23, 2016*, pp. 144–148, (2017). URL http://inspirehep.net/record/1513009/files/1512294_144-148.pdf.
429. T. Sjöstrand and V. A. Khoze, On color rearrangement in hadronic W^+W^- events, *Z. Phys. C* **62**, 281–310, (1994). doi: 10.1007/BF01560244.
430. S. Schael *et al.*, Electroweak measurements in electron–positron collisions at W-Boson–pair energies at LEP, *Phys.Rept.* **532**, 119–244, (2013). doi: 10.1016/j.physrep.2013.07.004.
431. J. R. Christiansen and P. Z. Skands, String formation beyond leading colour, *J. High Energy Phys.* **08**, 003, (2015). doi: 10.1007/JHEP08(2015)003.
432. P. Skands and D. Wicke, Non-perturbative QCD effects and the top mass at the Tevatron, *Eur. Phys. J. C* **52**, 133–140, (2007). doi: 10.1140/epjc/s10052-007-0352-1.
433. S. Argyropoulos and T. Sjöstrand, Effects of color reconnection on $t\bar{t}$ final states at the LHC, *J. High Energy Phys.* **1411**, 043, (2014). doi: 10.1007/JHEP11(2014)043.
434. P. Z. Skands, Tuning Monte Carlo generators: the Perugia tunes, *Phys. Rev. D* **82**, 074018, (2010). doi: 10.1103/PhysRevD.82.074018.
435. H. Schulz and P. Z. Skands, Energy scaling of minimum-bias tunes, *Eur. Phys. J. C* **71**, 1644, (2011). doi: 10.1140/epjc/s10052-011-1644-z.
436. P. Skands, S. Carrazza and J. Rojo, Tuning Pythia 8.1: the Monash 2013 tune, *Eur. Phys. J. C* **74** (8), 3024, (2014). doi: 10.1140/epjc/s10052-014-3024-y.
437. C. M. Buttar, D. Clements, I. Dawson and A. Moraes, Simulations of minimum bias events and the underlying event, MC tuning and predictions for the LHC, *Acta Phys. Polon. B* **35**, 433–441, (2004).
438. G. Aad *et al.*, Measurement of the Z/γ^* boson transverse momentum distribution in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector, *J. High Energy Phys.* **09**, 145, (2014). doi: 10.1007/JHEP09(2014)145.
439. A. Buckley, H. Hoeth, H. Lacker, H. Schulz and J. E. von Seggern, Systematic event generator tuning for the LHC, *Eur. Phys. J. C* **65**, 331–357, (2010). doi: 10.1140/epjc/s10052-009-1196-7.
440. A. Buckley, J. Butterworth, L. Lönnblad, D. Grellscheid, H. Hoeth, J. Monk, H. Schulz and F. Siegert, Rivet user manual, *Comput. Phys. Commun.* **184**, 2803–2819, (2013). doi: 10.1016/j.cpc.2013.05.021.
441. A. Karneyeu, L. Mijovic, S. Prestel and P. Z. Skands, MCPLOTS: a particle physics resource based on volunteer computing, *Eur. Phys. J. C* **74**, 2714, (2014). doi: 10.1140/epjc/s10052-014-2714-9.
442. N. Fischer and T. Sjöstrand, Thermodynamical string fragmentation, *J. High Energy Phys.* **01**, 140, (2017). doi: 10.1007/JHEP01(2017)140.
443. J. Adam *et al.*, Enhanced production of multi-strange hadrons in high-multiplicity proton–proton collisions, *Nature Phys.* **13**, 535–539, (2017). doi: 10.1038/nphys4111.

444. B. B. Abelev *et al.*, Production of $\Sigma(1385)^\pm$ and $\Xi(1530)^0$ in proton–proton collisions at $\sqrt{s} = 7$ TeV, *Eur. Phys. J. C* **75** (1), 1, (2015). doi: 10.1140/epjc/s10052-014-3191-x.
445. B. I. Abelev *et al.*, Strange particle production in p+p collisions at $\sqrt{s} = 200$ GeV, *Phys. Rev. C* **75**, 064901, (2007). doi: 10.1103/PhysRevC.75.064901.
446. G. Aad *et al.*, Charged-particle multiplicities in pp interactions measured with the ATLAS detector at the LHC, *New J. Phys.* **13**, 053033, (2011). doi: 10.1088/1367-2630/13/5/053033.
447. S. Chatrchyan *et al.*, Charged particle transverse momentum spectra in *pp* collisions at $\sqrt{s} = 0.9$ and 7 TeV, *J. High Energy Phys.* **08**, 086, (2011). doi: 10.1007/JHEP08(2011)086.
448. J. Adam *et al.*, Pseudorapidity and transverse-momentum distributions of charged particles in proton–proton collisions at $\sqrt{s} = 13$ TeV, *Phys. Lett. B* **753**, 319–329, (2016). doi: 10.1016/j.physletb.2015.12.030.
449. J. Adam *et al.*, Measurement of pion, kaon and proton production in proton–proton collisions at $\sqrt{s} = 7$ TeV, *Eur. Phys. J. C* **75** (5), 226, (2015). doi: 10.1140/epjc/s10052-015-3422-9.
450. V. Khachatryan *et al.*, Strange particle production in *pp* collisions at $\sqrt{s} = 0.9$ and 7 TeV, *J. High Energy Phys.* **05**, 064, (2011). doi: 10.1007/JHEP05(2011)064.
451. V. Khachatryan *et al.*, Evidence for collectivity in pp collisions at the LHC, *Phys. Lett. B* **765**, 193–220, (2017). doi: 10.1016/j.physletb.2016.12.009.
452. C. Bierlich, G. Gustafson and L. Lönnblad, A shoving model for collectivity in hadronic collisions. (2016). arXiv:1612.05132.
453. K. J. Eskola, K. Kajantie and J. Lindfors, Quark and gluon production in high-energy nucleus–nucleus collisions, *Nucl. Phys. B* **323**, 37–52, (1989). doi: 10.1016/0550-3213(89)90586-5.
454. A. Bialas and R. B. Peschanski, Moments of rapidity distributions as a measure of short range fluctuations in high-energy collisions, *Nucl. Phys. B* **273**, 703–718, (1986). doi: 10.1016/0550-3213(86)90386-X.
455. A. Bialas and R. B. Peschanski, Intermittency in multiparticle production at high-energy, *Nucl. Phys. B* **308**, 857–867, (1988). doi: 10.1016/0550-3213(88)90131-9.
456. C. Albajar *et al.*, Intermittency studies in $\bar{p}p$ collisions at $\sqrt{s} = 630$ GeV, *Nucl. Phys. B* **345**, 1–21, (1990). doi: 10.1016/0550-3213(90)90606-E.
457. E. A. De Wolf, I. M. Dremin and W. Kittel, Scaling laws for density correlations and fluctuations in multiparticle dynamics, *Phys. Rept.* **270**, 1–141, (1996). doi: 10.1016/0370-1573(95)00069-0.
458. G. Arnison *et al.*, (UA1 Collaboration), Hadronic jet production at the CERN proton–antiproton collider, *Phys. Lett. B* **132** (1–3), 214 – 222, (1983). ISSN 0370-2693. doi: http://dx.doi.org/10.1016/0370-2693(83)90254-X.
459. T. Affolder and others (CDF Collaboration), Charged jet evolution and the underlying event in proton–antiproton collisions at 1.8 TeV, *Phys. Rev. D* **65**, 092002 (Apr, 2002). doi: 10.1103/PhysRevD.65.092002.
460. M. Cacciari and G. P. Salam, Pileup subtraction using jet areas, *Phys. Lett. B* **659**, 119–126, (2008). doi: 10.1016/j.physletb.2007.09.077.
461. ATLAS Collaboration, Measurement of the *W*-boson mass in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector. arXiv:1701.07240 [hep-ex], (2017).
462. A. Altheimer *et al.*, Jet substructure at the tevatron and LHC: new results, new tools, new benchmarks, *J. Phys. G* **39**, 063001, (2012). doi: 10.1088/0954-3899/39/6/063001.
463. S. Porteboeuf, T. Pierog and K. Werner, Producing hard processes regarding the complete event: the EPOS event generator. arXiv:1006.2967 [hep-ph], (2010).

464. S. Ostapchenko, QGSJET-II: towards reliable description of very high energy hadronic interactions, *Nucl. Phys. Proc. Suppl.* **151**, 143–146, (2006). doi: 10.1016/j.nuclphysbps.2005.07.026.
465. T. Sjöstrand *et al.*, High-energy physics event generation with Pythia 6.1, *Comput. Phys. Commun.* **135**, 238–259, (2001). doi: 10.1016/S0010-4655(00)00236-8.
466. T. Sjöstrand and M. van Zijl, A multiple-interaction model for the event structure in hadron collisions, *Phys. Rev. D* **36**, 2019–2041 (1987). doi: 10.1103/PhysRevD.36.2019.
467. R. Field, Min-bias and the underlying event at the LHC, *Acta Phys. Polon. B* **42**, 2631–2656, (2011). doi: 10.5506/APhysPolB.42.2631.
468. H. Lai *et al.*, Global QCD analysis of parton structure of the nucleon: CTEQ5 parton distributions, *Eur. Phys. J. C* **12**, 375–392, (2000). doi: 10.1007/s100529900196.
469. Pumplin, J. and others, New generation of parton distributions with uncertainties from global QCD analysis, *J. High Energy Phys.* **07**, 012, (2002).
470. A. Moraes. Modeling the underlying event: generating predictions for the LHC. ATL-PHYS-PROC-2009-045, (2009).
471. ATLAS Collaboration. ATLAS Monte Carlo tunes for MC09. URL <http://cdsweb.cern.ch/record/1247375>. ATL-PHYS-PUB-2010-002, (2010).
472. A. Sherstnev and R. S. Thorne, Parton distributions for LO generators, *Eur. Phys. J. C* **55**, 553–575, (2008). doi: 10.1140/epjc/s10052-008-0610-x.
473. P. Skands. The Perugia tunes. arXiv:0905.3418v1 [hep-ph], (2009).
474. G. Corcella *et al.*, Herwig 6.5 release note. arXiv:hep-ph/0210213 [hep-ph], (2002).
475. ATLAS Collaboration. Charged particle multiplicities in inelastic pp interactions with ATLAS and the ATLAS Minimum Bias Tune 1. URL <http://cdsweb.cern.ch/record/1277665>. ATL-PHYS-PUB-2010-031, (2010).
476. ATLAS Collaboration. New ATLAS event generator tunes to 2010 data. URL <http://cdsweb.cern.ch/record/1345343>. ATL-PHYS-PUB-2011-008, (2011).
477. ATLAS Collaboration. ATLAS tunes of Pythia 6 and Pythia 8 for MC11. URL <http://cdsweb.cern.ch/record/1363300>. ATL-PHYS-PUB-2011-009, (2010).
478. ATLAS Collaboration. First tuning of Herwig/Jimmy to ATLAS data. URL <https://cds.cern.ch/record/1303025>. ATL-PHYS-PUB-2010-014, (2010).
479. ATLAS Collaboration. Summary of ATLAS Pythia 8 tunes. URL <https://cds.cern.ch/record/1474107>. ATL-PHYS-PUB-2012-003, (2012).
480. G. Watt and R. Thorne, Study of Monte Carlo approach to experimental uncertainty propagation with MSTW 2008 PDFs, *J. High Energy Phys.* **1208**, 052, (2012). doi: 10.1007/JHEP08(2012)052.
481. ATLAS Collaboration. ATLAS Pythia 8 tunes to 7 TeV data. URL <https://cdsweb.cern.ch/record/1966419>. ATL-PHYS-PUB-2014-021, (2014).
482. R. D. Ball, L. Del Debbio, S. Forte, A. Guffanti, J. I. Latorre, J. Rojo and M. Ubiali, A first unbiased global NLO determination of parton distributions and their uncertainties, *Nucl. Phys. B* **838**, 136–206, (2010). doi: 10.1016/j.nuclphysb.2010.05.008.
483. ATLAS Collaboration. The Pythia 8 A3 tune description of ATLAS minimum bias and inelastic measurements incorporating the Donnachie-Landshoff diffractive model. URL <https://cdsweb.cern.ch/record/2206965>. ATL-PHYS-PUB-2016-027, (2016).
484. M. Bahr *et al.*, Herwig++ physics and manual, *Eur. Phys. J. C* **58**, 639–707, (2008). doi: 10.1140/epjc/s10052-008-0798-9.
485. Herwig++ mpi model parameters. URL <https://herwig.hepforge.org/tutorials/mpi/tunes.html>, (2016 (accessed February 1, 2017)).

486. L. A. Harland-Lang, A. D. Martin, P. Motylinski and R. S. Thorne, Parton distributions in the LHC era: MMHT 2014 PDFs, *Eur. Phys. J. C* **75** (5), 204, (2015). doi: 10.1140/epjc/s10052-015-3397-6.
487. T. Sjöstrand and M. van Zijl, Multiple parton-parton interactions in an impact parameter picture, *Phys. Lett. B* **188**, 149–154, (1987). doi: 10.1016/0370-2693(87)90722-2.
488. F. E. Paige, S. D. Protopopescu, H. Baer and X. Tata, ISAJET 7.37: a Monte Carlo event generator for pp, anti-pp, and e^+e^- reactions. (1998). arXiv:hep-ph/9804321.
489. T. Aaltonen *et al.*, Measurement of particle production and inclusive differential cross sections in $p\bar{p}$ collisions at $\sqrt{s} = 1.96$ TeV, *Phys. Rev. D* **79**, 112005 (2009). doi: 10.1103/PhysRevD.79.112005. URL <http://link.aps.org/doi/10.1103/PhysRevD.79.112005>.
490. D. Acosta *et al.*, (CDF Collaboration), Underlying event in hard interactions at the fermilab tevatron $p\bar{p}$ collider, *Phys. Rev. D* **70**, 072002 (2004). doi: 10.1103/PhysRevD.70.072002. URL <http://link.aps.org/doi/10.1103/PhysRevD.70.072002>.
491. D. Acosta *et al.*, (CDF Collaboration), Soft and hard interactions in $p\bar{p}$ collisions at $\sqrt{s} = 1800$ and 630 GeV, *Phys. Rev. D* **65**, 072005 (2002). doi: 10.1103/PhysRevD.65.072005. URL <http://link.aps.org/doi/10.1103/PhysRevD.65.072005>.
492. T. Aaltonen *et al.*, Studying the underlying event in Drell–Yan and high transverse momentum jet production at the Tevatron, *Phys. Rev. D* **82**, 034001, (2010). doi: 10.1103/PhysRevD.82.034001.
493. G. Marchesini and B. R. Webber, Associated transverse energy in hadronic jet production, *Phys. Rev. D* **38**, 3419, (1988). doi: 10.1103/PhysRevD.38.3419.
494. J. Pumplin, Hard underlying event correction to inclusive jet cross sections, *Phys. Rev. D* **57** (9), 5787–5792, (1998). doi: 10.1103/PhysRevD.57.5787.
495. T. Aaltonen *et al.*, (CDF Collaboration), Measurement of event shapes in proton–antiproton collisions at center-of-mass energy 1.96 TeV, *Phys. Rev. D* **83**, 112007, (2011). doi: 10.1103/PhysRevD.83.112007.
496. T. Aaltonen *et al.*, (CDF Collaboration), A study of the energy dependence of the underlying event in proton–antiproton collisions, *Phys. Rev. D* **92** (9), 092009, (2015). doi: 10.1103/PhysRevD.92.092009.
497. B. Abelev *et al.*, Underlying Event measurements in pp collisions at $\sqrt{s} = 0.9$ and 7 TeV with the ALICE experiment at the LHC, *J. High Energy Phys.* **07**, 116, (2012). doi: 10.1007/JHEP07(2012)116.
498. ATLAS Collaboration, Measurement of charged-particle distributions sensitive to the underlying event in $\sqrt{s} = 13$ TeV proton–proton collisions with the ATLAS detector at the LHC, *J. High Energy Phys.* **03**, 157, (2017). doi: 10.1007/JHEP03(2017)157.
499. CMS Collaboration, Underlying event measurements with leading particles and jets in pp collisions at $\sqrt{s} = 13$ TeV, *CMS-PAS-FSQ-15-007*. (2015).
500. V. Khachatryan *et al.*, Measurement of the underlying event activity using charged-particle jets in proton–proton collisions at $\sqrt{s} = 2.76$ TeV, *J. High Energy Phys.* **09**, 137, (2015). doi: 10.1007/JHEP09(2015)137.
501. ATLAS Collaboration, Underlying event characteristics and their dependence on jet size of charged-particle jet events in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector, *Phys. Rev. D* **86**, 072004, (2012). doi: 10.1103/PhysRevD.86.072004.
502. G. Aad *et al.*, Measurement of the underlying event in jet events from 7 TeV proton–proton collisions with the ATLAS detector, *Eur. Phys. J. C* **74** (8), 2965, (2014). doi: 10.1140/epjc/s10052-014-2965-5.

503. G. Aad *et al.*, Measurement of distributions sensitive to the underlying event in inclusive Z-boson production in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector, *Eur. Phys. J. C* **74** (12), 3195, (2014). doi: 10.1140/epjc/s10052-014-3195-6.
504. CMS Collaboration, Measurement of the underlying event in the Drell–Yan process in proton–proton collisions at $\sqrt{s} = 7$ TeV, *Eur. Phys. J. C* **72**, 2080, (2012). doi: 10.1140/epjc/s10052-012-2080-4.
505. Sirunyan, A. M. *et al.*, Measurement of the underlying event activity in inclusive Z boson production in proton-proton collisions at $\sqrt{s} = 13$ TeV, *JHEP*, **7**, 032 (2018). doi: 10.1007/JHEP07(2018)032.
506. CMS Collaboration, Study of the underlying event at forward rapidity in pp collisions at $\sqrt{s} = 0.9$, 2.76 and 7 TeV, *J. High Energy Phys.* **04**, 072, (2013). doi: 10.1007/JHEP04(2013)072.
507. CMS Collaboration, Measurement of the underlying event activity in pp collisions at $\sqrt{s} = 0.9$ and 7 TeV with the novel jet-area/median approach, *J. High Energy Phys.* **08**, 130, (2012). doi: 10.1007/JHEP08(2012)130.
508. CMS Collaboration, Underlying event measurement with $tt + X$ events with pp collision data at $\sqrt{s} = 13$ TeV, CMS-PAS-TOP-15-017. (2015).
509. CMS Collaboration, Study of the underlying event, b-quark fragmentation and hadronization properties in $t\bar{t}$ events, *CMS-PAS-TOP-13-007*. (2013).
510. H. Caines. Jet & underlying event measurements in p-p collisions at RHIC, *Nucl. Phys. A* **855**, 376–379, (2011). doi: 10.1016/j.nuclphysa.2011.02.084.
511. Minimum-bias and underlying event WG. URL https://lpsc.web.cern.ch/lpsc/index.php?page=mb_ue_wg, (accessed April 1, 2017).
512. T. Martin, P. Skands and S. Farrington, Probing collective effects in hadronisation with the extremes of the underlying event, *Eur. Phys. J. C* **76** (5), 299, (2016). doi: 10.1140/epjc/s10052-016-4135-4.
513. R. Aaij *et al.*, Measurement of charged particle multiplicities in pp collisions at $\sqrt{s} = 7$ TeV in the forward region, *Eur. Phys. J. C* **72**, 1947, (2012). doi: 10.1140/epjc/s10052-012-1947-8.
514. C. Patrignani *et al.*, Review of particle physics, *Chin. Phys. C* **40** (10), 100001, (2016). doi: 10.1088/1674-1137/40/10/100001.
515. K. Aamodt *et al.*, Charged-particle multiplicity measurement in proton–proton collisions at $\sqrt{s} = 0.9$ and 2.36 TeV with ALICE at LHC, *Eur. Phys. J. C* **68**, 89–108, (2010). doi: 10.1140/epjc/s10052-010-1339-x.
516. V. Khachatryan *et al.*, Transverse momentum and pseudorapidity distributions of charged hadrons in pp collisions at $\sqrt{s} = 0.9$ and 2.36 TeV, *J. High Energy Phys.* **02**, 041, (2010). doi: 10.1007/JHEP02(2010)041.
517. G. Aad *et al.*, Charged-particle distributions in $\sqrt{s} = 13$ TeV pp interactions measured with the ATLAS detector at the LHC, *Phys. Lett. B* **758**, 67–88, (2016). doi: 10.1016/j.physletb.2016.04.050.
518. K. Aamodt *et al.*, First proton–proton collisions at the LHC as observed with the ALICE detector: Measurement of the charged particle pseudorapidity density at $\sqrt{s} = 900$ GeV, *Eur. Phys. J. C* **65**, 111–125, (2010). doi: 10.1140/epjc/s10052-009-1227-4.
519. K. Aamodt *et al.*, Charged-particle multiplicity measurement in proton–proton collisions at $\sqrt{s} = 7$ TeV with ALICE at LHC, *Eur. Phys. J. C* **68**, 345–354, (2010). doi: 10.1140/epjc/s10052-010-1350-2.
520. K. Aamodt *et al.*, Transverse momentum spectra of charged particles in proton–proton collisions at $\sqrt{s} = 900$ GeV with ALICE at the LHC, *Phys. Lett. B* **693**, 53–68, (2010). doi: 10.1016/j.physletb.2010.08.026.

521. B. B. Abelev *et al.*, Energy dependence of the transverse momentum distributions of charged particles in pp collisions measured by ALICE, *Eur. Phys. J. C* **73** (12), 2662, (2013). doi: 10.1140/epjc/s10052-013-2662-9.
522. B. B. Abelev *et al.*, Multiplicity dependence of the average transverse momentum in pp, p–Pb and Pb–Pb collisions at the LHC, *Phys. Lett. B* **727**, 371–380, (2013). doi: 10.1016/j.physletb.2013.10.054.
523. B. Abelev *et al.*, Multiplicity dependence of two-particle azimuthal correlations in pp collisions at the LHC, *J. High Energy Phys.* **09**, 049, (2013). doi: 10.1007/JHEP09(2013)049.
524. ALICE Collaboration, Charged-particle multiplicity measurement with reconstructed tracks in pp collisions at $\sqrt{s} = 0.9$ and 7 TeV with ALICE at the LHC. (2013). <http://cds.cern.ch/record/1562873>.
525. J. Adam *et al.*, Charged-particle multiplicities in proton–proton collisions at $\sqrt{s} = 0.9$ to 8 TeV, *Eur. Phys. J. C* **77** (1), 33, (2017). doi: 10.1140/epjc/s10052-016-4571-1.
526. G. Aad *et al.*, Charged-particle multiplicities in pp interactions at $\sqrt{s} = 900$ GeV measured with the ATLAS detector at the LHC, *Phys. Lett. B* **688**, 21–42, (2010). doi: 10.1016/j.physletb.2010.03.064.
527. ATLAS Collaboration, Central charged-particle multiplicities in pp interactions with $|\eta| < 0.8$ and $p_t > 0.5$ and 1 GeV measured with the ATLAS detector at the LHC. (2010). <http://cds.cern.ch/record/1317333>.
528. G. Aad *et al.*, Measurement of charged-particle spectra in Pb+Pb collisions at $\sqrt{s_{NN}} = 2.76$ TeV with the ATLAS detector at the LHC, *J. High Energy Phys.* **09**, 050, (2015). doi: 10.1007/JHEP09(2015)050.
529. G. Aad *et al.*, Charged-particle distributions in pp interactions at $\sqrt{s} = 8$ TeV measured with the ATLAS detector, *Eur. Phys. J. C* **76** (7), 403, (2016). doi: 10.1140/epjc/s10052-016-4203-9.
530. M. Aaboud *et al.*, Charged-particle distributions at low transverse momentum in $\sqrt{s} = 13$ TeV pp interactions measured with the ATLAS detector at the LHC, *Eur. Phys. J. C* **76** (9), 502, (2016). doi: 10.1140/epjc/s10052-016-4335-y.
531. V. Khachatryan *et al.*, Transverse-momentum and pseudorapidity distributions of charged hadrons in pp collisions at $\sqrt{s} = 7$ TeV, *Phys. Rev. Lett.* **105**, 022002, (2010). doi: 10.1103/PhysRevLett.105.022002.
532. V. Khachatryan *et al.*, Charged particle multiplicities in pp interactions at $\sqrt{s} = 0.9$, 2.36 and 7 TeV, *J. High Energy Phys.* **01**, 079, (2011). doi: 10.1007/JHEP01(2011)079.
533. CMS Collaboration, Pseudorapidity distributions of charged particles in pp collisions at $\sqrt{s} = 7$ TeV with at least one central charged particles, (2011). <http://cds.cern.ch/record/1341853>
534. S. Chatrchyan *et al.*, Measurement of pseudorapidity distributions of charged particles in proton–proton collisions at $\sqrt{s} = 8$ TeV by the CMS and TOTEM experiments, *Eur. Phys. J. C* **74** (10), 3053, (2014). doi: 10.1140/epjc/s10052-014-3053-6.
535. V. Khachatryan *et al.*, Pseudorapidity distribution of charged hadrons in proton–proton collisions at $\sqrt{s} = 13$ TeV, *Phys. Lett. B* **751**, 143–163, (2015). doi: 10.1016/j.physletb.2015.10.004.
536. CMS Collaboration, Measurement of pseudorapidity distributions of charged particles in proton–proton collisions at $\sqrt{s} = 13$ TeV by the CMS experiment, (2016). <http://cds.cern.ch/record/2145373>.
537. R. Aaij *et al.*, Measurement of charged particle multiplicities and densities in pp collisions at $\sqrt{s} = 7$ TeV in the forward region, *Eur. Phys. J. C* **74** (5), 2888, (2014). doi: 10.1140/epjc/s10052-014-2888-1.

538. V. Blobel. Unfolding methods in high-energy physics experiments. In *Proceedings, CERN School of Computing: Aiguablava, Spain, September 9-22 1984*, (1984). doi: 10.5170/CERN-1985-009.88.
539. V. Blobel. An unfolding method for high-energy physics experiments. In *Advanced Statistical Techniques in Particle Physics. Proceedings, Conference, Durham, UK, March 18-22, 2002*, pp. 258-267, (2002). URL <http://www.ippd.dur.ac.uk/Workshops/02/statistics/proceedings//blobel2.pdf>.
540. J. F. Grosse-Oetringhaus and K. Reygers, Charged-particle multiplicity in proton-proton collisions, *J. Phys. G* **37**, 083001, (2010). doi: 10.1088/0954-3899/37/8/083001.
541. G. Arnison *et al.*, Charged particle multiplicity distributions in proton-anti-proton collisions at 540-GeV center-of-mass energy, *Phys. Lett. B* **123**, 108-114, (1983). doi: 10.1016/0370-2693(83)90969-3.
542. G. J. Alner *et al.*, An investigation of multiplicity distributions in different pseudo-rapidity intervals in anti-p p reactions at a CMS energy of 540-GeV, *Phys. Lett. B* **160**, 193-198, (1985). doi: 10.1016/0370-2693(85)91491-1.
543. F. Abe *et al.*, Pseudorapidity distributions of charged particles produced in $\bar{p}p$ interactions at $\sqrt{s} = 630$ GeV and 1800 GeV, *Phys. Rev. D* **41**, 2330, (1990). doi: 10.1103/PhysRevD.41.2330.
544. R. Harr *et al.*, Pseudorapidity distribution of charged particles in $\bar{p}p$ collisions at $\sqrt{s} = 630$ -GeV, *Phys. Lett. B* **401**, 176-180, (1997). doi: 10.1016/S0370-2693(97)00385-7.
545. C. Fuglesang. UA5 multiplicity distributions and fits of various functions. In *Multi-particle Dynamics: A Meeting Ground Between Particle and Statistical Physics. A Dialog Between Experiment and Theory. Festschrift for Leon van Hove. Proceedings, Conference, La Thuile, Italy, March 20-22, 1989*, pp. 193-210, (1989).
546. A. Giovannini and R. Ugoccioni, Possible scenarios for soft and semihard components structure in central hadron hadron collisions in the TeV region, *Phys. Rev. D* **59**, 094020, (1999). doi: 10.1103/PhysRevD.59.094020, 10.1103/PhysRevD.69.059903. [Erratum: *Phys. Rev. D* **69**, 059903, (2004)].
547. A. Giovannini and R. Ugoccioni, On signals of new physics in global event properties in pp collisions in the TeV energy domain, *Phys. Rev. D* **68**, 034009, (2003). doi: 10.1103/PhysRevD.68.034009.
548. S. Kama. *Automatic Monte-Carlo Tuning for Minimum Bias Events at the LHC*. PhD thesis, DESY, (2010-03-24). URL <https://inspirehep.net/record/1186251/files/CERN-THESIS-2010-259.pdf>.
549. P. Abreu *et al.*, Tuning and test of fragmentation models based on identified particles and precision event shape data, *Z. Phys. C* **73**, 11-60, (1996). doi: 10.1007/s002880050295.
550. R. Barate *et al.*, Studies of quantum chromodynamics with the ALEPH detector, *Phys. Rept.* **294**, 1-165, (1998). doi: 10.1016/S0370-1573(97)00045-8.
551. P. Pfeifenschneider *et al.*, QCD analyses and determinations of $\alpha(s)$ in $e^+ e^-$ annihilation at energies between 35-GeV and 189-GeV, *Eur. Phys. J. C* **17**, 19-51, (2000). doi: 10.1007/s100520000432.
552. B. Abelev *et al.*, Measurement of inelastic, single- and double-diffraction cross sections in proton-proton collisions at the LHC with ALICE, *Eur. Phys. J. C* **73** (6), 2456, (2013). doi: 10.1140/epjc/s10052-013-2456-0.
553. T. Aaltonen *et al.*, Erratum: Measurement of particle production and inclusive differential cross sections in $p\bar{p}$ collisions at $\sqrt{s} = 1.96$ TeV, *Phys. Rev. D* **79**, 112005, (2009). *Phys. Rev. D* **82**, 119903, (2010).

554. A. Buckley, Sensitivities to PDFs in parton shower MC generator reweighting and tuning, (2016). arXiv:1601.04229
555. A. Donnachie and P. V. Landshoff, Small x : Two pomerons!, *Phys. Lett. B* **437**, 408–416, (1998). doi: 10.1016/S0370-2693(98)00899-5.
556. S. Frixione, P. Nason and C. Oleari, Matching NLO QCD computations with Parton Shower simulations: the POWHEG method, *J. High Energy Phys.* **11**, 070, (2007). doi: 10.1088/1126-6708/2007/11/070.
557. M. Althoff *et al.*, Determination of α_s in first and second order QCD from e^+e^- annihilation into hadrons, *Z. Phys. C* **26**, 157, (1984).
558. W. Braunschweig *et al.*, Jet fragmentation and QCD models in e^+e^- annihilation at c.m. energies between 12-GeV and 41.5-GeV, *Z. Phys. C* **41**, 359–373, (1988). doi: 10.1007/BF01585620.
559. D. Buskulic *et al.*, Properties of hadronic Z decays and test of QCD generators, *Z. Phys. C* **55**, 209–234, (1992). doi: 10.1007/BF01482583.
560. K. Hamacher and M. Weierstall, The next round of hadronic generator tuning heavily based on identified particle data, (1995). arXiv:hep-ex/9511011.
561. F. Feroz, M. P. Hobson, E. Cameron and A. N. Pettitt, Importance nested sampling and the MultiNest algorithm, (2013). arXiv:1306.2144.
562. R. Field. CDF Run II Monte-Carlo tunes. In *TeV4LHC 2006 Workshop 4th meeting Batavia, Illinois, October 20–22, 2006*, (2006). URL http://lss.fnal.gov/cgi-bin/find_paper.pl?pub-06-408.
563. T. Affolder *et al.*, The transverse momentum and total cross section of e^+e^- pairs in the Z boson region from $p\bar{p}$ collisions at $\sqrt{s} = 1.8$ TeV, *Phys. Rev. Lett.* **84**, 845–850, (2000). doi: 10.1103/PhysRevLett.84.845.
564. V. M. Abazov *et al.*, Measurement of dijet azimuthal decorrelations at central rapidities in $p\bar{p}$ collisions at $\sqrt{s} = 1.96$ TeV, *Phys. Rev. Lett.* **94**, 221801, (2005). doi: 10.1103/PhysRevLett.94.221801.
565. ATLAS Run 1 Pythia8 tunes. Technical Report ATL-PHYS-PUB-2014-021, CERN, Geneva (Nov, 2014). URL <https://cds.cern.ch/record/1966419>.
566. Example ATLAS tunes of Pythia8, Pythia6 and Powheg to an observable sensitive to Z boson transverse momentum. Technical Report ATL-PHYS-PUB-2013-017, CERN, Geneva (Nov, 2013). URL <https://cds.cern.ch/record/1629317>.
567. A study of the sensitivity to the Pythia8 parton shower parameters of $t\bar{t}$ production measurements in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS experiment at the LHC. Technical Report ATL-PHYS-PUB-2015-007, CERN, Geneva (Mar, 2015). URL <https://cds.cern.ch/record/2004362>.
568. P. Ilten, M. Williams and Y. Yang, Event generator tuning using Bayesian optimization, *J. Instrumentation* **12** (04), P04028, (2017). doi: 10.1088/1748-0221/12/04/P04028.
569. L.I. Ametller *et al.*, Possible signature of multiple parton interactions in collider four jet events, *Phys. Lett. B* **169**, 289, (1986). doi: 10.1016/0370-2693(86)90668-4.
570. A. Knutsson, Multiple interactions at HERA, *Nucl. Phys. Proc. Suppl.* **191**, 141–150, (2009). doi: 10.1016/j.nuclphysbps.2009.03.121.
571. D. d’Enterria and A. Snigirev, Double, triple and n -parton scatterings in high-energy proton and nuclear collisions, arXiv:1708.07519. (2017).
572. S. P. Baranov, A. V. Lipatov, M. A. Malyshev, A. M. Snigirev and N. P. Zotov, Associated $W^\pm D^{(*)}$ production at the LHC and prospects to observe double parton interactions, *Phys. Lett. B* **746**, 100–103, (2015). doi: 10.1016/j.physletb.2015.04.059.

573. E. Maina, Multiple parton interactions in $Z+$ jets production at the LHC. A comparison of factorized and non-factorized double parton distribution functions, *J. High Energy Phys.* **01**, 061, (2011). doi: 10.1007/JHEP01(2011)061.
574. K. Golec-Biernat, E. Lewandowska, M. Serino, Z. Snyder and A. M. Stasto, Constraining the double gluon distribution by the single gluon distribution, *Phys. Lett. B* **750**, 559–564, (2015). doi: 10.1016/j.physletb.2015.09.067.
575. F. Hautmann and O. Kepka. Multiparton interactions, small- x and diffraction session: introduction. In *Proceedings, 7th International Workshop on Multiple Partonic Interactions at the LHC (MPI@LHC 2015): Miramare, Trieste, Italy, November 23–27, 2015*, pp. 145–147, (2016). URL https://inspirehep.net/record/1456039/files/MPIatLHC2015_C15-11-23.145.pdf.
576. J. Bartels, M. Salvadore and G. P. Vacca, AGK cutting rules and multiple scattering in hadronic collisions, *Eur. Phys. J. C* **42**, 53–71, (2005). doi: 10.1140/epjc/s2005-02258-1.
577. M. Salvadore, J. Bartels and G. P. Vacca, Multiple interactions and AGK rules in pQCD, arXiv:0709.3062. (2007).
578. V. A. Abramovsky and A. V. Popov, The role of AGK theorem in QCD, arXiv:1112.1297. (2011).
579. L. N. Lipatov, The parton model and perturbation theory, *Sov. J. Nucl. Phys.* **20**, 94–102, (1975).
580. M. Bahr, S. Gieseke, M. A. Gigg, D. Grellscheid, K. Hamilton, O. Latunde-Dada, S. Platzer, P. Richardson, M. H. Seymour, A. Sherstnev, J. Tully and B. R. Webber, Herwig++ physics and manual (03. 2008). URL <http://arxiv.org/abs/0803.0883>.
581. F. Hautmann, H. Jung, A. Lelek, V. Radescu and R. Zlebcik, Soft-gluon resolution scale in QCD evolution equations, *Phys. Lett. B* **772**, 446–451, (2017). doi: 10.1016/j.physletb.2017.07.005.
582. A. Bassetto, M. Ciafaloni and G. Marchesini, Jet structure and infrared sensitive quantities in perturbative QCD, *Phys. Rept.* **100**, 201–272, (1983). doi: 10.1016/0370-1573(83)90083-2.
583. Y. L. Dokshitzer, V. A. Khoze, S. I. Troian and A. H. Mueller, QCD coherence in high-energy reactions, *Rev. Mod. Phys.* **60**, 373, (1988). doi: 10.1103/RevModPhys.60.373.
584. S. Catani, M. Ciafaloni and F. Hautmann, Gluon contributions to small x heavy flavour production, *Phys. Lett. B* **242**, 97–102, (1990). doi: 10.1016/0370-2693(90)91601-7.
585. S. Catani, M. Ciafaloni and F. Hautmann, High-energy factorization and small x heavy flavor production, *Nucl. Phys. B* **366**, 135–188, (1991). doi: 10.1016/0550-3213(91)90055-3.
586. J. C. Collins and R. K. Ellis, Heavy quark production in very high-energy hadron collisions, *Nucl. Phys. B* **360**, 3–30, (1991). doi: 10.1016/0550-3213(91)90288-9.
587. E. M. Levin, M. G. Ryskin, Y. M. Shabelski and A. G. Shuvaev, Heavy quark production in semihard nucleon interactions, *Sov. J. Nucl. Phys.* **53**, 657, (1991).
588. S. Catani and F. Hautmann, High-energy factorization and small x deep inelastic scattering beyond leading order, *Nucl. Phys. B* **427**, 475–524, (1994). doi: 10.1016/0550-3213(94)90636-X.
589. S. Catani, F. Fiorani and G. Marchesini, QCD coherence in initial state radiation, *Phys. Lett. B* **234**, 339, (1990).
590. G. Marchesini, QCD coherence in the structure function and associated distributions at small x , *Nucl. Phys. B* **445**, 49–80, (1995).

591. G. Marchesini and B. R. Webber, Final states in heavy quark leptonproduction at small x , *Nucl. Phys. B* **386**, 215–235, (1992). doi: 10.1016/0550-3213(92)90181-A.
592. F. Hautmann and H. Jung, Angular correlations in multi-jet final states from k-perpendicular-dependent parton showers, *J. High Energy Phys.* **10**, 113, (2008). doi: 10.1088/1126-6708/2008/10/113.
593. F. Hautmann and H. Jung, Jet correlations from unintegrated parton distributions, *AIP Conf. Proc.* **1056**, 79–86, (2008). doi: 10.1063/1.3013083.
594. B. Blok, Yu. Dokshitzer and M. Strikman, Rapidity distribution in DIS at small x , *Phys. Lett. B* **774** (2017) 26. doi: 10.1016/j.physletb.2017.09.038.
595. E. A. Kuraev, L. N. Lipatov and V. S. Fadin, Multi-reggeon processes in the Yang–Mills theory, *Sov. Phys. JETP* **44**, 443–450, (1976).
596. F. Hautmann and H. Jung, Transverse momentum dependent gluon density from DIS precision data, *Nucl. Phys. B* **883**, 1–19, (2014).
597. H. Jung, The CCFM Monte Carlo generator CASCADE, *Comput. Phys. Commun.* **143**, 100–111, (2002). doi: 10.1016/S0010-4655(01)00438-6.
598. H. Jung *et al.*, The CCFM Monte Carlo generator CASCADE version 2.2.03, *Eur. Phys. J. C* **70**, 1237–1249, (2010). doi: 10.1140/epjc/s10052-010-1507-z.
599. M. Deak, F. Hautmann, H. Jung and K. Kutak, Forward jets and energy flow in hadronic collisions, *Eur. Phys. J. C* **72**, 1982, (2012). doi: 10.1140/epjc/s10052-012-1982-5.
600. M. Deak, F. Hautmann, H. Jung and K. Kutak, Transverse energy flow with forward and central jets at the LHC, arXiv:1112.6386. (2011).
601. F. Hautmann, Energy flow observables in hadronic collisions, arXiv:1205.5411. (2012). doi: 10.3204/DESY-PROC-2012-03/52.
602. P. Kotko, A. M. Stasto and M. Strikman, Exploring minijets beyond the leading power, *Phys. Rev. D* **95** (5), 054009, (2017). doi: 10.1103/PhysRevD.95.054009.
603. M. L. Good and W. D. Walker, Diffraction dissociation of beam particles, *Phys. Rev.* **120**, 1857–1860, (1960). doi: 10.1103/PhysRev.120.1857.
604. A. H. Mueller, $O(2,1)$ Analysis of single particle spectra at high-Energy, *Phys. Rev. D* **2**, 2963–2968, (1970). doi: 10.1103/PhysRevD.2.2963.
605. C. E. DeTar, C. E. Jones, F. E. Low, J. H. Weis, J. E. Young and C.-I. Tan, Helicity poles, triple-regge behavior and single-particle spectra in high-energy collisions, *Phys. Rev. Lett.* **26**, 675–676, (1971). doi: 10.1103/PhysRevLett.26.675.
606. A. B. Kaidalov and V. A. Khoze, Triple-Regge description of the inclusive hadron spectra, *Leningrad-73-62*. (1973).
607. H. I. Miettinen and J. Pumplin, Diffraction scattering and the parton structure of hadrons, *Phys. Rev. D* **18**, 1696, (1978). doi: 10.1103/PhysRevD.18.1696.
608. M. Grazzini, L. Trentadue and G. Veneziano, Fracture functions from cut vertices, *Nucl. Phys. B* **519**, 394–404, (1998). doi: 10.1016/S0550-3213(97)00840-7.
609. A. Berera and D. E. Soper, Behavior of diffractive parton distribution functions, *Phys. Rev. D* **53**, 6162–6179, (1996). doi: 10.1103/PhysRevD.53.6162.
610. J. C. Collins, Proof of factorization for diffractive hard scattering, *Phys. Rev. D* **57**, 3051–3056, (1998). doi: 10.1103/PhysRevD.61.019902, 10.1103/PhysRevD.57.3051. [Erratum: *Phys. Rev. D* 61, 019902 (2000)].
611. J. C. Collins, Factorization in hard diffraction, *J. Phys. G* **28**, 1069–1078, (2002). doi: 10.1088/0954-3899/28/5/327.
612. A. Aktas *et al.*, Measurement and QCD analysis of the diffractive deep-inelastic scattering cross-section at HERA, *Eur. Phys. J. C* **48**, 715–748, (2006). doi: 10.1140/epjc/s10052-006-0035-3.

613. S. Chatrchyan *et al.*, Observation of a diffractive contribution to dijet production in proton–proton collisions at $\sqrt{s} = 7$ TeV, *Phys. Rev. D* **87** (1), 012006, (2013). doi: 10.1103/PhysRevD.87.012006.
614. G. Aad *et al.*, Dijet production in $\sqrt{s} = 7$ TeV pp collisions with large rapidity gaps at the ATLAS experiment, *Phys. Lett. B* **754**, 214–234, (2016). doi: 10.1016/j.physletb.2016.01.028.
615. F. Hautmann and D. E. Soper, Color transparency in deeply inelastic diffraction, *Phys. Rev. D* **63**, 011501, (2001). doi: 10.1103/PhysRevD.63.011501.
616. F. Hautmann, Z. Kunszt and D. E. Soper, Diffractive deeply inelastic scattering of hadronic states with small transverse size, *Phys. Rev. Lett.* **81**, 3333–3336, (1998). doi: 10.1103/PhysRevLett.81.3333.
617. J. Bartels, J. R. Ellis, H. Kowalski and M. Wusthoff, An analysis of diffraction in deep inelastic scattering, *Eur. Phys. J. C* **7**, 443–458, (1999). doi: 10.1007/s100529801022.
618. W. Buchmüller, T. Gehrmann and A. Hebecker, Inclusive and diffractive structure functions at small x , *Nucl. Phys. B* **537**, 477–500, (1999). doi: 10.1016/S0550-3213(98)00682-8.
619. G. Ingelman, R. Pasechnik and D. Werder, Dynamic color screening in diffractive deep inelastic scattering, *Phys. Rev. D* **93** (9), 094016, (2016). doi: 10.1103/PhysRevD.93.094016.
620. F. Hautmann, Diffractive jet production in lepton hadron collisions, *J. High Energy Phys.* **10**, 025, (2002). doi: 10.1088/1126-6708/2002/10/025.
621. F. Hautmann, Q anti-Qg contribution to diffractive J/psi electroproduction, *J. High Energy Phys.* **04**, 036, (2002). doi: 10.1088/1126-6708/2002/04/036.
622. J. M. Grados Luyando. Recent minimum bias and UE measurements at CMS. MPI@LHC 2016, <https://indico.nucleares.unam.mx/event/1100/session/1/contribution/32>, (2016).
623. U. Amaldi and K. R. Schubert, Impact parameter interpretation of proton–proton scattering from a critical review of all ISR data, *Nucl. Phys. B* **166**, 301–320, (1980). doi: 10.1016/0550-3213(80)90229-1.
624. H. Heiselberg, G. Baym, B. Blaettel, L. L. Frankfurt and M. Strikman, Color transparency, color opacity and fluctuations in nuclear collisions, *Phys. Rev. Lett.* **67**, 2946–2949, (1991). doi: 10.1103/PhysRevLett.67.2946.
625. L. L. Frankfurt, G. A. Miller and M. Strikman, The geometrical color optics of coherent high-energy processes, *Ann. Rev. Nucl. Part. Sci.* **44**, 501–560, (1994). doi: 10.1146/annurev.ns.44.120194.002441.
626. G. Alberi and G. Goggi, Diffraction of subnuclear waves, *Phys. Rept.* **74**, 1–207, (1981). doi: 10.1016/0370-1573(81)90019-3.
627. A. B. Kaidalov, K. A. Ter-Martirosian and Yu. M. Shabelski, Inclusive spectra of secondary particles in proton–nucleus interactions in the quark–gluon string model, *Sov. J. Nucl. Phys.* **43**, 822–826, (1986) (in Russian). [*Yad. Fiz.* **43**, 1282, (1986)].
628. L. D. McLerran and R. Venugopalan, Gluon distribution functions for very large nuclei at small transverse momentum, *Phys. Rev. D* **49**, 3352–3355, (1994). doi: 10.1103/PhysRevD.49.3352.
629. K. J. Golec-Biernat and M. Wusthoff, Saturation effects in deep inelastic scattering at low Q^2 and its implications on diffraction, *Phys. Rev. D* **59**, 014017, (1998). doi: 10.1103/PhysRevD.59.014017.
630. A. H. Mueller, Parton saturation at small x and in large nuclei, *Nucl. Phys. B* **558**, 285–303, (1999). doi: 10.1016/S0550-3213(99)00394-6.

631. I. Balitsky, Operator expansion for high-energy scattering, *Nucl. Phys. B* **463**, 99–160, (1996). doi: 10.1016/0550-3213(95)00638-9.
632. Y. V. Kovchegov, Small x $F(2)$ structure function of a nucleus including multiple pomeron exchanges, *Phys. Rev. D* **60**, 034008, (1999). doi: 10.1103/PhysRevD.60.034008.
633. J. Jalilian-Marian, A. Kovner, A. Leonidov and H. Weigert, The Wilson renormalization group for low x physics: Towards the high density regime, *Phys. Rev. D* **59**, 014014, (1998). doi: 10.1103/PhysRevD.59.014014.
634. E. Iancu, A. Leonidov and L. D. McLerran, Nonlinear gluon evolution in the color glass condensate. 1, *Nucl. Phys. A* **692**, 583–645, (2001). doi: 10.1016/S0375-9474(01)00642-X.
635. F. Gelis, E. Iancu, J. Jalilian-Marian and R. Venugopalan, The color glass condensate, *Ann. Rev. Nucl. Part. Sci.* **60**, 463–489, (2010). doi: 10.1146/annurev.nucl.010909.083629.
636. C. Flensburg, G. Gustafson and L. Lönnblad, Inclusive and exclusive observables from dipoles in high energy collisions, *J. High Energy Phys.* **08**, 103, (2011). doi: 10.1007/JHEP08(2011)103.
637. F. Hautmann and D. E. Soper, Parton distribution function for quarks in an s-channel approach, *Phys. Rev. D* **75**, 074020, (2007). doi: 10.1103/PhysRevD.75.074020.
638. F. Hautmann, Power-like corrections and the determination of the gluon distribution, *Phys. Lett. B* **643**, 171–174, (2006). doi: 10.1016/j.physletb.2006.10.053.
639. V. Khachatryan *et al.*, Production of leading charged particles and leading charged-particle jets at small transverse momenta in pp collisions at $\sqrt{s} = 8$ TeV, *Phys. Rev. D* **92** (11), 112001, (2015). doi: 10.1103/PhysRevD.92.112001.
640. K. Kutak and H. Jung, Saturation effects in final states due to CCFM with absorptive boundary, (2008). doi: 10.3204/DESY-PROC-2009-01/112.
641. A. Bacchetta, H. Jung, A. Knutsson, K. Kutak and F. Samson-Himmelstjerna, A method for tuning parameters of Monte Carlo generators and a its application to the determination of the unintegrated gluon density, *Eur. Phys. J. C* **70**, 503–511, (2010). doi: 10.1140/epjc/s10052-010-1464-6.
642. K. Kutak, Gluon saturation and entropy production in proton–proton collisions, *Phys. Lett. B* **705**, 217–221, (2011). doi: 10.1016/j.physletb.2011.09.113.
643. K. Kutak, K. Golec-Biernat, S. Jadach and M. Skrzypek, Nonlinear equation for coherent gluon emission, *J. High Energy Phys.* **02**, 117, (2012). doi: 10.1007/JHEP02(2012)117.
644. K. Kutak and S. Sapeta, Gluon saturation in dijet production in p–Pb collisions at Large Hadron Collider, *Phys. Rev. D* **86**, 094043, (2012). doi: 10.1103/PhysRevD.86.094043.
645. P. Kotko, K. Kutak, C. Marquet, E. Petreska, S. Sapeta and A. van Hameren, Improved TMD factorization for forward dijet production in dilute-dense hadronic collisions, *J. High Energy Phys.* **09**, 106, (2015). doi: 10.1007/JHEP09(2015)106.
646. A. H. Mueller and H. Navelet, An inclusive minijet cross-section and the bare pomeron in QCD, *Nucl. Phys. B* **282**, 727, (1987). doi: 10.1016/0550-3213(87)90705-X.
647. V. Khachatryan *et al.*, Azimuthal decorrelation of jets widely separated in rapidity in pp collisions at $\sqrt{s} = 7$ TeV, *J. High Energy Phys.* **08**, 139, (2016). doi: 10.1007/JHEP08(2016)139.
648. S. Chatrchyan *et al.*, Ratios of dijet production cross sections as a function of the absolute difference in rapidity between jets in proton–proton collisions at $\sqrt{s} = 7$ TeV, *Eur. Phys. J. C* **72**, 2216, (2012). doi: 10.1140/epjc/s10052-012-2216-6.

649. G. Aad *et al.*, Measurements of jet vetoes and azimuthal decorrelations in dijet events produced in pp collisions at $\sqrt{s} = 7$ TeV using the ATLAS detector, *Eur. Phys. J. C* **74** (11), 3117, (2014). doi: 10.1140/epjc/s10052-014-3117-7.
650. G. Aad *et al.*, Measurement of dijet production with a veto on additional central jet activity in pp collisions at $\sqrt{s} = 7$ TeV using the ATLAS detector, *J. High Energy Phys.* **1109**, 053, (2011).
651. R. Maciula and A. Szczurek, Double-parton scattering contribution to production of jet pairs with large rapidity separation at the LHC, *Phys. Rev. D* **90** (1), 014022, (2014). doi: 10.1103/PhysRevD.90.014022.
652. B. Duclou, L. Szymanowski and S. Wallon, Evaluating the double parton scattering contribution to Mueller–Navelet jets production at the LHC, *Phys. Rev. D* **92** (7), 076002, (2015). doi: 10.1103/PhysRevD.92.076002.
653. F. Hautmann, H. Jung, A. Lelek, V. Radescu and R. Zlebcik, Collinear and TMD quark and gluon densities from parton branching solution of QCD evolution equations, arXiv:1708.03279. (2017).
654. B. B. Abelev *et al.*, Multiplicity dependence of jet-like two-particle correlation structures in pPb collisions at $\sqrt{s_{NN}} = 5.02$ TeV, *Phys. Lett. B* **741**, 38–50, (2015). doi: 10.1016/j.physletb.2014.11.028.
655. M. L. Miller, K. Reygers, S. J. Sanders and P. Steinberg, Glauber modeling in high energy nuclear collisions, *Ann. Rev. Nucl. Part. Sci.* **57**, 205–243, (2007). doi: 10.1146/annurev.nucl.57.090506.123020.
656. U. W. Heinz, Concepts of heavy ion physics. In *2002 European School of High-Energy Physics, Pylos, Greece, 25 Aug–7 Sep 2002: Proceedings*, pp. 165–238, (2004). URL <http://doc.cern.ch/yellowrep/CERN-2004-001>.
657. C. Gale, S. Jeon and B. Schenke, Hydrodynamic modeling of heavy-ion collisions, *Int. J. Mod. Phys. A* **28**, 1340011, (2013). doi: 10.1142/S0217751X13400113.
658. J. Rafelski and B. Muller, Strangeness production in the quark–gluon plasma, *Phys. Rev. Lett.* **48**, 1066, (1982).
659. J. Rafelski and R. Hagedorn, From hadron gas to quark matter. 2. In *International Symposium on Statistical Mechanics of Quarks and Hadrons Bielefeld, Germany, August 24–31, 1980*, pp. 253–272, (1980). URL <http://alice.cern.ch/format/showfull?sysnb=0036721>.
660. F. Antinori *et al.*, Enhancement of hyperon production at central rapidity in 158-A-GeV/c Pb–Pb collisions, *J. Phys. G* **32**, 427–442, (2006). doi: 10.1088/0954-3899/32/4/003.
661. B. I. Abelev *et al.*, Enhanced strange baryon production in Au + Au collisions compared to p + p at $s(NN)^{1/2} = 200$ -GeV, *Phys. Rev. C* **77**, 044908, (2008). doi: 10.1103/PhysRevC.77.044908.
662. B. B. Abelev *et al.*, Multi-strange baryon production at mid-rapidity in Pb–Pb collisions at $\sqrt{s_{NN}} = 2.76$ TeV, *Phys. Lett. B* **728**, 216–227, (2014). doi: 10.1016/j.physletb.2014.05.052, 10.1016/j.physletb.2013.11.048. [Erratum: *Phys. Lett. B* **734**, 409, (2014)].
663. F. Becattini and R. Fries, The QCD confinement transition: hadron formation, *Landolt-Börnstein — Group I Elementary Particles, Nuclei and Atoms 23 (Relativistic Heavy Ion Physics)* (2010). doi: 10.1007/978-3-642-01539-7_8.
664. M. Floris, Hadron yields and the phase diagram of strongly interacting matter, *Nucl. Phys. A* **931**, 103–112, (2014). doi: 10.1016/j.nuclphysa.2014.09.002.
665. F. Becattini, P. Castorina, A. Milov and H. Satz, A comparative analysis of statistical hadron production, *Eur. Phys. J. C* **66**, 377–386, (2010). doi: 10.1140/epjc/s10052-010-1265-y.

666. B. B. Abelev *et al.*, Performance of the ALICE Experiment at the CERN LHC, *Int. J. Mod. Phys. A* **29**, 1430044, (2014). doi: 10.1142/S0217751X14300440.
667. K. Aamodt *et al.*, The ALICE experiment at the CERN LHC, *JINST.* **3**, S08002, (2008). doi: 10.1088/1748-0221/3/08/S08002.
668. K. Aamodt *et al.*, Strange particle production in proton–proton collisions at $\sqrt{s} = 0.9$ TeV with ALICE at the LHC, *Eur. Phys. J. C* **71**, 1594, (2011). doi: 10.1140/epjc/s10052-011-1594-5.
669. B. Abelev *et al.*, Multi-strange baryon production in pp collisions at $\sqrt{s} = 7$ TeV with ALICE, *Phys. Lett. B* **712**, 309–318, (2012). doi: 10.1016/j.physletb.2012.05.011.
670. B. Abelev *et al.*, Production of $K^*(892)^0$ and $\phi(1020)$ in pp collisions at $\sqrt{s} = 7$ TeV, *Eur. Phys. J. C* **72**, 2183, (2012). doi: 10.1140/epjc/s10052-012-2183-y.
671. B. B. Abelev *et al.*, Production of charged pions, kaons and protons at large transverse momenta in pp and Pb–Pb collisions at $\sqrt{s_{NN}} = 2.76$ TeV, *Phys. Lett. B* **736**, 196–207, (2014). doi: 10.1016/j.physletb.2014.07.011.
672. J. Adam *et al.*, $K^*(892)^0$ and $\phi(1020)$ meson production at high transverse momentum in pp and Pb–Pb collisions at $\sqrt{s_{NN}} = 2.76$ TeV, *Phys. Rev. C* **95** (6), 064606, (2017). doi: 10.1103/PhysRevC.95.064606.
673. J. Adam *et al.*, Multiplicity dependence of charged pion, kaon and (anti)proton production at large transverse momentum in p–Pb collisions at $\sqrt{s_{NN}} = 5.02$ TeV, *Phys. Lett. B* **760**, 720–735, (2016). doi: 10.1016/j.physletb.2016.07.050.
674. J. Adam *et al.*, Production of light nuclei and anti-nuclei in pp and Pb–Pb collisions at energies available at the CERN large hadron collider, *Phys. Rev. C* **93** (2), 024917, (2016). doi: 10.1103/PhysRevC.93.024917.
675. S. Acharya *et al.*, Production of deuterons, tritons, ^3He nuclei and their anti-nuclei in pp collisions at $\sqrt{s} = 0.9, 2.76$ and 7 TeV, *Phys. Rev. C* **97**, 024615, (2018). doi: 10.1103/PhysRevC.97.024615.
676. S. Acharya *et al.*, π^0 and η meson production in proton–proton collisions at $\sqrt{s} = 8$ TeV, *Eur. Phys. J. C* **78**, 263, (2018). doi: 10.1140/epjc/s10052-018-5612-8.
677. D. Adamova *et al.*, Production of $\Sigma(1385)^\pm$ and $\Xi(1530)^0$ in p–Pb collisions at $\sqrt{s_{NN}} = 5.02$ TeV, *Eur. Phys. J. C* **77** (6), 389, (2017). doi: 10.1140/epjc/s10052-017-4943-1.
678. J. Adam *et al.*, Production of $K^*(892)^0$ and $\phi(1020)$ in p–Pb collisions at $\sqrt{s_{NN}} = 5.02$ TeV, *Eur. Phys. J. C* **76** (5), 245, (2016). doi: 10.1140/epjc/s10052-016-4088-7.
679. J. Adam *et al.*, Multi-strange baryon production in p–Pb collisions at $\sqrt{s_{NN}} = 5.02$ TeV, *Phys. Lett. B* **758**, 389–401, (2016). doi: 10.1016/j.physletb.2016.05.027.
680. S. Acharya *et al.*, Production of π^0 and η mesons up to high transverse momentum in pp collisions at 2.76 TeV, *Eur. Phys. J. C* **77** (5), 339, (2017). doi: 10.1140/epjc/s10052-017-5144-7, 10.1140/epjc/s10052-017-4890-x. [Erratum: *Eur. Phys. J. C* **77** (9), 586, (2017)].
681. B. B. Abelev *et al.*, Neutral pion production at midrapidity in pp and Pb–Pb collisions at $\sqrt{s_{NN}} = 2.76$ TeV, *Eur. Phys. J. C* **74** (10), 3108, (2014). doi: 10.1140/epjc/s10052-014-3108-8.
682. B. Abelev *et al.*, Neutral pion and η meson production in proton–proton collisions at $\sqrt{s} = 0.9$ TeV and $\sqrt{s} = 7$ TeV, *Phys. Lett. B* **717**, 162–172, (2012). doi: 10.1016/j.physletb.2012.09.015.
683. S. Chatrchyan *et al.*, Study of the inclusive production of charged pions, kaons and protons in pp collisions at $\sqrt{s} = 0.9, 2.76$ and 7 TeV, *Eur. Phys. J. C* **72**, 2164, (2012). doi: 10.1140/epjc/s10052-012-2164-1.
684. V. Khachatryan *et al.*, Multiplicity and rapidity dependence of strange hadron production in pp, pPb and PbPb collisions at the LHC, *Phys. Lett. B* **768**, 103–129, (2017). ISSN 0370-2693. doi: <http://dx.doi.org/10.1016/j.physletb.2017.01.075>.

685. A. M. Sirunyan *et al.*, Measurement of charged pion, kaon and proton production in proton–proton collisions at $\sqrt{s} = 13$ TeV, *Phys. Rev. D* **96**, 112003, (2017). doi: 10.1103/PhysRevD.96.112003.
686. R. Aaij *et al.*, Measurement of prompt hadron production ratios in pp collisions at $\sqrt{s} = 0.9$ and 7 TeV, *Eur. Phys. J. C* **72**, 2168, (2012). doi: 10.1140/epjc/s10052-012-2168-x.
687. R. Aaij *et al.*, Measurement of the inclusive ϕ cross-section in pp collisions at $\sqrt{s} = 7$ TeV, *Phys. Lett. B* **703**, 267–273, (2011). doi: 10.1016/j.physletb.2011.08.017.
688. R. Aaij *et al.*, Measurement of V^0 production ratios in pp collisions at $\sqrt{s} = 0.9$ and 7 TeV, *J. High Energy Phys.* **08**, 034, (2011). doi: 10.1007/JHEP08(2011)034.
689. R. Aaij *et al.*, Prompt K_s^0 production in pp collisions at $\sqrt{s} = 0.9$ TeV, *Phys. Lett. B* **693**, 69–80, (2010). doi: 10.1016/j.physletb.2010.08.055.
690. G. Aad *et al.*, The differential production cross section of the ϕ (1020) meson in $\sqrt{s} = 7$ TeV pp collisions measured with the ATLAS detector, *Eur. Phys. J. C* **74** (7), 2895, (2014). doi: 10.1140/epjc/s10052-014-2895-2.
691. G. Aad *et al.*, Kshort and Λ production in pp interactions at $\sqrt{s} = 0.9$ and 7 TeV measured with the ATLAS detector at the LHC, *Phys. Rev. D* **85**, 012001, (2012). doi: 10.1103/PhysRevD.85.012001.
692. K. Aamodt *et al.*, Production of pions, kaons and protons in pp collisions at $\sqrt{s} = 900$ GeV with ALICE at the LHC, *Eur. Phys. J. C* **71**, 1655, (2011). doi: 10.1140/epjc/s10052-011-1655-9.
693. K. Werner, B. Guiot, I. Karpenko and T. Pierog, Analysing radial flow features in p–Pb and p–p collisions at several TeV by studying identified particle production in EPOS3, *Phys. Rev. C* **89** (6), 064903, (2014). doi: 10.1103/PhysRevC.89.064903.
694. K. Dusling, W. Li and B. Schenke, Novel collective phenomena in high-energy proton–proton and proton–nucleus collisions, *Int. J. Mod. Phys. E* **25**, 1630002, (2016). doi: 10.1142/S0218301316300022.
695. P. Romatschke, Relativistic fluid dynamics far from local equilibrium, *Phys. Rev. Lett.* **120**, 012301, (2018). doi: 10.1103/PhysRevLett.120.012301.
696. R. D. Weller and P. Romatschke, One fluid to rule them all: Viscous hydrodynamic description of event-by-event central p+p, p+Pb and Pb+Pb collisions at $\sqrt{s} = 5.02$ TeV, *Phys. Lett. B* **774**, 351–356, (2017). doi: 10.1016/j.physletb.2017.09.077.
697. P. Castorina, S. Plumari and H. Satz, Universal strangeness production in hadronic and nuclear collisions, *Int. J. Mod. Phys. E* **25** (08), 1650058, (2016). doi: 10.1142/S0218301316500580.
698. E. Cuautle and G. Paic, The energy density representation of the strangeness enhancement from p+p to Pb+Pb. (2016). arXiv:1608.02101.
699. F. Becattini, J. Steinheimer, R. Stock and M. Bleicher, Hadronization conditions in relativistic nuclear collisions and the QCD pseudo-critical line, *Phys. Lett. B* **764**, 241–246, (2017). doi: 10.1016/j.physletb.2016.11.033.
700. C. Bierlich and J. R. Christiansen, Effects of color reconnection on hadron flavor observables, *Phys. Rev. D* **92** (9), 094010, (2015). doi: 10.1103/PhysRevD.92.094010.
701. S. Chatrchyan *et al.*, Study of the production of charged pions, kaons and protons in pPb collisions at $\sqrt{s_{NN}} = 5.02$ TeV, *Eur. Phys. J. C* **74** (6), 2847, (2014). doi: 10.1140/epjc/s10052-014-2847-x.
702. M. M. Aggarwal *et al.*, K^{*0} production in Cu+Cu and Au+Au collisions at $\sqrt{s_{NN}} = 62.4$ GeV and 200 GeV, *Phys. Rev. C* **84**, 034909, (2011). doi: 10.1103/PhysRevC.84.034909.
703. A. G. Knospe, Recent hadronic resonance measurements at ALICE, *J. Phys. Conf. Ser.* **779** (1), 012072, (2017). doi: 10.1088/1742-6596/779/1/012072.

704. B. B. Abelev *et al.*, $K^*(892)^0$ and $\phi(1020)$ production in Pb–Pb collisions at $\sqrt{s_{NN}} = 2.76$ TeV, *Phys. Rev. C* **91**, 024609, (2015). doi: 10.1103/PhysRevC.91.024609.
705. A. G. Knospe, C. Markert, K. Werner, J. Steinheimer and M. Bleicher, Hadronic resonance production and interaction in partonic and hadronic matter in the EPOS3 model with and without the hadronic afterburner UrQMD, *Phys. Rev. C* **93** (1), 014911, (2016). doi: 10.1103/PhysRevC.93.014911.
706. A. Ortiz, P. Christiansen, E. Cuautle, I. Maldonado and G. Paić, Color reconnection and flowlike patterns in pp collisions, *Phys. Rev. Lett.* **111** (4), 042001, (2013). doi: 10.1103/PhysRevLett.111.042001.
707. J. Adam *et al.*, Centrality dependence of particle production in p–Pb collisions at $\sqrt{s_{NN}} = 5.02$ TeV, *Phys. Rev. C* **91** (6), 064905, (2015). doi: 10.1103/PhysRevC.91.064905.
708. D. V. Perepelitsa and P. A. Steinberg, Calculation of centrality bias factors in p +A collisions based on a positive correlation of hard process yields with underlying event activity. (2014). arXiv:1412.0976.
709. E. Schnedermann, J. Sollfrank and U. W. Heinz, Thermal phenomenology of hadrons from 200-A/GeV S+S collisions, *Phys. Rev. C* **48**, 2462–2475, (1993). doi: 10.1103/PhysRevC.48.2462.
710. B. B. Abelev *et al.*, Multiplicity dependence of pion, kaon, proton and lambda Production in p–Pb collisions at $\sqrt{s_{NN}} = 5.02$ TeV, *Phys. Lett. B* **728**, 25–38, (2014). doi: 10.1016/j.physletb.2013.11.020.
711. E. Shuryak and I. Zahed, High-multiplicity pp and pA collisions: hydrodynamics at its edge, *Phys. Rev. C* **88** (4), 044915, (2013). doi: 10.1103/PhysRevC.88.044915.
712. N. Jacazio, Production of identified charged hadrons in Pb–Pb collisions at $\sqrt{s_{NN}} = 5.02$ TeV, *Nucl. Phys. A* **967**, 421–424, (2017). doi: 10.1016/j.nuclphysa.2017.05.023.
713. B. Abelev *et al.*, Centrality dependence of π , K, p production in Pb–Pb collisions at $\sqrt{s_{NN}} = 2.76$ TeV, *Phys. Rev. C* **88**, 044910, (2013). doi: 10.1103/PhysRevC.88.044910.
714. R. J. Fries, V. Greco and P. Sorensen, Coalescence models for hadron formation from quark gluon plasma, *Ann. Rev. Nucl. Part. Sci.* **58**, 177–205, (2008). doi: 10.1146/annurev.nucl.58.110707.171134.
715. B. Schenke, Origins of collectivity in small systems, *Nucl. Phys. A* **967**, 105–112, (2017). doi: 10.1016/j.nuclphysa.2017.05.017.
716. P. Bok and W. Broniowski, Hydrodynamic approach to p–Pb, *Nucl. Phys. A* **926**, 16–23, (2014). doi: 10.1016/j.nuclphysa.2014.04.004.
717. H. Niemi and G. S. Denicol, How large is the Knudsen number reached in fluid dynamical simulations of ultrarelativistic heavy ion collisions? (2014). arXiv:1404.7327.
718. P. Romatschke, Do nuclear collisions create a locally equilibrated quark–gluon plasma? *Eur. Phys. J. C* **77** (1), 21, (2017). doi: 10.1140/epjc/s10052-016-4567-x.
719. B. Abelev *et al.*, J/ψ production as a function of charged particle multiplicity in pp collisions at $\sqrt{s} = 7$ TeV, *Phys. Lett. B* **712**, 165–175, (2012). doi: 10.1016/j.physletb.2012.04.052.
720. J. Adam *et al.*, Measurement of charm and beauty production at central rapidity versus charged-particle multiplicity in proton–proton collisions at $\sqrt{s} = 7$ TeV, *J. High Energy Phys.* **09**, 148, (2015). doi: 10.1007/JHEP09(2015)148.
721. K. Eggert *et al.*, Angular correlations between the charged particles produced in pp collisions at ISR energies, *Nucl. Phys. B* **86**, 201, (1975). doi: 10.1016/0550-3213(75)90440-X.

722. B. Alver *et al.*, Cluster properties from two-particle angular correlations in p+p collisions at $\sqrt{s} = 200$ GeV and 410 GeV, *Phys. Rev. C* **75**, 054913, (2007). doi: 10.1103/PhysRevC.75.054913.
723. I. Arsene *et al.*, Quark gluon plasma and color glass condensate at RHIC? The perspective from the BRAHMS experiment, *Nucl. Phys. A* **757**, 1, (2005). doi: 10.1016/j.nuclphysa.2005.02.130.
724. K. Adcox *et al.*, Formation of dense partonic matter in relativistic nucleus–nucleus collisions at RHIC: Experimental evaluation by the PHENIX collaboration, *Nucl. Phys. A* **757**, 184, (2005). doi: 10.1016/j.nuclphysa.2005.03.086.
725. B. B. Back *et al.*, The PHOBOS perspective on discoveries at RHIC, *Nucl. Phys. A* **757**, 28, (2005). doi: 10.1016/j.nuclphysa.2005.03.084.
726. J. Adams *et al.*, Experimental and theoretical challenges in the search for the quark gluon plasma: the STAR collaboration’s critical assessment of the evidence from RHIC collisions, *Nucl. Phys. A* **757**, 102, (2005). doi: 10.1016/j.nuclphysa.2005.03.085.
727. W. Li, Observation of a ‘Ridge’ correlation structure in high multiplicity proton–proton collisions: a brief review, *Mod. Phys. Lett. A* **27**, 1230018, (2012). doi: 10.1142/S0217732312300182.
728. S. Chatrchyan *et al.*, Observation of long-range near-side angular correlations in proton-lead collisions at the LHC, *Phys. Lett. B* **718**, 795, (2013). doi: 10.1016/j.physletb.2012.11.025.
729. G. Aad *et al.*, Observation of associated near-side and away-side long-range correlations in $\sqrt{s_{NN}} = 5.02$ TeV proton–lead collisions with the ATLAS detector, *Phys. Rev. Lett.* **110** (18), 182302, (2013). doi: 10.1103/PhysRevLett.110.182302.
730. B. Abelev *et al.*, Long-range angular correlations on the near and away side in p–Pb collisions at $\sqrt{s_{NN}} = 5.02$ TeV, *Phys. Lett. B* **719**, 29–41, (2013). doi: 10.1016/j.physletb.2013.01.012.
731. S. Voloshin and Y. Zhang, Flow study in relativistic nuclear collisions by Fourier expansion of azimuthal particle distributions, *Z. Phys. C* **70**, 665, (1996). doi: 10.1007/s002880050141.
732. B. H. Alver, C. Gombeaud, M. Luzum and J.-Y. Ollitrault, Triangular flow in hydrodynamics and transport theory, *Phys. Rev. C* **82**, 034913, (2010). doi: 10.1103/PhysRevC.82.034913.
733. B. Schenke, S. Jeon and C. Gale, Elliptic and triangular flow in event-by-event $D = 3 + 1$ viscous hydrodynamics, *Phys. Rev. Lett.* **106**, 042301, (2011). doi: 10.1103/PhysRevLett.106.042301.
734. Z. Qiu, C. Shen and U. Heinz, Hydrodynamic elliptic and triangular flow in Pb–Pb collisions at $\sqrt{s_{NN}} = 2.76$ TeV, *Phys. Lett. B* **707**, 151, (2012). doi: 10.1016/j.physletb.2011.12.041.
735. S. Chatrchyan *et al.*, Long-range and short-range dihadron angular correlations in central PbPb collisions at a nucleon–nucleon center of mass energy of 2.76 TeV, *J. High Energy Phys.* **07**, 076, (2011). doi: 10.1007/JHEP07(2011)076.
736. S. Chatrchyan *et al.*, Centrality dependence of dihadron correlations and azimuthal anisotropy harmonics in Pb–Pb collisions at $\sqrt{s_{NN}} = 2.76$ TeV, *Eur. Phys. J. C* **72**, 2012, (2012). doi: 10.1140/epjc/s10052-012-2012-3.
737. S. Chatrchyan *et al.*, Measurement of the elliptic anisotropy of charged particles produced in Pb–Pb collisions at nucleon–nucleon center-of-mass energy = 2.76 TeV, *Phys. Rev. C* **87**, 014902, (2013). doi: 10.1103/PhysRevC.87.014902.
738. K. Aamodt *et al.*, Elliptic flow of charged particles in Pb–Pb collisions at 2.76 TeV, *Phys. Rev. Lett.* **105**, 252302, (2010). doi: 10.1103/PhysRevLett.105.252302.

739. K. Aamodt *et al.*, Higher harmonic anisotropic flow measurements of charged particles in Pb–Pb collisions at $\sqrt{s_{NN}} = 2.76$ TeV, *Phys. Rev. Lett.* **107**, 032301, (2011). doi: 10.1103/PhysRevLett.107.032301.
740. K. Aamodt *et al.*, Harmonic decomposition of two-particle angular correlations in Pb–Pb collisions at $\sqrt{s_{NN}} = 2.76$ TeV, *Phys. Lett. B* **708**, 249, (2012). doi: 10.1016/j.physletb.2012.01.060.
741. G. Aad *et al.*, Measurement of the pseudorapidity and transverse momentum dependence of the elliptic flow of charged particles in lead–lead collisions at $\sqrt{s_{NN}} = 2.76$ TeV with the ATLAS detector, *Phys. Lett. B* **707**, 330, (2012). doi: 10.1016/j.physletb.2011.12.056.
742. G. Aad *et al.*, Measurement of the azimuthal anisotropy for charged particle production in $\sqrt{s_{NN}} = 2.76$ TeV lead–lead collisions with the ATLAS detector, *Phys. Rev. C* **86**, 014907, (2012). doi: 10.1103/PhysRevC.86.014907.
743. M. Aaboud *et al.*, Measurements of long-range azimuthal anisotropies and associated Fourier coefficients for pp collisions at $\sqrt{s} = 5.02$ and 13 TeV and p+Pb collisions at $\sqrt{s_{NN}} = 5.02$ TeV with the ATLAS detector, *Phys. Rev. C* **96**, 024908, (2017). doi: 10.1103/PhysRevC.96.024908.
744. V. Khachatryan *et al.*, Long-range two-particle correlations of strange hadrons with charged particles in pPb and Pb–Pb collisions at LHC energies, *Phys. Lett. B* **742**, 200, (2015). doi: 10.1016/j.physletb.2015.01.034.
745. B. Abelev *et al.*, Mass, quark-number and $\sqrt{s_{NN}}$ dependence of the second and fourth flow harmonics in ultra-relativistic nucleus-nucleus collisions, *Phys. Rev. C* **75**, 054906, (2007). doi: 10.1103/PhysRevC.75.054906.
746. A. Adare *et al.*, Deviation from quark-number scaling of the anisotropy parameter v_2 of pions, kaons and protons in Au+Au collisions at $\sqrt{s_{NN}} = 200$ GeV, *Phys. Rev. C* **85**, 064914, (2012). doi: 10.1103/PhysRevC.85.064914.
747. B. B. Abelev *et al.*, Long-range angular correlations of π , K and p in p–Pb collisions at $\sqrt{s_{NN}} = 5.02$ TeV, *Phys. Lett. B* **726**, 164–177, (2013). doi: 10.1016/j.physletb.2013.08.024.
748. K. Werner, M. Bleicher, B. Guiot, I. Karpenko and T. Pierog, Evidence for flow from hydrodynamic simulations of pPb collisions at 5.02 TeV from v_2 mass splitting, *Phys. Rev. Lett.* **112**, 232301, (2014). doi: 10.1103/PhysRevLett.112.232301.
749. P. Bozek, W. Broniowski and G. Torrieri, Mass hierarchy in identified particle distributions in proton–lead collisions, *Phys. Rev. Lett.* **111**, 172303, (2013). doi: 10.1103/PhysRevLett.111.172303.
750. B. Schenke, S. Schlichting, P. Tribedy and R. Venugopalan, Mass ordering of spectra from fragmentation of saturated gluon states in high multiplicity proton–proton collisions, *Phys. Rev. Lett.* **117** (16), 162301, (2016). doi: 10.1103/PhysRevLett.117.162301.
751. J. Adams *et al.*, Particle type dependence of azimuthal anisotropy and nuclear modification of particle production in Au+Au collisions at $s(NN)^{1/2} = 200$ -GeV, *Phys. Rev. Lett.* **92**, 052302, (2004). doi: 10.1103/PhysRevLett.92.052302.
752. A. Adare *et al.*, Scaling properties of azimuthal anisotropy in Au+Au and Cu+Cu collisions at $s(NN)^{1/2} = 200$ -GeV, *Phys. Rev. Lett.* **98**, 162301, (2007). doi: 10.1103/PhysRevLett.98.162301.
753. D. Molnar and S. A. Voloshin, Elliptic flow at large transverse momenta from quark coalescence, *Phys. Rev. Lett.* **91**, 092301, (2003). doi: 10.1103/PhysRevLett.91.092301.
754. V. Greco, C. M. Ko and P. Levai, Parton coalescence and the anti-proton/pion anomaly at RHIC, *Phys. Rev. Lett.* **90**, 202302, (2003). doi: 10.1103/PhysRevLett.90.202302.

755. R. J. Fries, B. Muller, C. Nonaka and S. A. Bass, Hadronization in heavy ion collisions: Recombination and fragmentation of partons, *Phys. Rev. Lett.* **90**, 202303, (2003). doi: 10.1103/PhysRevLett.90.202303.
756. N. Borghini, P. M. Dinh and J.-Y. Ollitrault, Flow analysis from multiparticle azimuthal correlations, *Phys. Rev. C* **64**, 054901, (2001). doi: 10.1103/PhysRevC.64.054901.
757. R. Bhalerao, N. Borghini and J. Ollitrault, Genuine collective flow from Lee–Yang zeroes, *Phys. Lett. B* **580**, 157, (2004). doi: 10.1016/j.physletb.2003.11.056.
758. A. Bilandzic, R. Snellings and S. Voloshin, Flow analysis with cumulants: Direct calculations, *Phys. Rev. C* **83**, 044913, (2011). doi: 10.1103/PhysRevC.83.044913.
759. C. Alt *et al.*, Directed and elliptic flow of charged pions and protons in Pb+Pb collisions at 40-A-GeV and 158-A-GeV, *Phys. Rev. C* **68**, 034903, (2003). doi: 10.1103/PhysRevC.68.034903.
760. C. Adler *et al.*, Elliptic flow from two and four particle correlations in Au+Au collisions at $\sqrt{s_{NN}} = 130$ -GeV, *Phys. Rev. C* **66**, 034904, (2002). doi: 10.1103/PhysRevC.66.034904.
761. B. Abelev *et al.*, Anisotropic flow of charged hadrons, pions and (anti-)protons measured at high transverse momentum in Pb–Pb collisions at $\sqrt{s_{NN}} = 2.76$ TeV, *Phys. Lett. B* **719**, 18, (2013). doi: 10.1016/j.physletb.2012.12.066.
762. S. Chatrchyan *et al.*, Measurement of higher-order harmonic azimuthal anisotropy in PbPb collisions at $\sqrt{s_{NN}} = 2.76$ TeV, *Phys. Rev. C* **89**, 044906, (2014). doi: 10.1103/PhysRevC.89.044906.
763. G. Aad *et al.*, Measurement of flow harmonics with multi-particle cumulants in Pb+Pb collisions at $\sqrt{s_{NN}} = 2.76$ TeV with the ATLAS detector, *Eur. Phys. J. C* **74**, 3157, (2014). doi: 10.1140/epjc/s10052-014-3157-z.
764. G. Aad *et al.*, Measurement with the ATLAS detector of multi-particle azimuthal correlations in p+Pb collisions at $\sqrt{s_{NN}} = 5.02$ TeV, *Phys. Lett. B* **725**, 60–78, (2013). doi: 10.1016/j.physletb.2013.06.057.
765. S. Chatrchyan *et al.*, Multiplicity and transverse-momentum dependence of two- and four-particle correlations in pPb and PbPb collisions, *Phys. Lett. B* **725**, 213, (2013). doi: 10.1016/j.physletb.2013.06.028.
766. B. B. Abelev *et al.*, Multiparticle azimuthal correlations in pPb and Pb–Pb collisions at the CERN Large Hadron Collider, *Phys. Rev. C* **90**, 054901, (2014). doi: 10.1103/PhysRevC.90.054901.
767. V. Khachatryan *et al.*, Evidence for collective multi-particle correlations in pPb collisions, *Phys. Rev. Lett.* **115**(1), 012301 (2015). doi: 10.1103/PhysRevLett.115.012301.
768. J. Jia, M. Zhou and A. Trzupek, Revealing long-range multi-particle collectivity in small collision systems via subevent cumulants, *Phys. Rev. C* **96**(3), 034906 (2017). doi: 10.1103/PhysRevC.96.034906.
769. P. Di Francesco, M. Guilbaud, M. Luzum and J.-Y. Ollitrault, Systematic procedure for analyzing cumulants at any order, *Phys. Rev. C* **95**, 044911, (2017). doi: 10.1103/PhysRevC.95.044911.
770. K. Gajdoov, Investigations of anisotropic collectivity using multi-particle correlations in pp, p–Pb and Pb–Pb collisions, *Nucl. Phys. A* **967**, 437, (2017). doi: 10.1016/j.nuclphysa.2017.04.033.
771. M. Aaboud *et al.*, Measurement of multi-particle azimuthal correlations in pp, p+Pb and low-multiplicity Pb+Pb collisions with the ATLAS detector, *Eur. Phys. J. C* **77**, 428, (2017). doi: 10.1140/epjc/s10052-017-4988-1.

772. A. Bilandzic, C. H. Christensen, K. Gulbrandsen, A. Hansen and Y. Zhou, Generic framework for anisotropic flow analyses with multiparticle azimuthal correlations, *Phys. Rev. C* **89**, 064904, (2014). doi: 10.1103/PhysRevC.89.064904.
773. A. M. Sirunyan *et al.*, Observation of correlated azimuthal anisotropy Fourier harmonics in pp and pPb collisions at the LHC, *Phys. Rev. Lett.* **120**, 092301, (2018). doi: 10.1103/PhysRevLett.120.092301.
774. M. Dasgupta and G. P. Salam, Event shapes in e^+e^- annihilation and deep inelastic scattering, *J. Phys. G: Nucl. Part. Phys.* **30** (5), R143, (2004). doi: 10.1088/0954-3899/30/5/R01.
775. P. A. Movilla Fernandez *et al.*, A Study of event shapes and determinations of α_s using data of e^+e^- annihilations at $\sqrt{s} = 22\text{-GeV}$ to 44-GeV , *Eur. Phys. J. C* **1**, 461–478, (1998). doi: 10.1007/s100520050096.
776. R. Ellis, D. Ross and A. Terrano, The perturbative calculation of jet structure in $e+e$ annihilation, *Nucl. Phys. B* **178** (3), 421–456, (1981). ISSN 0550-3213. doi: [http://dx.doi.org/10.1016/0550-3213\(81\)90165-6](http://dx.doi.org/10.1016/0550-3213(81)90165-6). URL <http://www.sciencedirect.com/science/article/pii/0550321381901656>.
777. S. Bethke, Qcd tests at $e+e-$ colliders, *Nucl. Phys. B — Proc. Suppl.* **64** (1), 54–62, (1998). ISSN 0920-5632. doi: [http://dx.doi.org/10.1016/S0920-5632\(97\)01036-0](http://dx.doi.org/10.1016/S0920-5632(97)01036-0). URL <http://www.sciencedirect.com/science/article/pii/S0920563297010360>.
778. A. Banfi, G. P. Salam and G. Zanderighi, Semi-numerical resummation of event shapes, *J. High Energy Phys.* **01**, 018, (2002). doi: 10.1088/1126-6708/2002/01/018.
779. G. Hanson *et al.*, Evidence for jet structure in hadron production by e^+e^- annihilation, *Phys. Rev. Lett.* **35**, 1609–1612 (1975). doi: 10.1103/PhysRevLett.35.1609. URL <http://link.aps.org/doi/10.1103/PhysRevLett.35.1609>.
780. D. P. Barber *et al.*, Discovery of three-jet events and a test of quantum chromodynamics at petra, *Phys. Rev. Lett.* **43**, 830–833 (1979). doi: 10.1103/PhysRevLett.43.830. URL <http://link.aps.org/doi/10.1103/PhysRevLett.43.830>.
781. C. Berger *et al.*, Evidence for gluon bremsstrahlung in e^+e^- annihilations at high energies, *Phys. Lett. B* **86** (3), 418–425, (1979). doi: [http://dx.doi.org/10.1016/0370-2693\(79\)90869-4](http://dx.doi.org/10.1016/0370-2693(79)90869-4). URL <http://www.sciencedirect.com/science/article/pii/0370269379908694>.
782. R. Brandelik *et al.*, Evidence for planar events in e^+e^- annihilation at high energies, *Phys. Lett. B* **86** (2), 243–249, (1979). ISSN 0370-2693. doi: [http://dx.doi.org/10.1016/0370-2693\(79\)90830-X](http://dx.doi.org/10.1016/0370-2693(79)90830-X). URL <http://www.sciencedirect.com/science/article/pii/037026937990830X>.
783. S. Kluth, P. A. Movilla Fernandez, S. Bethke, C. Pahl and P. Pfeifenschneider, A Measurement of the QCD color factors using event shape distributions at $\sqrt{s} = 14\text{-GeV}$ to 189-GeV , *Eur. Phys. J. C* **21**, 199–210, (2001). doi: 10.1007/s100520100742.
784. P. Abreu *et al.* (DELPHI collaboration), Tuning and test of fragmentation models based on identified particles and precision event shape data, *Z. Phys. C* **73**(1), 11–59, (1997). ISSN 1431-5858. doi: 10.1007/s002880050295. URL <http://dx.doi.org/10.1007/s002880050295>.
785. A. Banfi, G. P. Salam and G. Zanderighi, Phenomenology of event shapes at hadron colliders, *J. High Energy Phys.* **06**, 038, (2010). doi: 10.1007/JHEP06(2010)038.
786. T. Becher, X. Garcia i Tormo and J. Piclum, Next-to-next-to-leading logarithmic resummation for transverse thrust, *Phys. Rev. D* **93**, 054038, (2016). doi: 10.1103/PhysRevD.93.054038. URL <https://link.aps.org/doi/10.1103/PhysRevD.93.054038>.

787. G. Aad *et al.*, Measurement of event shapes at large momentum transfer with the ATLAS detector in pp collisions at $\sqrt{s} = 7$ TeV, *Eur. Phys. J. C* **72**, 2211, (2012). doi: 10.1140/epjc/s10052-012-2211-y.
788. G. Aad *et al.*, Measurement of event-shape observables in $Z \rightarrow \ell^+ \ell^-$ events in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector at the LHC, *Eur. Phys. J. C* **76**, 375, (2016). doi: 10.1140/epjc/s10052-016-4176-8.
789. S. Chatrchyan *et al.*, Event shapes and azimuthal correlations in events in pp collisions at, *Phys. Lett. B* **722** (4–5), 238–261, (2013). doi: <http://dx.doi.org/10.1016/j.physletb.2013.04.025>. URL <http://www.sciencedirect.com/science/article/pii/S0370269313003043>.
790. V. Khachatryan *et al.*, Study of hadronic event-shape variables in multijet final states in pp collisions at 7 TeV, *J. High Energy Phys.* **10**, 87, (2014). doi: 10.1007/JHEP10(2014)087. URL [http://dx.doi.org/10.1007/JHEP10\(2014\)087](http://dx.doi.org/10.1007/JHEP10(2014)087).
791. R. M. Chatterjee, M. Guchait and D. Sengupta, Probing supersymmetry using event shape variables at 8 TeV LHC, *Phys. Rev. D* **86**, 075014, (2012). doi: 10.1103/PhysRevD.86.075014.
792. A. Roy and M. Cavaglia, Discriminating supersymmetry and black holes at the large hadron collider, *Phys. Rev. D* **77**, 064029, (2008). doi: 10.1103/PhysRevD.77.064029.
793. C. Quigg, Looking into particle production at the large hadron collider, *Nuovo Cim. C* **033N5**, 327–342, (2010). doi: 10.1393/ncc/i2011-10734-0.
794. C. Albajar *et al.*, Analysis of the highest transverse energy events seen in the UA1 detector at the S $p\bar{p}$ S collider, *Z. Phys. C* **36**, 33, (1987). doi: 10.1007/BF01556162.
795. C. Loizides, Experimental overview on small collision systems at the LHC, *Nucl. Phys. A* **956**, 200–207, (2016). doi: 10.1016/j.nuclphysa.2016.04.022.
796. E. Cuautle, R. Jimenez, I. Maldonado, A. Ortiz, G. Paić and E. Perez. Disentangling the soft and hard components of the pp collisions using the sphero(i)city approach, (2014). arXiv:1404.2372.
797. A. Ortiz, G. Paić and E. Cuautle, Mid-rapidity charged hadron transverse sphericity in pp collisions simulated with Pythia, *Nucl. Phys. A* **941**, 78–86, (2015). doi: 10.1016/j.nuclphysa.2015.05.010.
798. B. Abelev *et al.*, Transverse sphericity of primary charged particles in minimum bias proton–proton collisions at $\sqrt{s} = 0.9, 2.76$ and 7 TeV, *Eur. Phys. J. C* **72**, 2124, (2012). doi: 10.1140/epjc/s10052-012-2124-9.
799. V. Khachatryan *et al.*, First Measurement of Hadronic Event Shapes in pp Collisions at $\sqrt{s} = 7$ TeV, *Phys. Lett. B* **699**, 48–67, (2011). doi: 10.1016/j.physletb.2011.03.060.
800. J. Alwall, R. Frederix, S. Frixione, V. Hirschi, F. Maltoni, O. Mattelaer, H. S. Shao, T. Stelzer, P. Torrielli and M. Zaro, The automated computation of tree-level and next-to-leading order differential cross sections and their matching to parton shower simulations, *J. High Energy Phys.* **07**, 079, (2014). doi: 10.1007/JHEP07(2014)079.
801. S. Chatrchyan *et al.*, Event shapes and azimuthal correlations in Z + jets events in pp collisions at $\sqrt{s} = 7$ TeV, *Phys. Lett. B* **722**, 238–261, (2013). doi: 10.1016/j.physletb.2013.04.025.
802. R. Bala, I. Bautista, J. Bielcikova and A. Ortiz, Heavy-ion physics at the LHC: Review of Run I results, *Int. J. Mod. Phys. E* **25** (07), 1642006, (2016). doi: 10.1142/S0218301316420064.
803. J. Adam *et al.*, Measurement of charged jet production cross sections and nuclear modification in p–Pb collisions at $\sqrt{s_{NN}} = 5.02$ TeV, *Phys. Lett. B* **749**, 68–81, (2015). doi: 10.1016/j.physletb.2015.07.054.
804. K. Dusling *et al.*, Energy dependence of the ridge in high multiplicity proton–proton collisions, *Phys. Rev. D* **93** (1), 014034, (2016). doi: 10.1103/PhysRevD.93.014034.

805. B. Schenke *et al.*, Azimuthal anisotropies in p+Pb collisions from classical Yang–Mills dynamics, *Phys. Lett. B* **747**, 76–82, (2015). doi: 10.1016/j.physletb.2015.05.051.
806. K. Dusling *et al.*, Evidence for BFKL and saturation dynamics from dihadron spectra at the LHC, *Phys. Rev. D* **87** (5), 051502, (2013). doi: 10.1103/PhysRevD.87.051502.
807. K. Dusling *et al.*, Azimuthal collimation of long range rapidity correlations by strong color fields in high multiplicity hadron–hadron collisions, *Phys. Rev. Lett.* **108**, 262001, (2012). doi: 10.1103/PhysRevLett.108.262001.
808. A. Ortiz, Mean pT scaling with m/n_q at the LHC: Absence of (hydro) flow in small systems? *Nucl. Phys. A* **943**, 9–17, (2015). doi: 10.1016/j.nuclphysa.2015.08.003.
809. B. G. Zakharov, Flavor dependence of jet quenching in pp collisions and its effect on R_{AA} for heavy mesons, *JETP Lett.* **103** (6), 363–368, (2016). doi: 10.1134/S0021364016060126.
810. A. Ortiz, G. Bencedi and H. Bello, Revealing the source of the radial flow patterns in proton–proton collisions using hard probes, *J. Phys. G: Nucl. Part. Phys.* **44** (6), 065001, (2017). doi: 10.1088/1361-6471/aa6594.
811. M. Veldhoen, p/π Ratio in di-hadron correlations, *Nucl. Phys. A* **910–911**, 306–309, (2013). doi: 10.1016/j.nuclphysa.2012.12.103.
812. X. Zhang, K_S^0 and Λ production in charged particle jets in p–Pb collisions at $\sqrt{s_{NN}} = 5.02$ TeV with ALICE, *Nucl. Phys. A* **931**, 444–448, (2014). doi: 10.1016/j.nuclphysa.2014.08.102.
813. E. Cuautle, A. Ortiz and G. Paić, Effects produced by multi-parton interactions and color reconnection in small systems, *Nucl. Phys. A* **956**, 749–752, (2016). doi: 10.1016/j.nuclphysa.2016.02.031.
814. I. Bautista, J. G. Milhano, C. Pajares and J. Dias de Deus, Multiplicity in pp and AA collisions: the same power law from energy-momentum constraints in string production, *Phys. Lett. B* **715**, 230–233, (2012). doi: 10.1016/j.physletb.2012.07.029.
815. C. Andres, A. Moscoso and C. Pajares, Universal geometrical scaling for hadronic interactions, *Nucl. Phys. A* **901**, 14–21, (2013). doi: 10.1016/j.nuclphysa.2013.02.013.
816. Y.-L. Yan *et al.*, Simultaneously study for particle transverse sphericity and ellipticity in pp collisions at LHC energies, *Nucl. Phys. A* **930**, 187–194, (2014). doi: 10.1016/j.nuclphysa.2014.07.025.
817. G. Aad *et al.*, Measurement of charged-particle event shape variables in $\sqrt{s} = 7$ TeV proton–proton interactions with the ATLAS detector, *Phys. Rev. D* **88** (3), 032004, (2013). doi: 10.1103/PhysRevD.88.032004.
818. V. Khachatryan *et al.*, Dependence of the $\Upsilon(nS)$ production ratios on charged particle multiplicity in pp collisions at $\sqrt{s} = 7$ TeV. Technical Report CMS-PAS-BPH-14-009, CERN, Geneva, (2016). URL <https://cds.cern.ch/record/2223879>.
819. S. Chatrchyan *et al.*, Observation of sequential Upsilon suppression in PbPb collisions, *Phys. Rev. Lett.* **109**, 222301, (2012). doi: 10.1103/PhysRevLett.109.222301.
820. A. H. Mueller, Soft gluons in the infinite momentum wave function and the BFKL pomeron, *Nucl. Phys. B* **415**, 373–385, (1994). doi: 10.1016/0550-3213(94)90116-3.
821. A. H. Mueller and B. Patel, Single and double BFKL pomeron exchange and a dipole picture of high-energy hard processes, *Nucl. Phys. B* **425**, 471–488, (1994). doi: 10.1016/0550-3213(94)90284-4.
822. A. H. Mueller, Unitarity and the BFKL pomeron, *Nucl. Phys. B* **437**, 107–126, (1995). doi: 10.1016/0550-3213(94)00480-3.
823. E. Avsar, G. Gustafson and L. Lönnblad, Energy conservation and saturation in small- x evolution, *J. High Energy Phys.* **07**, 062, (2005). doi: 10.1088/1126-6708/2005/07/062.

824. E. Avsar, G. Gustafson and L. Lönnblad, Diffractive excitation in DIS and pp collisions, *J. High Energy Phys.* **12**, 012, (2007). doi: 10.1088/1126-6708/2007/12/012.
825. G. P. Salam, An introduction to leading and next-to-leading BFKL, *Acta Phys. Polon. B* **30**, 3679–3705, (1999).
826. A. H. Mueller and G. P. Salam, Large multiplicity fluctuations and saturation effects in onium collisions, *Nucl. Phys. B* **475**, 293–320, (1996). doi: 10.1016/0550-3213(96)00336-7.
827. J. Kwiecinski, A. D. Martin and P. J. Sutton, Constraints on gluon evolution at small x , *Z. Phys. C* **71**, 585–594, (1996). doi: 10.1007/BF02907019, 10.1007/s002880050206.
828. I. Balitsky and G. A. Chirilli, NLO evolution of color dipole, *Acta Phys. Polon. B* **39**, 2561–2566, (2008).
829. G. P. Salam, A resummation of large subleading corrections at small x , *J. High Energy Phys.* **07**, 019, (1998). doi: 10.1088/1126-6708/1998/07/019.
830. M. Ciafaloni and D. Colferai, The BFKL equation at next-to-leading level and beyond, *Phys. Lett. B* **452**, 372–378, (1999). doi: 10.1016/S0370-2693(99)00281-6.
831. M. Ciafaloni, D. Colferai and G. P. Salam, A collinear model for small x physics, *J. High Energy Phys.* **10**, 017, (1999). doi: 10.1088/1126-6708/1999/10/017.
832. E. Avsar, On the high energy behaviour of the total cross section in the QCD dipole model, *J. High Energy Phys.* **04**, 033, (2008). doi: 10.1088/1126-6708/2008/04/033.
833. C. Flensburg, G. Gustafson and L. Lönnblad, Elastic and quasi-elastic pp and γ^*p scattering in the dipole model, *Eur. Phys. J. C* **60**, 233–247, (2009). doi: 10.1140/epjc/s10052-009-0868-7.
834. J. R. Cudell, V. V. Ezhela, P. Gauron, K. Kang, Yu. V. Kuyanov, S. B. Lugovsky, E. Martynov, B. Nicolescu, E. A. Razuvaev and N. P. Tkachenko, Benchmarks for the forward observables at RHIC, the Tevatron Run II and the LHC, *Phys. Rev. Lett.* **89**, 201801, (2002). doi: 10.1103/PhysRevLett.89.201801.
835. E. Avsar and G. Gustafson, Geometric scaling and QCD dynamics in DIS, *J. High Energy Phys.* **04**, 067, (2007). doi: 10.1088/1126-6708/2007/04/067.
836. G. P. Salam, Soft emissions and the equivalence of BFKL and CCFM final states, *J. High Energy Phys.* **03**, 009, (1999). doi: 10.1088/1126-6708/1999/03/009.
837. G. Gustafson and G. Miu, Minijets and transverse energy flow in high-energy collisions, *Phys. Rev. D* **63**, 034004, (2001). doi: 10.1103/PhysRevD.63.034004.
838. L. Lönnblad, ARIADNE version 4: a program for simulation of QCD cascades implementing the color dipole model, *Comput. Phys. Commun.* **71**, 15–31, (1992). doi: 10.1016/0010-4655(92)90068-A.
839. F. Abe *et al.*, Measurement of $\bar{p}p$ single diffraction dissociation at $\sqrt{s} = 546$ GeV and 1800 GeV, *Phys. Rev. D* **50**, 5535–5549, (1994). doi: 10.1103/PhysRevD.50.5535.
840. G. Aad *et al.*, Rapidity gap cross sections measured with the ATLAS detector in pp collisions at $\sqrt{s} = 7$ TeV, *Eur. Phys. J. C* **72**, 1926, (2012). doi: 10.1140/epjc/s10052-012-1926-0.
841. V. Khachatryan *et al.*, Measurement of diffraction dissociation cross sections in pp collisions at $\sqrt{s} = 7$ TeV, *Phys. Rev. D* **92** (1), 012003, (2015). doi: 10.1103/PhysRevD.92.012003.
842. Y. Hatta, E. Iancu, C. Marquet, G. Soyez and D. N. Triantafyllopoulos, Diffusive scaling and the high-energy limit of deep inelastic scattering in QCD at large $N(c)$, *Nucl. Phys. A* **773**, 95–155, (2006). doi: 10.1016/j.nuclphysa.2006.04.003.
843. G. Gustafson, The relation between the Good–Walker and triple-regge formalisms for diffractive excitation, *Phys. Lett. B* **718**, 1054–1057, (2013). doi: 10.1016/j.physletb.2012.11.061.

844. E. Gotsman, E. Levin and U. Maor, A comprehensive model of soft interactions in the LHC era, *Int. J. Mod. Phys. A* **30** (08), 1542005, (2015). doi: 10.1142/S0217751X15420051.
845. V. A. Khoze, A. D. Martin and M. G. Ryskin, Elastic scattering and diffractive dissociation in the light of LHC data, *Int. J. Mod. Phys. A* **30** (08), 1542004, (2015). doi: 10.1142/S0217751X1542004X.
846. C. Flensburg and G. Gustafson, Fluctuations, saturation and diffractive excitation in high energy collisions, *J. High Energy Phys.* **10**, 014, (2010). doi: 10.1007/JHEP10(2010)014.
847. C. Flensburg, G. Gustafson and L. Lönnblad, Exclusive final states in diffractive excitation, *J. High Energy Phys.* **12**, 115, (2012). doi: 10.1007/JHEP12(2012)115.
848. D. Bernard *et al.*, Pseudorapidity distribution of charged particles in diffraction dissociation events at the CERN SPS collider, *Phys. Lett. B* **166**, 459–462, (1986). doi: 10.1016/0370-2693(86)91598-4.
849. T. S. Biro, H. B. Nielsen and J. Knoll, Color rope model for extreme relativistic heavy ion collisions, *Nucl. Phys. B* **245**, 449–468, (1984). doi: 10.1016/0550-3213(84)90441-3.
850. A. Bialas and W. Czyz, Chromoelectric flux tubes and the transverse momentum distribution in high-energy nucleus–nucleus collisions, *Phys. Rev. D* **31**, 198, (1985). doi: 10.1103/PhysRevD.31.198.
851. A. K. Kerman, T. Matsui and B. Svetitsky, Particle production in the central rapidity region of ultrarelativistic nuclear collisions, *Phys. Rev. Lett.* **56**, 219, (1986). doi: 10.1103/PhysRevLett.56.219.
852. M. Gyulassy and A. Iwazaki, Quark and gluon pair production in SU(n) covariant constant fields, *Phys. Lett. B* **165**, 157–161, (1985). doi: 10.1016/0370-2693(85)90711-7.
853. B. Andersson and P. A. Henning, On the dynamics of a color rope: the fragmentation of interacting strings and the longitudinal distributions, *Nucl. Phys. B* **355**, 82–105, (1991). doi: 10.1016/0550-3213(91)90303-F.
854. M. Braun and C. Pajares, A probabilistic model of interacting strings, *Nucl. Phys. B* **390**, 542–558, (1993). doi: 10.1016/0550-3213(93)90467-4.
855. M. Braun and C. Pajares, Cross-sections and multiplicities in hadron nucleus collisions with interacting color strings, *Phys. Rev. D* **47**, 114–122, (1993). doi: 10.1103/PhysRevD.47.114.
856. N. S. Amelin, M. A. Braun and C. Pajares, String fusion and particle production at high-energies: Monte Carlo string fusion model, *Z. Phys. C* **63**, 507–516, (1994). doi: 10.1007/BF01580331.
857. N. Armesto, M. A. Braun, E. G. Ferreira and C. Pajares, Strangeness enhancement and string fusion in nucleus–nucleus collisions, *Phys. Lett. B* **344**, 301–307, (1995). doi: 10.1016/0370-2693(94)01511-A.
858. B. Andersson, G. Gustafson and B. Soderberg, A general model for jet fragmentation, *Z. Phys. C* **20**, 317, (1983). doi: 10.1007/BF01407824.
859. B. Andersson and G. Gustafson, Semiclassical models for gluon jets and lepton production based on the massless relativistic string, *Z. Phys. C* **3**, 223, (1980). doi: 10.1007/BF01577421.
860. A. Casher, H. Neuberger and S. Nussinov, Chromoelectric flux tube model of particle production, *Phys. Rev. D* **20**, 179–188, (1979). doi: 10.1103/PhysRevD.20.179.
861. B. Andersson, G. Gustafson and T. Sjöstrand, A three-dimensional model for quark and gluon jets, *Z. Phys. C* **6**, 235, (1980). doi: 10.1007/BF01557774.

862. E. G. Gurvich, The quark anti-quark pair production mechanism in a quark jet, *Phys. Lett. B* **87**, 386–388, (1979). doi: 10.1016/0370-2693(79)90560-4.
863. N. K. Glendenning and T. Matsui, Creation of anti-Q Q pair in a chromoelectric flux tube, *Phys. Rev. D* **28**, 2890–2891, (1983). doi: 10.1103/PhysRevD.28.2890.
864. E. Brezin and C. Itzykson, Pair production in vacuum by an alternating field, *Phys. Rev. D* **2**, 1191–1199, (1970). doi: 10.1103/PhysRevD.2.1191.
865. J. S. Schwinger, On gauge invariance and vacuum polarization, *Phys. Rev.* **82**, 664–679, (1951). doi: 10.1103/PhysRev.82.664.
866. J. Adam *et al.*, Enhanced production of multi-strange hadrons in high-multiplicity proton-proton collisions, *Nature Phys.* **13**, 535–539 (2017). doi: 10.1038/nphys4111.
867. V. A. Abramovsky, E. V. Gedalin, E. G. Gurvich and O. V. Kancheli, Long range azimuthal correlations in multiple production processes at high-energies, *JETP Lett.* **47**, 337–339, (1988). [*Pisma Zh. Eksp. Teor. Fiz.* **47**, 281, (1988)].
868. I. Altsybeev, Mean transverse momenta correlations in hadron-hadron collisions in MC toy model with repulsing strings, *AIP Conf. Proc.* **1701**, 100002, (2016). doi: 10.1063/1.4938711.
869. R. J. Glauber, Cross-sections in deuterium at high-energies, *Phys. Rev.* **100**, 242–248, (1955). doi: 10.1103/PhysRev.100.242.
870. W. Broniowski, M. Rybczynski and P. Bozek, GLISSANDO: Glauber initial-state simulation and more, *Comput. Phys. Commun.* **180**, 69–83, (2009). doi: 10.1016/j.cpc.2008.07.016.
871. M. Rybczynski, G. Stefanek, W. Broniowski and P. Bozek, GLISSANDO 2 : GLauber Initial-State Simulation AND more, ver.2, *Comput. Phys. Commun.* **185**, 1759–1772, (2014). doi: 10.1016/j.cpc.2014.02.016.
872. H. De Vries, C. W. De Jager and C. De Vries, Nuclear charge-density-distribution parameters from elastic electron scattering, *Atom. Data Nucl. Data Tabl.* **36**, 495–536, (1987).
873. M. Rybczynski and W. Broniowski, Two-body nucleon–nucleon correlations in Glauber-like models, *Phys. Part. Nucl. Lett.* **8**, 992–994, (2011). doi: 10.1134/S1547477111090299.
874. G. Gustafson, L. Lönnblad, A. Ster and T. Csörgő, Total, inelastic and (quasi-)elastic cross sections of high energy pA and γ^*A reactions with the dipole formalism, *J. High Energy Phys.* **10**, 022, (2015). doi: 10.1007/JHEP10(2015)022.
875. S. Baur, H. Wöhrmann, C. Baus, I. Katkov, R. Ulrich and M. Akbiyik, Inelastic cross section measurement in p–Pb collisions at 5.02 TeV with the CMS experiment, *PoS ICRC2015*, 440, (2016).
876. C. Bierlich, G. Gustafson and L. Lönnblad, Diffractive and non-diffractive wounded nucleons and final states in pA collisions, *J. High Energy Phys.* **10**, 139, (2016). doi: 10.1007/JHEP10(2016)139.
877. B. Blaettel, G. Baym, L. L. Frankfurt, H. Heiselberg and M. Strikman, Hadronic cross-section fluctuations, *Phys. Rev. D* **47**, 2761–2772, (1993). doi: 10.1103/PhysRevD.47.2761.
878. G. Aad *et al.*, Measurement of the centrality dependence of the charged-particle pseudorapidity distribution in protonlead collisions at $\sqrt{s_{NN}} = 5.02$ TeV with the ATLAS detector, *Eur. Phys. J. C* **76** (4), 199, (2016). doi: 10.1140/epjc/s10052-016-4002-3.
879. E. Iancu and R. Venugopalan. The color glass condensate and high-energy scattering in QCD, arXiv:hep-ph/0303204, (2003).
880. L. D. McLerran and R. Venugopalan, Computing quark and gluon distribution functions for very large nuclei, *Phys. Rev. D* **49**, 2233–2241, (1994). doi: 10.1103/PhysRevD.49.2233.

881. Y. V. Kovchegov, Unitarization of the BFKL pomeron on a nucleus, *Phys. Rev. D* **61**, 074018 (2000). doi: 10.1103/PhysRevD.61.074018. URL <http://link.aps.org/doi/10.1103/PhysRevD.61.074018>.
882. J. Jalilian-Marian, A. Kovner, L. D. McLerran and H. Weigert, The intrinsic glue distribution at very small x , *Phys. Rev. D* **55**, 5414–5428, (1997). doi: 10.1103/PhysRevD.55.5414.
883. E. Ferreiro, E. Iancu, A. Leonidov and L. McLerran, Nonlinear gluon evolution in the color glass condensate. II, *Nucl. Phys. A* **703**, 489–538, (2002). doi: 10.1016/S0375-9474(01)01329-X.
884. T. Lappi and L. McLerran, Some features of the glasma, *Nucl. Phys. A* **772**, 200–212, (2006). doi: 10.1016/j.nuclphysa.2006.04.001.
885. A. Kovner, L. D. McLerran and H. Weigert, Gluon production from nonAbelian Weizsacker-Williams fields in nucleus–nucleus collisions, *Phys. Rev. D* **52**, 6231–6237, (1995). doi: 10.1103/PhysRevD.52.6231.
886. A. Kovner, L. D. McLerran and H. Weigert, Gluon production at high transverse momentum in the McLerran–Venugopalan model of nuclear structure functions, *Phys. Rev. D* **52**, 3809–3814, (1995). doi: 10.1103/PhysRevD.52.3809.
887. J. P. Blaizot, F. Gelis and R. Venugopalan, High energy pA collisions in the color glass condensate approach. I: Gluon production and the Cronin effect, *Nucl. Phys. A* **743**, 13–56, (2004). doi: 10.1016/j.nuclphysa.2004.07.005.
888. A. Krasnitz and R. Venugopalan, Non-perturbative computation of gluon mini-jet production in nuclear collisions at very high energies, *Nucl. Phys. B* **557**, 237, (1999).
889. A. Krasnitz and R. Venugopalan, The initial energy density of gluons produced in very high energy nuclear collisions, *Phys. Rev. Lett.* **84**, 4309–4312, (2000).
890. A. Krasnitz and R. Venugopalan, The initial gluon multiplicity in heavy ion collisions, *Phys. Rev. Lett.* **86**, 1717–1720, (2001). doi: 10.1103/PhysRevLett.86.1717.
891. A. Krasnitz, Y. Nara and R. Venugopalan, Coherent gluon production in very high energy heavy ion collisions, *Phys. Rev. Lett.* **87**, 192302, (2001).
892. T. Lappi, Production of gluons in the classical field model for heavy ion collisions, *Phys. Rev. C* **67**, 054903, (2003). doi: 10.1103/PhysRevC.67.054903.
893. B. Schenke, P. Tribedy and R. Venugopalan, Fluctuating Glasma initial conditions and flow in heavy ion collisions, *Phys. Rev. Lett.* **108**, 252301, (2012). doi: 10.1103/PhysRevLett.108.252301.
894. B. Schenke, P. Tribedy and R. Venugopalan, Event-by-event gluon multiplicity, energy density and eccentricities in ultrarelativistic heavy-ion collisions, *Phys. Rev. C* **86**, 034908, (2012). doi: 10.1103/PhysRevC.86.034908.
895. A. Dumitru, F. Gelis, L. McLerran and R. Venugopalan, Glasma flux tubes and the near side ridge phenomenon at RHIC, *Nucl. Phys. A* **810**, 91–108, (2008). doi: 10.1016/j.nuclphysa.2008.06.012.
896. K. Dusling, D. Fernandez-Fraile and R. Venugopalan, Three-particle correlation from glasma flux tubes, *Nucl. Phys. A* **828**, 161–177, (2009). doi: 10.1016/j.nuclphysa.2009.06.017.
897. F. Gelis, T. Lappi and L. McLerran, Glittering Glasmas, *Nucl. Phys. A* **828**, 149–160, (2009). doi: 10.1016/j.nuclphysa.2009.07.004.
898. P. Tribedy and R. Venugopalan, Saturation models of HERA DIS data and inclusive hadron distributions in p+p collisions at the LHC, *Nucl. Phys. A* **850**, 136–156, (2011). doi: 10.1016/j.nuclphysa.2011.04.008, 10.1016/j.nuclphysa.2010.12.006. [Erratum: *Nucl. Phys. A* **859**, 185, (2011)].
899. P. Tribedy and R. Venugopalan, QCD saturation at the LHC: comparisons of models to p+p and A+A data and predictions for p+Pb collisions, *Phys. Lett. B* **710**,

- 125–133, (2012). doi: 10.1016/j.physletb.2012.02.047, 10.1016/j.physletb.2012.12.004. [Erratum: *Phys. Lett. B* **718**, 1154, (2013)].
900. K. Dusling, F. Gelis, T. Lappi and R. Venugopalan, Long range two-particle rapidity correlations in A+A collisions from high energy QCD evolution, *Nucl. Phys. A* **836**, 159–182, (2010). doi: 10.1016/j.nuclphysa.2009.12.044.
901. A. Dumitru *et al.*, The ridge in proton–proton collisions at the LHC, *Phys. Lett. B* **697**, 21–25, (2011). doi: 10.1016/j.physletb.2011.01.024.
902. A. Kovner and M. Lublinsky, Angular correlations in gluon production at high energy, *Phys. Rev. D* **83**, 034017, (2011). doi: 10.1103/PhysRevD.83.034017.
903. A. Kovner and M. Lublinsky, On angular correlations and high energy evolution, *Phys. Rev. D* **84**, 094011, (2011). doi: 10.1103/PhysRevD.84.094011.
904. E. Levin and A. H. Rezaeian, The ridge from the BFKL evolution and beyond, *Phys. Rev. D* **84**, 034031, (2011). doi: 10.1103/PhysRevD.84.034031.
905. K. Dusling and R. Venugopalan, Explanation of systematics of CMS p+Pb high multiplicity di-hadron data at $\sqrt{s_{NN}} = 5.02$ TeV, *Phys. Rev. D* **87** (5), 054014, (2013). doi: 10.1103/PhysRevD.87.054014.
906. Y. V. Kovchegov and D. E. Wertepny, Long-range rapidity correlations in heavy-light ion collisions, *Nucl. Phys. A* **906**, 50–83, (2013). doi: 10.1016/j.nuclphysa.2013.03.006.
907. K. Dusling and R. Venugopalan, Comparison of the color glass condensate to dihadron correlations in proton–proton and proton–nucleus collisions, *Phys. Rev. D* **87** (9), 094034, (2013). doi: 10.1103/PhysRevD.87.094034.
908. Y. V. Kovchegov and D. E. Wertepny, Two-gluon correlations in heavy-light ion collisions: energy and geometry dependence, IR divergences and k_T -factorization, *Nucl. Phys. A* **925**, 254–295, (2014). doi: 10.1016/j.nuclphysa.2014.02.021.
909. A. Dumitru and A. V. Giannini, Initial state angular asymmetries in high energy p+A collisions: spontaneous breaking of rotational symmetry by a color electric field and C-odd fluctuations, *Nucl. Phys. A* **933** (2015) 212. doi: 10.1016/j.nuclphysa.2014.10.037.
910. A. Dumitru and V. Skokov, Anisotropy of the semiclassical gluon field of a large nucleus at high energy, *Phys. Rev. D* **91** (7), 074006, (2015). doi: 10.1103/PhysRevD.91.074006.
911. A. Dumitru, L. McLerran and V. Skokov, Azimuthal asymmetries and the emergence of “collectivity” from multi-particle correlations in high-energy pA collisions, *Phys. Lett. B* **743**, 134–137, (2015). doi: 10.1016/j.physletb.2015.02.046.
912. M. Gyulassy, P. Levai, I. Vitev and T. Biro, Non-Abelian bremsstrahlung and azimuthal asymmetries in high energy p+A reactions, *Phys. Rev. D* **90**, 054025, (2014). doi: 10.1103/PhysRevD.90.054025.
913. T. Lappi, Azimuthal harmonics of color fields in a high energy nucleus, *Phys. Lett. B* **744**, 315–319, (2015). doi: 10.1016/j.physletb.2015.04.015.
914. T. Lappi, B. Schenke, S. Schlichting and R. Venugopalan, Tracing the origin of azimuthal gluon correlations in the color glass condensate, *J. High Energy Phys.* **01**, 061, (2016). doi: 10.1007/JHEP01(2016)061.
915. K. Dusling, M. Mace and R. Venugopalan, Multiparticle collectivity from initial state correlations in high energy proton–nucleus collisions, *Phys. Rev. Lett.* **120**(4), 042002 (2018). doi: 10.1103/PhysRevLett.120.042002.
916. B. Schenke, P. Tribedy and R. Venugopalan, Initial-state geometry and fluctuations in Au+Au, Cu+Au and U+U collisions at energies available at the BNL Relativistic Heavy Ion Collider, *Phys. Rev. C* **89** (6), 064908, (2014). doi: 10.1103/PhysRevC.89.064908.

917. A. H. Rezaeian, M. Siddikov, M. Van de Klundert and R. Venugopalan, Analysis of combined HERA data in the Impact-Parameter dependent Saturation model, *Phys. Rev. D* **87** (3), 034002, (2013). doi: 10.1103/PhysRevD.87.034002.
918. H. Mantysaari and B. Schenke, Evidence of strong proton shape fluctuations from incoherent diffraction, *Phys. Rev. Lett.* **117**(5), 052301 (2016). doi: 10.1103/PhysRevLett.117.052301.
919. H. Kowalski and D. Teaney, An impact parameter dipole saturation model, *Phys. Rev. D* **68**, 114005, (2003). doi: 10.1103/PhysRevD.68.114005.
920. L. McLerran and P. Tribedy, Intrinsic fluctuations of the proton saturation momentum scale in high multiplicity p+p collisions, *Nucl. Phys. A* **945**, 216–225, (2016). doi: 10.1016/j.nuclphysa.2015.10.008.
921. E. Iancu, A. H. Mueller and S. Munier, Universal behavior of QCD amplitudes at high energy from general tools of statistical physics, *Phys. Lett. B* **606**, 342–350, (2005). doi: 10.1016/j.physletb.2004.12.009.
922. E. Iancu and D. N. Triantafyllopoulos, A Langevin equation for high energy evolution with pomeron loops, *Nucl. Phys. A* **756**, 419–467, (2005). doi: 10.1016/j.nuclphysa.2005.03.124.
923. S. Munier and R. B. Peschanski, Traveling wave fronts and the transition to saturation, *Phys. Rev. D* **69**, 034008, (2004). doi: 10.1103/PhysRevD.69.034008.
924. S. Munier and R. B. Peschanski, Geometric scaling as traveling waves, *Phys. Rev. Lett.* **91**, 232001, (2003). doi: 10.1103/PhysRevLett.91.232001.
925. A. H. Mueller and S. Munier, On parton number fluctuations at various stages of the rapidity evolution, *Phys. Lett. B* **737**, 303–310, (2014). doi: 10.1016/j.physletb.2014.08.058.
926. C. Marquet, G. Soyez and B.-W. Xiao, On the probability distribution of the stochastic saturation scale in QCD, *Phys. Lett. B* **639**, 635–641, (2006). doi: 10.1016/j.physletb.2006.07.022.
927. A. Bzdak and K. Dusling, Probing proton fluctuations with asymmetric rapidity correlations, *Phys. Rev. C* **93** (3), 031901, (2016). doi: 10.1103/PhysRevC.93.031901.
928. H. Kowalski, L. Motyka and G. Watt, Exclusive diffractive processes at HERA within the dipole picture, *Phys. Rev. D* **74**, 074016, (2006). doi: 10.1103/PhysRevD.74.074016.
929. S. Schlichting and B. Schenke, The shape of the proton at high energies, *Phys. Lett. B* **739**, 313–319, (2014). doi: 10.1016/j.physletb.2014.10.068.
930. S. Schlichting and P. Tribedy, Collectivity in small collision systems: an initial-state perspective, *Adv. High Energy Phys.* **2016**, 8460349, (2016). doi: 10.1155/2016/8460349.
931. R. D. Field and R. P. Feynman, A parametrization of the properties of quark jets, *Nucl. Phys. B* **136**, 1, (1978). doi: 10.1016/0550-3213(78)90015-9.
932. T. Sjöstrand, High-energy physics event generation with Pythia 5.7 and JETSET 7.4, *Comput. Phys. Commun.* **82**, 74–90, (1994). doi: 10.1016/0010-4655(94)90132-5.
933. T. Sjöstrand, Colour reconnection and its effects on precise measurements at the LHC. (2013). URL <http://inspirehep.net/record/1262718/files/arXiv:1310.8073.pdf>.
934. B. Schenke, P. Tribedy and R. Venugopalan, Multiplicity distributions in p+p, p+A and A+A collisions from Yang–Mills dynamics, *Phys. Rev. C* **89** (2), 024901, (2014). doi: 10.1103/PhysRevC.89.024901.
935. L. Bianchi, Strangeness production as a function of charged particle multiplicity in proton–proton collisions, *Nucl. Phys. A*, **956**, 777–780, (2016). doi: 10.1016/j.nuclphysa.2016.03.005.

936. T. Kalaydzhyan and E. Shuryak, Collective flow in high-multiplicity proton–proton collisions, *Phys. Rev. C* **91** (5), 054913, (2015). doi: 10.1103/PhysRevC.91.054913.
937. P. Levai and B. Muller, Transverse baryon flow as possible evidence for a quark-gluon plasma phase, *Phys. Rev. Lett.* **67**, 1519–1522, (1991). doi: 10.1103/PhysRevLett.67.1519.
938. V. Khachatryan *et al.*, Measurement of long-range near-side two-particle angular correlations in pp collisions at $\sqrt{s} = 13$ TeV, *Phys. Rev. Lett.* **116** (17), 172302, (2016). doi: 10.1103/PhysRevLett.116.172302.
939. J. Adams *et al.*, Distributions of charged hadrons associated with high transverse momentum particles in pp and Au + Au collisions at $\sqrt{s_{NN}} = 200$ -GeV, *Phys. Rev. Lett.* **95**, 152301, (2005). doi: 10.1103/PhysRevLett.95.152301.
940. A. Adare *et al.*, System size and energy dependence of jet-induced hadron pair correlation shapes in Cu+Cu and Au+Au collisions at $\sqrt{s_{NN}} = 200$ and 62.4-GeV, *Phys. Rev. Lett.* **98**, 232302, (2007). doi: 10.1103/PhysRevLett.98.232302.
941. B. Alver *et al.*, System size dependence of cluster properties from two-particle angular correlations in Cu+Cu and Au+Au collisions at $\sqrt{s_{NN}} = 200$ -GeV, *Phys. Rev. C* **81**, 024904, (2010). doi: 10.1103/PhysRevC.81.024904.
942. P. Bozek and W. Broniowski, Collective dynamics in high-energy proton–nucleus collisions, *Phys. Rev. C* **88** (1), 014903, (2013). doi: 10.1103/PhysRevC.88.014903.
943. A. Bzdak, B. Schenke, P. Tribedy and R. Venugopalan, Initial state geometry and the role of hydrodynamics in proton–proton, proton–nucleus and deuteron–nucleus collisions, *Phys. Rev. C* **87** (6), 064906, (2013). doi: 10.1103/PhysRevC.87.064906.
944. G.-Y. Qin and B. Müller, Elliptic and triangular flow anisotropy in deuteron-gold collisions at $\sqrt{s_{NN}} = 200$ GeV at RHIC and in proton–lead collisions at $\sqrt{s_{NN}} = 5.02$ TeV at the LHC, *Phys. Rev. C* **89** (4), 044902, (2014). doi: 10.1103/PhysRevC.89.044902.
945. J. L. Nagle, A. Adare, S. Beckman, T. Koblesky, J. Orjuela Koop, D. McGlinchey, P. Romatschke, J. Carlson, J. E. Lynn and M. McCumber, Exploiting intrinsic triangular geometry in relativistic He3+Au collisions to disentangle medium properties, *Phys. Rev. Lett.* **113** (11), 112301, (2014). doi: 10.1103/PhysRevLett.113.112301.
946. B. Schenke and R. Venugopalan, Eccentric protons? Sensitivity of flow to system size and shape in p+p, p+Pb and Pb+Pb collisions, *Phys. Rev. Lett.* **113**, 102301, (2014). doi: 10.1103/PhysRevLett.113.102301.
947. A. Bzdak and G.-L. Ma, Elliptic and triangular flow in p+Pb and peripheral Pb+Pb collisions from parton scatterings, *Phys. Rev. Lett.* **113** (25), 252301, (2014). doi: 10.1103/PhysRevLett.113.252301.
948. P. Ghosh, S. Muhuri, J. K. Nayak and R. Varma, Indication of transverse radial flow in high-multiplicity proton–proton collisions at the large hadron collider, *J. Phys. G* **41**, 035106, (2014). doi: 10.1088/0954-3899/41/3/035106.
949. H. Mäntysaari, B. Schenke, C. Shen and P. Tribedy, Imprints of fluctuating proton shapes on flow in proton–lead collisions at the LHC, *Phys. Lett. B* **772**, 681–686, (2017). doi: 10.1016/j.physletb.2017.07.038.
950. S. Kar, S. Choudhury, S. Muhuri and P. Ghosh, Multiple parton interactions and production of charged particles up to the intermediate- p_T range in high-multiplicity pp events at the LHC, *Phys. Rev. D* **95** (1), 014016, (2017).
951. CMS Collaboration, Azimuthal anisotropy harmonics from long-range correlations in high multiplicity pp collisions at $\sqrt{s} = 7$ TeV, (2015). <http://cds.cern.ch/record/2056802>.
952. T. Regge, Introduction to complex orbital momenta, *Nuovo Cim.* **14**, 951, (1959). doi: 10.1007/BF02728177.

953. V. N. Gribov, Partial waves with complex orbital angular momenta and the asymptotic behavior of the scattering amplitude, *Sov. Phys. JETP*. **14**, 1395, (1962). [*Zh. Eksp. Teor. Fiz.* **41**, 1962, (1961)].
954. K. Werner, An event generator for e^+e^- annihilation, neutrino p , anti-neutrino p , μp and soft pp scattering, *Phys. Lett. B* **197**, 225–231, (1987). doi: 10.1016/0370-2693(87)90372-8.
955. H. J. Drescher, M. Hladik, S. Ostapchenko, T. Pierog and K. Werner, Parton based Gribov–Regge theory, *Phys. Rept.* **350**, 93–289, (2001). doi: 10.1016/S0370-1573(00)00122-8.
956. K. Werner, Core-corona separation in ultra-relativistic heavy ion collisions, *Phys. Rev. Lett.* **98**, 152301, (2007). doi: 10.1103/PhysRevLett.98.152301.
957. K. Werner, I. Karpenko, T. Pierog, M. Bleicher and K. Mikhailov, Event-by-event simulation of the three-dimensional hydrodynamic evolution from flux tube initial conditions in ultrarelativistic heavy ion collisions, *Phys. Rev. C* **82**, 044904, (2010). doi: 10.1103/PhysRevC.82.044904.
958. L. D. McLerran and R. Venugopalan, Green’s functions in the color field of a large nucleus, *Phys. Rev. D* **50**, 2225–2233, (1994). doi: 10.1103/PhysRevD.50.2225.
959. I. Karpenko, P. Huovinen and M. Bleicher, A 3+1 dimensional viscous hydrodynamic code for relativistic heavy ion collisions, *Comput. Phys. Commun.* **185**, 3016–3027, (2014). doi: 10.1016/j.cpc.2014.07.010.
960. M. Bleicher *et al.*, Relativistic hadron–hadron collisions in the ultrarelativistic quantum molecular dynamics model, *J. Phys. G* **25**, 1859–1896, (1999). doi: 10.1088/0954-3899/25/9/308.
961. H. Petersen, J. Steinheimer, G. Burau, M. Bleicher and H. Stocker, A fully integrated transport approach to heavy ion reactions with an intermediate hydrodynamic stage, *Phys. Rev. C* **78**, 044901, (2008). doi: 10.1103/PhysRevC.78.044901.
962. B. B. Abelev *et al.*, K_S^0 and Λ production in Pb–Pb collisions at $\sqrt{s_{NN}} = 2.76$ TeV, *Phys. Rev. Lett.* **111**, 222301, (2013). doi: 10.1103/PhysRevLett.111.222301.
963. A. Andronic, P. Braun-Munzinger, K. Redlich and J. Stachel, Hadron yields, the chemical freeze-out and the QCD phase diagram, *J. Phys. Conf. Ser.* **779** (1), 012012, (2017). doi: 10.1088/1742-6596/779/1/012012.
964. G. Gustafson, The importance of fluctuations, *Acta Phys. Polon. B* **42**, 2571–2580, (2011). doi: 10.5506/APhysPolB.42.2571.