

Robust and optimal control of open quantum systems

Zi-Jie Chen^{1†}, Hongwei Huang^{2†}, Lida Sun^{2†}, Qing-Xuan Jie^{1,3}, Jie Zhou², Ziyue Hua², Yifang Xu², Weiting Wang², Guang-Can Guo^{1,3,4}, Chang-Ling Zou^{1,3,4*}, Luyan Sun^{2,4*}, Xu-Bo Zou^{1,3,4*}

Recent advancements in quantum technologies have highlighted the importance of mitigating system imperfections, including parameter uncertainties and decoherence effects, to improve the performance of experimental platforms. However, most of the previous efforts in quantum control are devoted to the realization of arbitrary unitary operations in a closed quantum system. Here, we improve the algorithm that suppresses system imperfections and noises, providing notably enhanced scalability for robust and optimal control of open quantum systems. Through experimental validation in a superconducting quantum circuit, we demonstrate that our approach outperforms its conventional counterpart for closed quantum systems with an ultralow infidelity of about 0.60%, while the complexity of this algorithm exhibits the same scaling, with only a modest increase in the prefactor. This work represents a notable advancement in quantum optimal control techniques, paving the way for realizing quantum-enhanced technologies in practical applications.

INTRODUCTION

Quantum technologies are increasingly pivotal across diverse domains, including quantum computation, quantum communication, and quantum precision measurement (1). The critical technique driving these applications is the coherent manipulation of quantum states within a quantum system. For example, the implementation of quantum gates forms the foundation of quantum computation tasks (2), and unitary operations are essential for preparing exotic quantum states that enable quantum-enhanced sensors (3). In a given quantum system, unitary operations are realized through specific control Hamiltonians by adjusting control parameters like amplitude, detuning, and pulse shape of external control fields, such as microwave and optical driving fields (4). Therefore, optimizing control fields to achieve a desired target unitary operation is crucial for advancing quantum technologies. Over the past decades, various quantum optimal control methods, including the shortcut to adiabaticity (5), composite pulse sequences (6), chopped random basis (7), derivative removal by adiabatic gate (8), and gradient ascent pulse engineering (GRAPE) (9), have been proposed and applied in various platforms ranging from superconducting circuits (10, 11), ion traps (12), and neutral atoms (13), to defects in diamonds (14). More recently, machine learning approaches, such as reinforcement learning (15) and generative adversarial algorithms (16), have been integrated into quantum control to find solutions for target unitary operations.

Unfortunately, the realization of high-fidelity quantum operation is limited in practical experimental systems, even when suitable optimal control pulse shapes have been solved through numerical algorithms (17). One notable limitation stems from the discrepancies of Hamiltonian between the practical system and its model, including the uncertainty of parameters and the additional stray interaction between the system and the environmental degrees of freedom.

Coherent errors arise when the parameter varies, due to system miscalibration (18), sample aging (19), and slow drift of experimental setup (20). Addressing these errors requires improved calibration precision, enhanced system stability, and the utilization of robust quantum control techniques. Apart from coherent errors, practical experimental platforms inevitably couple with the external reservoirs (21), which leads to the decoherence of quantum systems and has been recognized as another major challenge in realizing reliable quantum information processors. Therefore, suppressing these decoherence errors requires extending system lifetimes and refining optimal control algorithms tailored for open quantum systems.

Despite the critical importance of error suppression in quantum applications, existing efforts have primarily focused on the robust control of quantum systems (22–25) or have relied on the time-consuming trajectory sampling (26, 27), precise evolution solving (9, 28–30), and machine learning (22) techniques for open system control. A numerically efficient algorithm that directly considers both the parameter uncertainties and the decoherence errors in optimizing open quantum system control remains elusive due to computational challenges. Take the GRAPE algorithm as an example, the algorithm that solely considers the intrinsic evolution of closed systems can be described by the Schrödinger equation. For simplicity, we refer to this as the Closed-GRAPE algorithm. This algorithm allows the computation of the objective function and gradients by calculating the evolution of a d -dimensional pure state represented by a $d \times 1$ -dimensional column vector, where the computational complexity is $\mathcal{O}(d^2)$. In contrast, previous GRAPE algorithms for an open system (9, 28–30) describe the evolution using the Lindblad master equation. We refer to these as the Open-GRAPE algorithms, drawing on the concept and terminology from (29). These algorithms require the computation of the evolution of the density matrix (31). This involves the matrix calculation of $d \times d$ -dimensional matrices, where the computational complexity is at least $\mathcal{O}(d^3)$ or even $\mathcal{O}(d^6)$. For multiqubit systems, the optimization can also be implemented by solving the Bloch equation, and the computational complexity remains comparable to the situation of the Lindblad equation (32).

Here, a numerically efficient optimal control algorithm for open quantum systems is introduced and experimentally verified in a superconducting quantum circuit. This approach, developed based on the conventional GRAPE algorithms, can efficiently

Copyright © 2025 The Authors, some rights reserved; exclusive licensee American Association for the Advancement of Science. No claim to original U.S. Government Works. Distributed under a Creative Commons Attribution NonCommercial License 4.0 (CC BY-NC).

¹CAS Key Laboratory of Quantum Information, University of Science and Technology of China, Hefei, Anhui 230026, China. ²Center for Quantum Information, Institute for Interdisciplinary Information Sciences, Tsinghua University, Beijing 100084, China. ³CAS Center For Excellence in Quantum Information and Quantum Physics, University of Science and Technology of China, Hefei, Anhui 230026, China. ⁴Hefei National Laboratory, Hefei, 230088, China.

*Corresponding author. Email: clzou321@ustc.edu.cn (C.-L.Z.); luyansun@tsinghua.edu.cn (Luyan Sun); xbz@ustc.edu.cn (X.-B.Z.)

†These authors contributed equally to this work.

calculate the control pulses while accounting for both system parameter uncertainties and decoherence. Referred to as the approximate Open-GRAPE algorithm, our approach demonstrates superior performance over the Closed-GRAPE algorithm. In the examples we present, the approximate Open-GRAPE algorithm exhibits an enhancement in yield, which is the probability of generating high-quality pulses from random initial pulses. In particular, when controlling a bosonic mode with an ancillary transmon qubit, our approach provides pulses with ultralow infidelities below 0.60% after just 30 trials of the approximate Open-GRAPE algorithm, surpassing the best infidelity of 1.44% obtained by the Closed-GRAPE algorithm. Both numerical and experimental results highlight the advantages of our approach in achieving the best available fidelities for controlling quantum systems in practice and reducing the number of trials in optimization. Regarding computational complexity, the approximate Open-GRAPE algorithm exhibits a linear increase in computation time with the number of uncertain parameters and noise sources considered, showcasing the potential for robust control of open quantum systems with dimensions up to 10^6 using personal computers.

RESULTS

Model

Figure 1 sketches the principle of quantum control of a general open quantum system. The target system is controllable by applying external control pulses, with the total Hamiltonian of an ideal closed quantum system described by

$$H(t) = H_0 + \sum_k u_c^{(k)}(t) H_c^{(k)} \quad (1)$$

where H_0 is the drift Hamiltonian of the bare system and $H_c^{(k)}$ is the control Hamiltonian with time-varying amplitude parameter $u_c^{(k)}(t)$. For conventional quantum control algorithms, such as the GRAPE approach, the control pulse is discretized equally into N steps and remains constant in each step, i.e., $u_c^{(k)}(t) = u_{c,j}^{(k)}$ in the j th step for $t \in [(j-1)\tau, j\tau]$, where T is the duration of control pulse and $\tau = T/N$ is the step size. Therefore, the evolution in this step is unitary with the operator $U_j = \exp\left[-i\tau\left(H_0 + \sum_k u_{c,j}^{(k)} H_c^{(k)}\right)\right]$, and the algorithm is implemented to optimize the whole evolution of this ideal system to approach the target unitary evolution as

$$U(T) = U_N \cdots U_2 U_1 \approx U_{\text{targ}} \quad (2)$$

However, there are usually imperfections in the practical quantum system. These perturbations can be divided into two categories: one is the uncertainty of the system Hamiltonian due to the parameter instability of the hardware and also the miscalibration of the parameters; the other one is the noise due to inevitable coupling between the system and the environment. The first kind of perturbation can be described as $\sum_m \delta u_f^{(m)} H_f^{(m)}$, where $\{H_f^{(m)}\}$ are the fluctuating Hamiltonian terms with uncertain amplitudes $\delta u_f^{(m)}$ satisfying $\langle \delta u_f^{(m)} \rangle = 0$, $\langle (\delta u_f^{(m)})^2 \rangle = (\sigma_f^{(m)})^2$. Here, $\delta u_f^{(m)}$ is a random variable that is fixed in each single-shot implementation of the system




Fig. 1. The schematic of the optimal control algorithms. The shadow area represents the general model of the open quantum system considering both the uncertainty of the system Hamiltonian and the decoherence. Exhibiting low computational complexity, the Closed-GRAPE algorithm (the blue part) solely focuses on the dynamics of the ideal closed system when optimizing control pulses. In contrast, Open-GRAPE algorithms (the red part) consider these two types of perturbations during the optimization process, leading to an enhancement of the operation fidelity. The purple part corresponds to the approximate Open-GRAPE algorithm that shows both of the advantages mentioned above.

dynamics but might vary from shot to shot. $\langle \cdot \rangle$ is the average over the distribution of the random variable. Specifically, it is the ensemble average for the miscalibration variables, while it is the temporal average for the slowly varying unstable parameters. The second kind of perturbation is usually treated as decoherence, which can be described as Lindblad jump operators L_m with a noise strength κ_m . Considering these perturbations, as shown in the shadow area in Fig. 1, the complete evolution of an open quantum system should be described by the Lindblad master equation (33)

$$\frac{d}{dt}\rho(t) = -i \left[H(t) + \sum_m \delta u_f^{(m)} H_f^{(m)}, \rho(t) \right] + \mathcal{L}[\rho(t)] \quad (3)$$

where $\rho(t)$ is the density matrix of the system and

$$\mathcal{L}(\rho) = \sum_m \kappa_m \{ L_m \rho L_m^\dagger - \frac{1}{2} L_m^\dagger L_m \rho - \frac{1}{2} \rho L_m^\dagger L_m \} \quad (4)$$

is the Lindblad superoperator.

The actual performance is expected to be markedly inferior to the anticipated performance when the pulses are optimized on the basis of the ideal closed system by Eq. 1 and subsequently applied to the open system by Eq. 3 in the presence of both types of perturbations. In other words, the obtained pulses are not robust against these noises, substantially deteriorating the fidelity of quantum operations. To provide a more practical evaluation of the operation quality and suppress the potential deviations from expectation, it demands an optimization algorithm that optimizes the gate while considering these perturbations, as shown in Fig. 1.

Approximate Open-GRAPE algorithm

In the Closed-GRAPE algorithm, the target U_{targ} can be represented as a set of state transfers $\{|\psi_i^j\rangle \mapsto |\psi_o^j\rangle\}$, where $|\psi_i^j\rangle$ and $|\psi_o^j\rangle$ are the initial state and output target state, respectively, and each element in the set corresponds to a constraint in the optimization of $U(T)$. Here, we use the situation with a single constraint as an example for simplicity, and more general cases with multiple constraints are provided in the Supplementary Materials. In Closed-GRAPE, the goal of the optimization is to maximize the objective function as $J_{\text{close}} = |\langle \psi_o | U(T) | \psi_i \rangle|^2$, which is the fidelity of the final state to the target state in the ideal closed system.

To optimize the control parameters, the estimation of the gradient $\partial J_{\text{close}} / \partial u_{c,j}^{(k)}$ is essential. In the situation where the Closed-GRAPE applies, i.e., there is no decoherence noise or uncertain Hamiltonian parameter, the gradient can be solved efficiently and exactly. After the evolution in a closed quantum system, the final state becomes $U_{1 \rightarrow N} \rho U_{1 \rightarrow N}^\dagger$. Here, $U_{j \rightarrow j+i} = U_{j+i} \dots U_{j+1} U_j$ ($U_0 = I$ and $U_{i \rightarrow j} = I$ for $i > j$) is the unitary evolution from j th to the $j+i$ th step. Under this evolution, the gradient reads

$$\frac{\partial J_{\text{close}}}{\partial u_{c,j}^{(k)}} \propto -i\tau \langle \psi_o | U_{j+1 \rightarrow N} H_c^{(k)} \rho_j U_{j+1 \rightarrow N}^\dagger | \psi_o \rangle + \text{c. c.} \quad (5)$$

where $\rho_j = \rho(j\tau) = U_{1 \rightarrow j} \rho_0 U_{1 \rightarrow j}^\dagger$ and c. c. is the complex conjugate of the former part. The key idea is to calculate the gradient through the forward propagation of the initial state (i.e., $\{U_{1 \rightarrow j} |\psi_i\rangle\}$) and the backward propagation of the target states (i.e., $\{U_{j+1 \rightarrow N}^\dagger |\psi_o\rangle\}$), which circumvents the calculation of the differential numerically.

While the Closed-GRAPE algorithm shows an impressively fast iteration speed, its corresponding objective function and gradient exhibit inaccuracy for an open quantum system. This limits the quality of quantum operations in real experimental setups. In contrast, the Open-GRAPE algorithms (9, 28–30), depicted in the red region of Fig. 1, provide error-resisting quantum operations by considering the complete dynamics, thereby improving the operation fidelity. However, this also comes with higher computational complexity.

For a practical evaluation of the operation in an open quantum system, the fidelity of the final state should be generalized as

$$f_{\text{open}} = \langle \text{Tr} [|\psi_o\rangle \langle \psi_o | \mathcal{E}_{T, \delta u_f} (|\psi_i\rangle \langle \psi_i|)] \rangle \quad (6)$$

and this corresponds to the fidelity of the final state in an open quantum system with uncertain Hamiltonians and decoherence. Here, $\mathcal{E}_{T, \delta u_f}(\cdot)$ describes the completely positive and trace-preserving map between an initial input state ρ and the output state, which is governed by Eq. 3. As shown in the purple region of Fig. 1, the approximate Open-GRAPE algorithm in this work adopts the key ideas of both the Closed-GRAPE and Open-GRAPE algorithms, i.e., it can avoid the calculation of the differentiation and the master equation while considering the influence of imperfections. We first introduce an approximation that can be applied to f_{open} to obtain a computationally convenient objective function J_{open} with $J_{\text{open}} \approx f_{\text{open}}$.

For an open quantum system, we focus on the demands of optimizing the control pulses for achieving high-fidelity quantum operations under the conditions where noise is weak, i.e., $\kappa_m T \ll 1$ (thus, $\kappa_m \tau \ll 1$), and uncertainty is small, i.e., $(\sigma_f^{(m)} T)^2 \ll 1$. Consequently, we treat noise as perturbations that can be approximated to the first order (see the Supplementary Materials for more details). The final operator corresponding to a single occurrence of the Lindblad jump leads to

$$\rho_{L,N} = \tau \sum_j U_{j+1 \rightarrow N} \mathcal{L}(\rho_j) U_{j+1 \rightarrow N}^\dagger \quad (7)$$

and we introduce the objective function term due to decoherence

$$J_d = \text{Tr} (|\psi_o\rangle \langle \psi_o | \rho_{L,N}) \quad (8)$$

For the parameter uncertainty, the final state corresponding to the first order uncertain parameters term after the ensemble average over the random variable $\{\delta u_f^{(m)}\}$ is

$$\overline{\rho_{f,N}} = - \sum_m (\sigma_f^{(m)} \tau)^2 \left(\sum_{i=2}^N \sum_{j=1}^{i-1} U_{i+1 \rightarrow N} H_f^{(m)} U_{j+1 \rightarrow i} H_f^{(m)} \rho_j U_{j+1 \rightarrow N}^\dagger \right. \\ \left. - U_{j+1 \rightarrow N} H_f^{(m)} \rho_j U_{j+1 \rightarrow i}^\dagger H_f^{(m)} U_{i+1 \rightarrow N}^\dagger \right) + \text{h. c.} \quad (9)$$

where h. c. is the Hermitian conjugate of the former part. The corresponding objective function term induced by this uncertainty is

$$J_f = \text{Tr} (|\psi_o\rangle \langle \psi_o | \overline{\rho_{f,N}}) \quad (10)$$

The detailed deduction and the analytical gradient are shown in the Supplementary Materials. Last, the objective function of the approximate Open-GRAPE algorithm under the combination of these terms is

$$J_{\text{open}} = J_{\text{close}} + J_d + J_f \quad (11)$$

The goal of the optimization is to maximize this objective function. However, as the fidelity of many current systems approaches 1, it is more intuitive to use the infidelity as $\tilde{f}_{\text{open}} = 1 - \sqrt{f_{\text{open}}}$ for better evaluation. Therefore, in the subsequent optimization, we equivalently minimize the following objective function

$$\Phi_{\text{close/open}} = 1 - \sqrt{f_{\text{close/open}}} \quad (12)$$

This corresponds to the infidelity commonly adopted by many experimental groups at present.

The approximate Open-GRAPE algorithm in this work inherits the advantage of calculating the gradients using multiple trajectories associated with the extrinsic errors, thus also circumventing the differentiation. Here, we only use fidelity as an example to introduce the algorithm, but we think it is important to extend the algorithm to other figures of merit such as the trace distance (2) and the squared Euclidean distance (34, 35).

Numerical simulation

In this section, we evaluate the performance of the approximate Open-GRAPE algorithm using a superconducting quantum circuit as an illustrative example, using comprehensive numerical simulations. As

shown in Fig. 2A, the physical system consists of a three-dimensional microwave cavity serving as a high-quality storage for quantum states and a transmon serving as the ancillary qubit to provide the necessary nonlinearity for the implementation of quantum operations. It is worth noting that such a superconducting system is one of the leading quantum information processing platforms (36), which has shown high operation fidelity for beating the break-even point of quantum error correction (37, 38). The robust and optimal control of such a practical open quantum system is urgent for further improving the operation fidelity and realizing the ultimate goal of fault tolerance.

The drift Hamiltonian of the bare system in the interaction picture, i.e., a qubit dispersively coupling to a cavity with a cross-Kerr interaction, reads

$$H_0 / \hbar = \frac{\chi}{2} a^\dagger a \hat{\sigma}_z - \frac{K_2}{2} a^\dagger a^\dagger a a \quad (13)$$

where a and a^\dagger are the annihilation and creation operators of the cavity photon, respectively, $\hat{\sigma}_z$ is the Pauli-Z operator of the transmon qubit, χ is the cross-Kerr coupling strength, and K_2 is the self-Kerr coefficient of the cavity. Other higher-order interactions can be neglected. Universal quantum operations are realized through coherent microwave drives on both the transmon and the cavity (10, 11), where the corresponding control Hamiltonian includes




Fig. 2. The numerical simulation results. (A) The schematic of the numerical simulation. The top part displays the control pulses obtained by the Closed-GRAPE algorithm (blue) and the approximate Open-GRAPE algorithm (red). The middle part is a superconducting circuit with a three-dimensional cavity and a transmon qubit, where the green line represents the dominant extrinsic noise. The black box at the bottom represents a typical Wigner function of the target quantum state, while the blue and red arrows point to the Wigner functions of the quantum states prepared by the respective pulses from the Closed-GRAPE and approximate Open-GRAPE algorithms. (B) The infidelity \tilde{f}_{open} of 500 Closed-GRAPE pulses (blue) and their corresponding approximate Open-GRAPE pulses (red). The objective functions for the Closed-GRAPE and approximate Open-GRAPE algorithms are Φ_{close} and Φ_{open} (see the main text), respectively. The black line represents the reference line where the objective function in the algorithm is equal to the infidelity considering perturbations. It can be seen that all the red points (from approximate Open-GRAPE) closely align with the reference line, while the blue points (from Closed-GRAPE) exhibit substantial deviations. (C) The distribution of infidelity corresponding to the data shown in (B). The black line is a Gaussian distribution fitted to the data from the Closed-GRAPE algorithm. The dark gray vertical dashed line indicates the average value, while the distance between the gray dashed lines is the standard deviation (SD) σ of the Gaussian distribution. In contrast, the data from the approximate Open-GRAPE show notably lower average infidelity.

$$\begin{aligned} H_c^{(1)} &= \hat{\sigma}_x, & H_c^{(2)} &= \hat{\sigma}_y, \\ H_c^{(3)} &= a + a^\dagger, & H_c^{(4)} &= i(a - a^\dagger) \end{aligned} \quad (14)$$

Here, $\hat{\sigma}_x$ and $\hat{\sigma}_y$ are the Pauli-X and Pauli-Y operators of the transmon qubit, respectively.

For a practical experimental system, we consider four types of dominant perturbations in our numerical simulation, as shown by the green arrow in Fig. 2A. For both the cavity and the transmon qubit, the decoherence terms, i.e., $L_1 = \hat{\sigma}_-$ and $L_2 = a$, induced by the decay, and the parameter fluctuations due to frequency shifts, i.e., $H_{f,1} = a^\dagger a$ and $H_{f,2} = \hat{\sigma}_z$, are all included. The detailed parameters of the drift and control Hamiltonians as well as the perturbations are shown in Methods.

As an important example, we show the result of the encoding process of a binomial code (11, 39) in the cavity with $|0_B\rangle = (|0\rangle + |4\rangle)/\sqrt{2}$ and $|1_B\rangle = |2\rangle$. This process transfers the information from the transmon qubit to the cavity encoded with the binomial code, i.e., $\alpha|g\rangle + \beta|e\rangle \rightarrow \alpha|0_B\rangle + \beta|1_B\rangle$. This can be realized with two constraints in the optimization algorithm, and details are shown in Methods. For the Closed-GRAPE algorithm, different random pulses of the control Hamiltonian are applied as the initial pulses that need to be optimized in the algorithm iteratively until convergence. To better illustrate the differences between the two algorithms and accelerate the numerical simulation, we use the result pulses from the Closed-GRAPE algorithm as the initial inputs for the corresponding approximate Open-GRAPE algorithm optimization.

The results of 500 independently optimized pulses are presented in Fig. 2B, with the optimized pulses being numerically evaluated via the Lindblad master equation in Eq. 3. The master equation provides a virtual open quantum system to validate the performance of the target operations with the infidelity \tilde{f}_{open} . As expected, the pulses provided by Closed-GRAPE exhibit the objective function Φ_{close} that is very close to 0, while their practical infidelity \tilde{f}_{open} is distributed along the y axis with an average value of 1.47% and an SD of 0.18%. In contrast, the pulses by approximate Open-GRAPE exhibit objective functions Φ_{open} that deviate from the ideal value of 0, but they show consistency with the infidelities $\Phi_{\text{open}} \approx \tilde{f}_{\text{open}}$. This agreement indicates the effective evaluation of the gate performance of the open quantum system by our objective function in Eq. 11. Benefiting from the good objective function in approximate Open-GRAPE, we find that the average infidelity is improved by 34 to 97%, and their deviation is reduced to 0.12%.

In Fig. 2C, the infidelity distribution from the Closed-GRAPE closely resembles a Gaussian distribution. According to this distribution, pulses located beyond three SDs from the mean, i.e., pulses with infidelity below 0.93%, can be approximately estimated with a probability of 0.135% (0 of 500 pulses in our simulation). However, the approximate Open-GRAPE yields these pulses with a probability of 46.2% (231 of 500 pulses) in this simulation, showing an enhancement of more than 340 times in yield or more than two orders of magnitude. During the optimization process with multiple parameters, it is easy to converge to local optima. Therefore, in most experiments where necessary prior knowledge is lacking, multiple different random initial pulses are needed for optimization. Then, we can select the one with the best performance. Intuitively, yield represents the probability of generating high-quality pulses. The

higher the yield, the fewer trials are required to generate a high-quality pulse on average.

A pronounced asymmetry is shown in the distribution corresponding to the approximate Open-GRAPE, which indicates that the optimized results are close to the lower bound of achievable infidelity in this situation, as opposed to the symmetric Gaussian-like distribution observed in Closed-GRAPE. It is noteworthy that approximate Open-GRAPE achieves a pulse with the best infidelity of 0.63%, a value well predicted by our objective function, positioning it around 5σ in the Gaussian distribution of the Closed-GRAPE, as shown in Fig. 2C. Notably, the Open-GRAPE algorithms can also achieve a similar distribution (29) but with higher computational complexity due to its precise solution of the system dynamics.

To further demonstrate the robustness of the approximate Open-GRAPE algorithm, we conduct separate optimization for uncertain Hamiltonians and decoherence noise under a particular perturbation strength ($\{\sigma_f\}, \{\kappa_m\}$). The robustness is tested by the master equation with scaled noise strengths $\{s_f \sigma_f\}$ and $\{s_m \kappa_m\}$, where s_f and s_m are scaling factors, and the results are presented in Fig. 3. As shown in Fig. 3A, the approximate Open-GRAPE outperforms the Closed-GRAPE in most parameter regions. Noting that although the approximate Open-GRAPE is optimized for $s = 1$, its performance is better even when the parameter uncertainty tends to vanish. Since the Closed-GRAPE is optimized for $s = 0$, its performance is only slightly better than the approximate Open-GRAPE when $s \approx 0$.




Fig. 3. The performance of the algorithms with varying noise strength. (A) The average infidelity as a function of the scaling s_f of uncertainty in the Hamiltonian without decoherence noise. (B) The average infidelity as a function of the scaling s_m of decoherence noise strength without Hamiltonian uncertainty. The average infidelities are calculated with 60 Closed-GRAPE pulses (blue) and their corresponding approximate Open-GRAPE pulses (red). The error bars for the blue points are smaller than the marker size, making them difficult to distinguish visually.

Similarly, the robustness of the approximate Open-GRAPE against decoherence is tested, and the result is illustrated in Fig. 3B, which shows a similar behavior compared with the Closed-GRAPE. These results indicate the robustness of the approximate Open-GRAPE algorithm to the noise parameters. Even when the parameter uncertainties and the decoherence rates are not precisely calibrated and may shift during experiments, the approximate Open-GRAPE algorithm can consistently provide a reliably improved performance.

Notably, the numerical pulse sequences generated by the approximate Open-GRAPE algorithm exhibit similar behaviors to those produced by traditional dynamical decoupling techniques (40–42) in resisting the negative effects of uncertain parameters. Although the approximate Open-GRAPE algorithm cannot provide a physical picture from an analytical perspective, it can easily handle a wider variety of noise types and more complicated quantum operations. These details can be found in the Supplementary Materials.

Experiment

The performance of the approximate Open-GRAPE and Closed-GRAPE algorithms is further verified experimentally with a superconducting quantum circuit, as also studied in the aforementioned numerical simulations. The system consists of a three-dimensional cavity with a high-quality factor of $Q = 4.9 \times 10^7$ and an ancillary transmon qubit. Our practical experimental Hamiltonians are the same as Eqs. 13 and 14, with the calibrated $\chi/2\pi = 1.00$ MHz and

$K_2/2\pi = 1.415$ kHz. The dominant errors are the decoherence noise including the decay ($L_1 = \hat{\sigma}_-$, $T_1 = 110$ μ s) and dephasing ($L_2 = \hat{\sigma}_z$, $T_2 = 130$ μ s) of the transmon qubit and the relaxation ($L_3 = a$, $T_1 = 1300$ μ s) of the storage cavity. The experimental control is implemented with microwave pulses to coherently drive the cavity and the transmon via arbitrary waveform generators (AWGs). The pulse shapes are numerically optimized by the GRAPE algorithms with a step size of $\tau = 2$ ns. The detailed experimental setup, wiring, initialization, pulse generation, and readout are the same as previous experiments (43) and are also provided in Methods.

With the GRAPE algorithm, the encoding, gates, and decoding of logical qubits based on the binomial codes in the cavity can be realized. All the operations on the logical qubits can be optimized by either the Closed-GRAPE or the approximate Open-GRAPE on-demand. In our experiments, the duration of the initialization and the decoding operations are set to 2 μ s, while the duration of the logical $R_y(\pi)$ gate is 3 μ s. Here, $R_y(\pi)$ denotes a π rotation gate around the y axis in the Bloch sphere of the logical qubit. To characterize the performances of the operations based on the optimized controls, we first directly characterize the simplest quantum circuit of a logical qubit consisting of only encoding and decoding, and then the logical $R_y(\pi)$ gate is characterized by repetitively implementing the gate. The control sequence is shown in Fig. 4A.

For the first experiment, we initialize the logical state to $|+_B\rangle = (|0_B\rangle + |1_B\rangle)/\sqrt{2}$ and then decode the logical state to the




Fig. 4. The experimental results. (A) Quantum circuit for the experiment. (B) Scatter diagram of infidelities in the initialization experiment with 30 randomly chosen initial pulses. The horizontal and vertical axes represent the outcomes after optimization with the Closed-GRAPE algorithm and the subsequent refinement through the approximate Open-GRAPE algorithm, respectively. The red dashed line indicates the boundary where the infidelity remains the same with the two algorithms, and the lower half-space is the region where approximate Open-GRAPE is advantageous. (C) The distribution of infidelity corresponding to the data shown in (B). The black line is a Gaussian distribution fitted to the data from the Closed-GRAPE algorithm. The dark gray vertical dashed line indicates the average value, and the distance between the gray dashed lines is the SD σ of the Gaussian distribution. (D) Infidelity versus the number of repetitive rotation gates. Thirteen random initial pulses are chosen in this experiment. The red (blue) line is the average infidelity corresponding to the approximate Open-GRAPE (Closed-GRAPE) algorithm. The infidelity deviations for different initial pulses are reflected by the error bars.

transmon for characterization. The constraints in the optimization of the encoding and decoding operations and the detailed parameters are shown in Methods. The performance of the two operations is characterized by a state tomography of the transmon qubit. From the tomography result, the density matrix of the transmon qubit can be reconstructed numerically, and the infidelity can be calculated. The details of the tomography process can be referred to the Supplementary Materials. The infidelity of this experiment is shown in Fig. 3B, with each approximate Open-GRAPE pulse optimized based on the resulting pulse of Closed-GRAPE. It is evident that the approximate Open-GRAPE improves the average infidelity from $1.84 \pm 0.21\%$ to $1.01 \pm 0.20\%$, showing a relative improvement of about 45% in the infidelity. Furthermore, the variance of infidelity along the horizontal axis is generally larger than that along the vertical axis, and this implies that the pulses obtained by the approximate Open-GRAPE algorithm exhibit greater robustness to noise parameters.

In Fig. 4C, the infidelities of the Closed-GRAPE algorithm show symmetric Gaussian-like distributions, excellently agreeing with the numerical results in Fig. 2C. According to the Gaussian distribution, a probability of 0.135% is predicted to obtain a control pulse realizing an infidelity below 1.20% (three SDs below the mean value), while no pulse actually (0 of 30 pulses in our experiments) achieves this goal. In contrast, a probability of 83.3%, i.e., 25 of 30 pulses, is achieved by the approximate Open-GRAPE in our experiments with an ultralow infidelity of 0.60%. These results imply that the main perturbations are accounted for, and their impact on quantum control is suppressed. We also note that all parameters in our experiments are not perfectly calibrated and might also fluctuate during experiments, which is notably different from the numerical simulations. Nevertheless, the results demonstrate the robustness of our algorithm.

To demonstrate the advantage of the approximate Open-GRAPE algorithm in deeper and more complicated circuits, we also design the repetitive logical $R_y(\pi)$ gate sequence as shown in Fig. 4A. Similarly, the storage cavity is first initialized in the $|+_B\rangle$ state. Then, the logical $R_y(\pi)$ gates are implemented on the state with M repetitions. Eventually, the decoding and tomography process are performed to obtain the infidelity of the final state. It is worth noting that the ideal final state is $|+_B\rangle$ or $|-_B\rangle$ depending on whether M is even or odd, respectively. Figure 4D shows the average infidelity of 13 random initial pulses as M increases. From the linear fitting of the infidelity curve of each initial pulse, the infidelity for the logical $R_y(\pi)$ gate can be determined. The average infidelity is $0.89 \pm 0.21\%$ for the Closed-GRAPE algorithm and $0.72 \pm 0.28\%$ for the approximate Open-GRAPE algorithm. This shows that the pulses further optimized in the approximate Open-GRAPE algorithm exhibit a relative improvement of about 19% in infidelity. Furthermore, the optimal pulses generated from the approximate Open-GRAPE algorithm demonstrate the lowest infidelity of $0.44 \pm 0.01\%$. The performance of the 13 pulses is detailed in the Supplementary Materials.

Computational complexity

The complexity of the Closed-GRAPE and approximate Open-GRAPE optimization algorithms is important for practical applications. Although the convergence of the algorithms is determined by the specific problem, constraints, and initial guesses, we can quantitatively compare their complexity through the time consumption of calculating the gradient during each iteration in the optimization.

When the Hilbert space dimension d of the system is large, the most time-consuming process in the GRAPE algorithm is the calculation of the unitary matrix $\{U_j\}$ related to the forward and backward propagations. This is due to the fact that the computational complexity of the matrix exponential of a unitary operator $U = \exp(-iH\tau)$ from the Hamiltonian H is $\mathcal{O}(d^3)$, while the rest part remains $\mathcal{O}(d^2)$. To avoid this, we apply the matrix-vector exponential approach as outlined in (26), and the similar idea can also be found in the earlier works (44, 45). The key idea is to calculate the propagation of the state, e.g., $|\psi\rangle$, using the Taylor expansion of the unitary operator as

$$U|\psi\rangle \approx \sum_{m=0}^{n_{\text{Taylor}}} |\phi_m\rangle \quad (15)$$

where $|\phi_0\rangle = |\psi\rangle$ and $|\phi_m\rangle = \frac{-i\tau}{m} H |\phi_{m-1}\rangle$ are terms related to different orders, and n_{Taylor} is the truncation order of the Taylor expansion. With this method, the computational complexity of the gradient is demonstrated in the Supplementary Materials, and the results show that the complexity is $\mathcal{O}[(2n_{\text{Taylor}} + n_{\text{control}})Nd^2]$ for the Closed-GRAPE algorithm and $\mathcal{O}\{[(2v+2f+13)n_{\text{control}} + 2(f+3)n_{\text{Taylor}} + 2(f+2v+1)]Nd^2\}$ for approximate Open-GRAPE algorithm. Here, n_{control} is the number of control Hamiltonians to be optimized, v is the number of decoherence noise sources, and f is the number of uncertain Hamiltonians. Comparing the two approaches, our approximate Open-GRAPE algorithm consumes more time but only by a constant factor. For example, when $v = 2$, $f = 2$, $n_{\text{control}} = 4$, and $n_{\text{Taylor}} = 20$, the complexity of the approximate Open-GRAPE algorithm is only 6.77 times that of the Closed-GRAPE. This scaling is acceptable for practical experimental systems in which the main uncertain parameters and decoherence channels are limited to a small number. In this perspective, our approximate Open-GRAPE algorithm outperforms previous attempts to optimal control of open quantum systems based on the GRAPE algorithm (28, 46), whose computational complexity is at least $\mathcal{O}(d^3)$ when performing the optimization with the $d \times d$ -dimensional density matrix representation.

The computational complexity is also numerically tested by recording the duration for each iteration of the GRAPE algorithms. Figure 5A directly compares the time consumption of the Closed-GRAPE and approximate Open-GRAPE algorithms as the system dimensions increase. The data illustrate a trend that is lower than quadratic scaling and approaches linearity when d is large, which may be attributed to the sparsity of the Hamiltonian matrices. However, because of the foundational overhead of computer operations such as array initialization, the iteration time becomes relatively higher than expected when d is small, resulting in an inflection point around $d = 10^4$ in the figure. The increasing time consumption with the considered uncertain parameters and noise terms are also numerically investigated, as shown in Fig. 5 (B and C). As expected, the calculation time shows a nearly linear increase with both f and v for $d = 10^2$ below the inflection point and $d = 10^5$ above the point. These numerical results validate the computational efficiency of our algorithm for practical applications. For example, in the qubit-cavity model investigated earlier with $f = 2$ and $v = 2$ perturbations, our results imply that the typical iteration duration for the 2×5000 -dimension problem is about 22 seconds. Furthermore, the results also show that optimizing open quantum system controls




Fig. 5. The computational complexity of the algorithms. (A) The variation of the iteration time with an increasing state dimension d . The blue and red points represent the data of the Closed-GRAPE algorithm and the approximate Open-GRAPE algorithm with $f = 2$ and $v = 2$. The blue and red dashed lines show the scaling of $3.38 \times 10^{-4} \times d^{1.02}$ and $2.18 \times 10^{-3} \times d^{1.00}$, respectively, fitted from the rightmost five blue or red data points. (B) The variation of the iteration time with an increasing number of uncertain Hamiltonians f . (C) The variation of the iteration time with an increasing number of decoherence noise sources v . The green points and the orange points represent situations with a matrix dimension of 10^2 and 10^5 , respectively.

with dimensions $d \approx 10^6$ becomes achievable on personal computers, equivalent to handling roughly 20 qubits.

DISCUSSION

In summary, a numerically efficient GRAPE algorithm for optimal and robust control of open quantum systems is proposed and experimentally verified. This approximate Open-GRAPE algorithm, instead of offering entirely new control solutions that the Closed-GRAPE could not uncover, shows a higher probability of finding the potential control pulses that suppress the impact of perturbations and are robust against parameter uncertainties. Both simulation and experimental results affirm the computational efficacy of our algorithm, showcasing a 340-fold increase in the probability of generating high-performance pulses while maintaining a modest linear increase in complexity for calculating the gradient in each iteration.

This algorithm allows us to approach the practical lower bound of infidelities when controlling open quantum systems in practice, promising much better performance based on current system parameters. For example, while the average infidelity using the Closed-GRAPE algorithm can be as large as 1.84%, the best optimization results achieved with the approximate Open-GRAPE can reach 0.60% as demonstrated in the experiment. Furthermore, our algorithm provides an effective means to estimate the minimal physical

resource requirement to achieve a target operation precision, which is crucial for evaluating the hardware needs to realize fault tolerance thresholds and quantum supremacy. Our results imply that the stringent demands on the parameters of the system, such as T_1 and T_2 of the qubits, can be relaxed by approaching the lower bound of infidelities with the approximate Open-GRAPE algorithm.

High gate fidelity is immediately important for applications in the noisy intermediate-scale quantum era, as well as for the exploration of quantum error correction and fault-tolerant techniques. Even a marginal improvement in fidelity can substantially increase achievable quantum circuit depth or enable quantum error correction codes to surpass the break-even point. Hence, it is anticipated that the approximate Open-GRAPE algorithm can contribute substantially to these applications. In addition, our algorithm is generally applicable to open quantum systems and thus can be easily extendable to other quantum platforms, including Rydberg atoms (47) and trapped ions (48, 49). Furthermore, our treatment of perturbations in the GRAPE algorithm can be further generalized to applications beyond gate operations (50), such as quantum metrology (51), quantum state resetting (52), and quantum simulation (53). In addition, to enhance the practical applicability of the algorithm, we need to further improve its yield by addressing challenges such as avoiding local optima. Last, to further enhance the performance of quantum systems, we need to improve the algorithm to effectively handle low-frequency and non-Markovian noise (54).

METHODS

Constraints of the algorithm

In the numerical simulation, the encoding process of the binomial code can be realized through the following constraints

$$|\psi_i^1\rangle = |g\rangle \otimes |0\rangle, \quad |\psi_o^1\rangle = |g\rangle \otimes |1_B\rangle; \\ |\psi_i^2\rangle = \frac{|g\rangle + |e\rangle}{\sqrt{2}} \otimes |0\rangle, \quad |\psi_o^2\rangle = |g\rangle \otimes |+_B\rangle \quad (16)$$

where $|\pm_B\rangle = (|0_B\rangle \pm |1_B\rangle)/\sqrt{2}$, and $|0_B\rangle = (|0\rangle) + |4\rangle/\sqrt{2}$ and $|1_B\rangle = |2\rangle$ are the two code basis states. The unitary evolution satisfying these constraints can transfer the state from $(\alpha|g\rangle + \beta|e\rangle) \otimes |0\rangle$ to $|g\rangle \otimes (\alpha|0_B\rangle + \beta|1_B\rangle)$. Here, no more constraints are set to the evolution in other subspaces, and the global phase is also neglected.

In the experiment, the initialization process is realized with only a single constraint

$$|\psi_i^1\rangle = |g\rangle \otimes |0\rangle, \quad |\psi_o^1\rangle = |e\rangle \otimes |+_B\rangle \quad (17)$$

The constraints on the decoding process are more stringent with

$$|\psi_i^1\rangle = |e\rangle \otimes |+_B\rangle, \quad |\psi_o^1\rangle = (|g\rangle + |e\rangle)/\sqrt{2} \otimes |0\rangle; \\ |\psi_i^2\rangle = |e\rangle \otimes |-_B\rangle, \quad |\psi_o^2\rangle = (|g\rangle - |e\rangle)/\sqrt{2} \otimes |0\rangle; \\ |\psi_i^3\rangle = |e\rangle \otimes |0_B\rangle, \quad |\psi_o^3\rangle = |g\rangle \otimes |0\rangle; \\ |\psi_i^4\rangle = |e\rangle \otimes |1_B\rangle, \quad |\psi_o^4\rangle = |e\rangle \otimes |0\rangle \quad (18)$$

This decoding process can realize arbitrary state transfers from the storage cavity to the ancillary qubit, i.e., from $|e\rangle \otimes (\alpha|0_B\rangle + \beta|1_B\rangle)$ to $(\alpha|g\rangle + \beta|e\rangle) \otimes |0\rangle$.

The constraints on the logical $R_y(\pi)$ gate neglecting the global phase are

$$\begin{aligned} |\psi_i^1\rangle &= |e\rangle \otimes |+_B\rangle, & |\psi_o^1\rangle &= |e\rangle \otimes |-_B\rangle; \\ |\psi_i^2\rangle &= |e\rangle \otimes |0_B\rangle, & |\psi_o^2\rangle &= |e\rangle \otimes |1_B\rangle \end{aligned} \quad (19)$$

Simulation details

In the “Numerical simulation” section, the GRAPE algorithm is computed using the following Hamiltonian in the interaction picture, with the higher-order terms being neglected

$$H/\hbar = -\chi a^\dagger a \hat{\sigma}_+ \hat{\sigma}_- - \frac{K_2}{2} a^\dagger a^\dagger a a \quad (20)$$

To effectively demonstrate the optimization efficacy of the approximate Open-GRAPE algorithm, the parameters used in this section are different from those in the real experiment. For the four control Hamiltonians shown in Eq. 14, the maximum allowable amplitude during the optimization in the GRAPE algorithm is 50 MHz. The cross-Kerr coupling strength is $\chi/2\pi = 1.9$ MHz, and the self-Kerr coefficient of the storage cavity is $K_2/2\pi = 8.46$ kHz.

In Fig. 2 (B and C), the dimensions of the cavity and the transmon qubit are chosen to be 30 and 2, respectively. The overall duration time $T = 600$ ns is equally split into $N = 600$ steps. The frequency shift fluctuations are intentionally increased beyond those observed in the real system and are chosen to be $\sigma_f^{(1)} = \sigma_f^{(2)} = 0.1$ MHz for both the storage cavity and the transmon qubit. The corresponding Hamiltonians are $H_f^{(1)} = a^\dagger a$ and $H_f^{(2)} = \hat{\sigma}_+ \hat{\sigma}_-$, respectively. Only the relaxation noise of the cavity and the transmon qubit are considered here, i.e., $L_1 = a$ and $L_2 = \hat{\sigma}_-$. Their strengths are $\kappa_1 = 10$ kHz and $\kappa_2 = 50$ kHz, respectively.

Calculations of the average infidelity in the “Numerical simulation” section are obtained by computing the weighted average infidelity between the target states specified in the constraints and the corresponding noisy final states after evolution. To simulate the influence of the fluctuating Hamiltonian, the uncertain parameters are assumed to follow a binomial distribution. Consequently, the infidelity is averaged over the final states resulting from the evolution with two different Hamiltonians, $H(t) = H_0 + \sum_k u_c^{(k)}(t) H_c^{(k)} + \sum_m \sigma_f^{(m)} H_f^{(m)}$ and $H(t) = H_0 + \sum_k u_c^{(k)}(t) H_c^{(k)} - \sum_m \sigma_f^{(m)} H_f^{(m)}$.

In the calculation shown in Fig. 5, the overall duration time $T = 100$ ns is equally split into $N = 100$ steps. The calculation is implemented with an Intel Core i7-8700 CPU (@3.20GHz). In Fig. 5A, the total dimension d is changed by varying the cavity dimension while keeping the transmon qubit dimension fixed at 2. Only a single constraint is considered with random initial and target states in the analysis.

Experimental setup

The experiment is conducted on a superconducting circuit including a three-dimensional cavity with a high-quality factor of $Q = 4.9 \times 10^7$ and an ancillary transmon qubit. The parameters of the Hamiltonians are well calibrated, where the cross-Kerr coupling strength is $\chi/2\pi = 1.00$ MHz and the first-order self-Kerr coefficient is $K_2/2\pi = 1.415$ kHz. Both the initialization and decoding processes have a duration of 2 μ s, while the logical rotation gate $R_y(\pi)$ has a duration of 3 μ s. The time interval for each step in the GRAPE algorithm is $\tau = 2$ ns, resulting in $N = 1000$ and 1500 steps for the initialization and $R_y(\pi)$ gate, respectively. In the experiment,

the pulses are generated from an AWG with a minimum time resolution of 0.4 ns.

In the experiment, the dominant error source is the decoherence noise, including the decay ($L_1 = \hat{\sigma}_-$, $T_1 = 110$ μ s) and dephasing ($L_2 = \hat{\sigma}_z$, $T_2 = 130$ μ s) of the transmon qubit, and the relaxation ($L_3 = a$, $T_1 = 1300$ μ s) of the storage cavity. These extrinsic errors are considered in the optimization process of the approximate Open-GRAPE algorithm. Moreover, to prevent pulse distortion from the AWG, several penalty terms are included in both the Closed-GRAPE and approximate Open-GRAPE algorithms in the experiment (55). More details can be referred to the Supplementary Materials. Similar to the approach in the “Numerical simulation” section, the pulses optimized using the Closed-GRAPE algorithm are used as the initial pulses in the approximate Open-GRAPE algorithm for better comparison.

Supplementary Materials

This PDF file includes:

Supplementary Text

Figs. S1 to S4

References

REFERENCES AND NOTES

1. J. Preskill, Quantum computing in the NISQ era and beyond. *Quantum* **2**, 79 (2018).
2. M. A. Nielsen, I. L. Chuang, *Quantum Computation and Quantum Information* (Cambridge Univ. Press, 2012).
3. C. L. Degen, F. Reinhard, P. Cappellaro, Quantum sensing. *Rev. Mod. Phys.* **89**, 035002 (2017).
4. D. D’Alessandro, *Introduction to Quantum Control and Dynamics* (Chapman and Hall/CRC, 2007).
5. D. Guérard-Odelin, A. Ruschhaupt, A. Kiely, E. Torrontegui, S. Martínez-Garaot, J. G. Muga, Shortcuts to adiabaticity: Concepts, methods, and applications. *Rev. Mod. Phys.* **91**, 045001 (2019).
6. X. Wang, L. S. Bishop, J. P. Kestner, E. Barnes, K. Sun, S. Das Sarma, Composite pulses for robust universal control of singlet-triplet qubits. *Nat. Commun.* **3**, 997 (2012).
7. T. Caneva, T. Calarco, S. Montangero, Chopped random-basis quantum optimization. *Phys. Rev. A* **84**, 022326 (2011).
8. F. Motzoi, J. M. Gambetta, P. Rebentrost, F. K. Wilhelm, Simple pulses for elimination of leakage in weakly nonlinear qubits. *Phys. Rev. Lett.* **103**, 110501 (2009).
9. N. Khaneja, T. Reiss, C. Kehlet, T. Schulte-Herbrüggen, S. J. Glaser, Optimal control of coupled spin dynamics: Design of NMR pulse sequences by gradient ascent algorithms. *J. Magn. Reson.* **172**, 296–305 (2005).
10. R. W. Heeres, P. Reinhold, N. Ofek, L. Frunzio, L. Jiang, M. H. Devoret, R. J. Schoelkopf, Implementing a universal gate set on a logical qubit encoded in an oscillator. *Nat. Commun.* **8**, 94 (2017).
11. L. Hu, Y. Ma, W. Cai, X. Mu, Y. Xu, W. Wang, Y. Wu, H. Wang, Y. P. Song, C. L. Zou, S. M. Girvin, L. M. Duan, L. Sun, Quantum error correction and universal gate set operation on a binomial bosonic logical qubit. *Nat. Phys.* **15**, 503–508 (2019).
12. V. Nebendahl, H. Häffner, C. F. Roos, Optimal control of entangling operations for trapped-ion quantum computing. *Phys. Rev. A* **79**, 012312 (2009).
13. A. Larrouy, S. Patsch, R. Richaud, J.-M. Raimond, M. Brune, C. P. Koch, S. Gleyzes, Fast navigation in a large hilbert space using quantum optimal control. *Phys. Rev. X* **10**, 021058 (2020).
14. Y. Chou, S.-Y. Huang, H.-S. Goan, Optimal control of fast and high-fidelity quantum gates with electron and nuclear spins of a nitrogen-vacancy center in diamond. *Phys. Rev. A* **91**, 052315 (2015).
15. V. V. Sivak, A. Eickbusch, H. Liu, B. Royer, I. Tsoutsios, M. H. Devoret, Model-free quantum control with reinforcement learning. *Phys. Rev. X* **12**, 011059 (2022).
16. X. Ge, H. Ding, H. Rabitz, R.-B. Wu, Robust quantum control in games: An adversarial learning approach. *Phys. Rev. A* **101**, 052317 (2020).
17. J.-S. Kim, L. S. Bishop, A. D. Córcoles, S. Merkel, J. A. Smolin, S. Sheldon, Hardware-efficient random circuits to classify noise in a multiqubit system. *Phys. Rev. A* **104**, 022609 (2021).
18. S. Sheldon, L. S. Bishop, E. Magesan, S. Filipp, J. M. Chow, J. M. Gambetta, Characterizing errors on qubit operations via iterative randomized benchmarking. *Phys. Rev. A* **93**, 012301 (2016).

19. F. Yan, Y. Sung, P. Krantz, A. Kamal, D. K. Kim, J. L. Yoder, T. P. Orlando, S. Gustavsson, W. D. Oliver, Engineering framework for optimizing superconducting qubit designs. *arXiv*2006.04130 [quant-ph] (2020).
20. T. Proctor, M. Revelle, E. Nielsen, K. Rudinger, D. Lobser, P. Maunz, R. Blume-Kohout, K. Young, Detecting and tracking drift in quantum information processors. *Nat. Commun.* **11**, 5396 (2020).
21. G. Catelani, S. E. Nigg, S. M. Girvin, R. J. Schoelkopf, L. I. Glazman, Decoherence of superconducting qubits caused by quasiparticle tunneling. *Phys. Rev. B* **86**, 184514 (2012).
22. R.-B. Wu, H. Ding, D. Dong, X. Wang, Learning robust and high-precision quantum controls. *Phys. Rev. A* **99**, 042327 (2019).
23. A. Koswara, V. Bhutoria, R. Chakrabarti, Quantum robust control theory for Hamiltonian and control field uncertainty. *New J. Phys.* **23**, 063046 (2021).
24. T. E. Skinner, T. O. Reiss, B. Luy, N. Khaneja, S. J. Glaser, Application of optimal control theory to the design of broadband excitation pulses for high-resolution NMR. *J. Magn. Reson.* **163**, 8–15 (2003).
25. K. Kobzar, S. Ehni, T. E. Skinner, S. J. Glaser, B. Luy, Exploring the limits of broadband 90° and 180° universal rotation pulses. *J. Magn. Reson.* **225**, 142–160 (2012).
26. M. Abdelhafez, D. I. Schuster, J. Koch, Gradient-based optimal control of open quantum systems using quantum trajectories and automatic differentiation. *Phys. Rev. A* **99**, 052327 (2019).
27. A. Eickbusch, V. Sivak, A. Z. Ding, S. S. Elder, S. R. Jha, J. Venkatraman, B. Royer, S. M. Girvin, R. J. Schoelkopf, M. H. Devoret, Fast universal control of an oscillator with weak dispersive coupling to a qubit. *Nat. Phys.* **18**, 1464–1469 (2022).
28. S. Boutin, C. K. Andersen, J. Venkatraman, A. J. Ferris, A. Blais, Resonator reset in circuit QED by optimal control for large open quantum systems. *Phys. Rev. A* **96**, 042315 (2017).
29. T. Schulte-Herbrüggen, A. Spörl, N. Khaneja, S. J. Glaser, Optimal control for generating quantum gates in open dissipative systems. *J. Phys. B At. Mol. Opt. Phys.* **44**, 154013 (2011).
30. S. Machnes, U. Sander, S. J. Glaser, P. de Fouquière, A. Gruslys, S. Schirmer, T. Schulte-Herbrüggen, Comparing, optimizing, and benchmarking quantum-control algorithms in a unifying programming framework. *Phys. Rev. A* **84**, 022305 (2011).
31. G. Gordon, G. Kurizki, D. A. Lidar, Optimal dynamical decoherence control of a qubit. *Phys. Rev. Lett.* **101**, 010403 (2008).
32. T. E. Skinner, N. I. Gershenzon, M. Nimbalkar, S. J. Glaser, Optimal control design of band-selective excitation pulses that accommodate relaxation and RF inhomogeneity. *J. Magn. Reson.* **217**, 53–60 (2012).
33. K. Jacobs, *Quantum Measurement Theory and Its Applications* (Cambridge Univ. Press, 2014).
34. V. Bergholm, W. Wieczorek, T. Schulte-Herbrüggen, M. Keyl, Optimal control of hybrid optomechanical systems for generating non-classical states of mechanical motion. *Quantum Sci. Technol.* **4**, 034001 (2019).
35. V. N. Petruhanov, A. N. Pechen, GRAPE optimization for open quantum systems with time-dependent decoherence rates driven by coherent and incoherent controls. *J. Phys. A Math. Theor.* **56**, 305303 (2023).
36. W. Cai, Y. Ma, W. Wang, C.-L. Zou, L. Sun, Bosonic quantum error correction codes in superconducting quantum circuits. *Fundam. Res.* **1**, 50–67 (2021).
37. Z. Ni, S. Li, X. Deng, Y. Cai, L. Zhang, W. Wang, Z.-B. Yang, H. Yu, F. Yan, S. Liu, C. L. Zou, L. Sun, S.-B. Zheng, Y. Xu, D. Yu, Beating the break-even point with a discrete-variable-encoded logical qubit. *Nature* **616**, 56–60 (2023).
38. V. V. Sivak, A. Eickbusch, B. Royer, S. Singh, I. Tsoutsios, S. Ganjam, A. Miano, B. L. Brock, A. Z. Ding, L. Frunzio, S. M. Girvin, R. J. Schoelkopf, M. H. Devoret, Real-time quantum error correction beyond break-even. *Nature* **616**, 50–55 (2023).
39. M. H. Michael, M. Silveri, R. T. Brierley, V. V. Albert, J. Salmilehto, L. Jiang, S. M. Girvin, New class of quantum error-correcting codes for a bosonic mode. *Phys. Rev. X* **6**, 031006 (2016).
40. D. A. Lidar, Review of decoherence-free subspaces, noiseless subsystems, and dynamical decoupling. *Adv. Chem. Phys.* **154**, 295–354 (2014).
41. E. Barnes, F. A. Calderon-Vargas, W. Dong, B. Li, J. Zeng, F. Zhuang, Dynamically corrected gates from geometric space curves. *Quantum Sci. Technol.* **7**, 023001 (2022).
42. J. Zeng, X.-H. Deng, A. Russo, E. Barnes, General solution to inhomogeneous dephasing and smooth pulse dynamical decoupling. *New J. Phys.* **20**, 033011 (2018).
43. W. Cai, X. Mu, W. Wang, J. Zhou, Y. Ma, X. Pan, Z. Hua, X. Liu, G. Xue, H. Yu, H. Wang, Y. Song, C. L. Zou, L. Sun, Protecting entanglement between logical qubits via quantum error correction. *Nat. Phys.* **20**, 1022–1026 (2024).
44. I. Kuprov, N. Wagner-Rundell, P. J. Hore, Polynomially scaling spin dynamics simulation algorithm based on adaptive state-space restriction. *J. Magn. Reson.* **189**, 241–250 (2007).
45. I. Kuprov, Polynomially scaling spin dynamics II: Further state-space compression using Krylov subspace techniques and zero track elimination. *J. Magn. Reson.* **195**, 45–51 (2008).
46. M. H. Goerz, “Optimizing robust quantum gates in open quantum systems,” Doctoral thesis, University of Kassel (2015), p. 238. <https://kobra.uni-kassel.de/handle/123456789/2015052748381>.
47. A. Omran, H. Levine, A. Keesling, G. Semeghini, T. T. Wang, S. Ebadi, H. Bernien, A. S. Zibrov, H. Pichler, S. Choi, J. Cui, M. Rossignolo, P. Rembold, S. Montangero, T. Calarco, M. Endres, M. Greiner, V. Vuletić, M. D. Lukin, Generation and manipulation of Schrödinger cat states in Rydberg atom arrays. *Science* **365**, 570–574 (2019).
48. C. Figgatt, A. Ostrander, N. M. Linke, K. A. Landsman, D. Zhu, D. Maslov, C. Monroe, Parallel entangling operations on a universal ion-trap quantum computer. *Nature* **572**, 368–372 (2019).
49. X. Yang, Y. Lin, Y. Lu, J. Li, Fast ion gates outside the lamb-dicke regime by robust quantum optimal control. *arXiv*2209.09615 [quant-ph] (2022).
50. P. M. Harrington, E. J. Mueller, K. W. Murch, Engineered dissipation for quantum information science. *Nat. Rev. Phys.* **4**, 660–671 (2022).
51. W. Wang, Z.-J. Chen, X. Liu, W. Cai, Y. Ma, X. Mu, X. Pan, Z. Hua, L. Hu, Y. Xu, H. Wang, Y. P. Song, X.-B. Zou, C.-L. Zou, L. Sun, Quantum-enhanced radiometry via approximate quantum error correction. *Nat. Commun.* **13**, 3214 (2022).
52. P. Magnard, P. Kurpiers, B. Royer, T. Walter, J.-C. Besse, S. Gasparinetti, M. Pechal, J. Heinsoo, S. Storz, A. Blais, A. Wallraff, Fast and unconditional all-microwave reset of a superconducting qubit. *Phys. Rev. Lett.* **121**, 060502 (2018).
53. A. J. Daley, I. Bloch, C. Kokail, S. Flannigan, N. Pearson, M. Troyer, P. Zoller, Practical quantum advantage in quantum simulation. *Nature* **607**, 667–676 (2022).
54. C. P. Koch, U. Boscain, T. Calarco, G. Dirr, S. Filipp, S. J. Glaser, R. Kosloff, S. Montangero, T. Schulte-Herbrüggen, D. Sugny, F. K. Wilhelm, Quantum optimal control in quantum technologies. Strategic report on current status, visions and goals for research in Europe. *EPJ Quantum Technol.* **9**, 19 (2022).
55. N. Ofek, A. Petrenko, R. Heeres, P. Reinhold, Z. Leghtas, B. Vlastakis, Y. Liu, L. Frunzio, S. M. Girvin, L. Jiang, M. Mirrahimi, M. H. Devoret, R. J. Schoelkopf, Extending the lifetime of a quantum bit with error correction in superconducting circuits. *Nature* **536**, 441–445 (2016).
56. R. H. Byrd, P. Lu, J. Nocedal, C. Zhu, A limited memory algorithm for bound constrained optimization. *SIAM J. Sci. Comput.* **16**, 1190–1208 (1995).
57. C. Wang, X. Li, H. Xu, Z. Li, J. Wang, Z. Yang, Z. Mi, X. Liang, T. Su, C. Yang, G. Wang, W. Wang, Y. Li, M. Chen, C. Li, K. Linghu, J. Han, Y. Zhang, Y. Feng, Y. Song, T. Ma, J. Zhang, R. Wang, P. Zhao, W. Liu, G. Xue, Y. Jin, H. Yu, Towards practical quantum computers: Transmon qubit with a lifetime approaching 0.5 milliseconds. *npj Quantum Inf.* **8**, 3 (2022).
58. S. Krastanov, V. V. Albert, C. Shen, C.-L. Zou, R. W. Heeres, B. Vlastakis, R. J. Schoelkopf, L. Jiang, Universal control of an oscillator with dispersive coupling to a qubit. *Phys. Rev. A* **92**, 040303 (2015).
59. A. Blais, A. L. Grimsmo, S. M. Girvin, A. Wallraff, Circuit quantum electrodynamics. *Rev. Mod. Phys.* **93**, 025005 (2021).

Acknowledgments: We are grateful to W. Cai for helpful discussions. **Funding:** This work was funded by the National Key R&D Program (grant nos. 2021YFA1402004 and 2017YFA0304303), the National Natural Science Foundation of China (grant nos. 11925404, 92165209, 92365301, 12061131011, and 92265210), and Innovation Program for Quantum Science and Technology (grant nos. 2021ZD0300203 and 2021ZD0301203). This work was also supported by the Fundamental Research Funds for the Central Universities and USTC Research Funds of the Double First-Class Initiative. This work was partially carried out at the USTC Center for Micro and Nanoscale Research and Fabrication. The numerical calculations in this paper have been done on the supercomputing system in the Supercomputing Center of University of Science and Technology of China. **Author contributions:** Z.-J.C. and C.-L.Z. conceived the idea. Z.-J.C. developed the methods and Q.-X.J. validated the simulation data. H.H. and Lida Sun performed the experiment and analyzed the data with the assistance of J.Z., Z.H., Y.X., and W.W. under the supervision of Luyan Sun. Z.-J.C., H.H., Lida Sun, C.-L.Z., Luyan Sun, and X.-B.Z. wrote the manuscript, with feedback from all other authors. G.-C.G., C.-L.Z., Luyan Sun, and X.-B.Z. supervised the project. **Competing interests:** The authors declare that they have no competing interests. **Data and materials availability:** All data needed to evaluate the conclusions in the paper are present in the paper and/or the Supplementary Materials.

Submitted 14 June 2024

Accepted 24 January 2025

Published 26 February 2025

10.1126/sciadv.adr0875