



---

Managed by Fermi Research Alliance, LLC for the U.S. Department of Energy Office of Science

---

# **Integrable Optics Design Principles for Beam Halo Suppression in Accelerator Rings at the Intensity Frontier**

## **Cooperative Research and Development Agreement Final Report**

**CRADA Number: FRA-2014-0008**

**Fermilab Technical Contact: Sergei Nagaitsev**

Summary Report  
29 November 2016

### NOTICE

This report was prepared as an account of work sponsored by an agency of the United States government. Neither the United States government nor any agency thereof, nor any of their employees, makes any warranty, express or implied, or assumes any legal liability or responsibility for the accuracy, completeness, or usefulness of any information, apparatus, product, or process disclosed, or represents that its use would not infringe privately owned rights. Reference herein to any specific commercial product, process, or service by trade name, trademark, manufacturer, or otherwise does not necessarily constitute or imply its endorsement, recommendation, or favoring by the United States government or any agency thereof. The views and opinions of authors expressed herein do not necessarily state or reflect those of the United States government or any agency thereof.

Available electronically at <http://www.osti.gov/bridge>

Available for a processing fee to U.S. Department of Energy and its contractors, in paper, from:  
U.S. Department of Energy Office of Scientific and Technical Information  
P.O. Box 62  
Oak Ridge, TN 37831-0062  
phone: 865.576.8401  
fax: 865.576.5728  
email: <mailto:reports@adonis.osti.gov>

Available for sale to the public, in paper, from:  
U.S. Department of Commerce  
National Technical Information Service  
5285 Port Royal Road  
Springfield, VA 22161  
phone: 800.553.6847  
fax: 703.605.6900  
email: [orders@ntis.fedworld.gov](mailto:orders@ntis.fedworld.gov)  
online ordering: <http://www.ntis.gov/ordering.htm>

In accordance with Requirements set forth in Article X of the CRADA, this document is the final CRADA report, including a list of Subject Inventions, to be forwarded to the Office of Science and Technical Information as part of the commitment to the public to demonstrate results of federally funded research.

**CRADA number:** FRA-2014-0008

**CRADA Title:** Integrable Optics Design Principles for Beam Halo Suppression in Accelerator Rings at the Intensity Frontier

**Parties to the Agreement:** RadiaSoft, LLC and Fermi Research Alliance, LLC

**Abstract of CRADA work:**

The project was dedicated to quantifying the possibilities and limitations of the integrable optics, a fundamentally new approach to high-intensity accelerator ring design, using the parallel Synergia framework for simulations. The following topics were studied: a) the effects of space charge forces, field errors, magnet misalignments, and other sources of parametric resonance; b) the effect of controlled nonlinearities, such as sextupoles for chromaticity control; c) the effect of longitudinal dynamics driven by finite bunch length and rf cavities; and d) reexamination of relevant lattices in present accelerators to explore potential benefits of these new design principles.

**Summary of Research Results:**

A subroutine for particle tracking through nonlinear magnets from the existing Fermilab-owned software was imported into the Synergia software package (also Fermilab-owned). The effects of space charge, magnet field errors, sextupole magnets, and energy deviation on the stability of integrable system was studied on the example of the IOTA ring. The results were incorporated in the machine design and specifications. The work was reported at major accelerator conferences and published in the literature.

**Related Reports, Publications, and Presentations:**

IPAC2015 – MOPM028 (ISBN: 978-3-95458-168-7) “Chromaticity & Dispersion in Nonlinear Integrable Optics”, S.D. Webb et al

**Subject Inventions listing:**

None

**Report Date:** 11/29/2016

**Technical Contact at Fermilab:** Sergei Nagaitsev

**This document contains NO confidential, protectable or proprietary information.**